STN

Lasery a laserové zariadenia Skúšobné metódy na šírku laserového lúča, uhly rozbiehavosti a pomer šírenia zväzku Časť 2: Hlavné astigmatické lúče (ISO 11146-2: 2021)

STN EN ISO 11146-2

19 2027

Lasers and laser-related equipment - Test methods for laser beam widths, divergence angles and beam propagation ratios - Part 2: General astigmatic beams (ISO 11146-2:2021)

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 09/21

Obsahuje: EN ISO 11146-2:2021, ISO 11146-2:2021

Oznámením tejto normy sa ruší STN EN ISO 11146-2 (19 2027) z júla 2005

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN ISO 11146-2

July 2021

ICS 31.260

Supersedes EN ISO 11146-2:2005

English Version

Lasers and laser-related equipment - Test methods for laser beam widths, divergence angles and beam propagation ratios - Part 2: General astigmatic beams (ISO 11146-2:2021)

Lasers et équipements associés aux lasers - Méthodes d'essai des largeurs du faisceau, angles de divergence et facteurs de limite de diffraction - Partie 2: Faisceaux astigmatiques généraux (ISO 11146-2:2021) Laser und Laseranlagen - Prüfverfahren für Laserstrahlabmessungen, Divergenzwinkel und Beugungsmaßzahlen - Teil 2: Allgemein astigmatische Strahlen (ISO 11146-2:2021)

This European Standard was approved by CEN on 4 July 2021.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN ISO 11146-2:2021 (E)

Contents	Page
D ()	
European foreword	3

European foreword

This document (EN ISO 11146-2:2021) has been prepared by Technical Committee ISO/TC 172 "Optics and photonics" in collaboration with Technical Committee CEN/TC 123 "Lasers and photonics" the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2022, and conflicting national standards shall be withdrawn at the latest by January 2022.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 11146-2:2005.

Any feedback and questions on this document should be directed to the users' national standards body/national committee. A complete listing of these bodies can be found on the CEN websites.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 11146-2:2021 has been approved by CEN as EN ISO 11146-2:2021 without any modification.

INTERNATIONAL STANDARD

ISO 11146-2

Second edition 2021-07

Lasers and laser-related equipment — Test methods for laser beam widths, divergence angles and beam propagation ratios —

Part 2: **General astigmatic beams**

Lasers et équipements associés aux lasers — Méthodes d'essai des largeurs du faisceau, angles de divergence et facteurs de limite de diffraction —

Partie 2: Faisceaux astigmatiques généraux



ISO 11146-2:2021(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Normative references	Contents		Page
1 Scope 1 2 Normative references 1 3 Terms and definitions 1 4 Coordinate system 6 5 Test principles 6 5.1 General 6 5.2 Spatial second order moments of the Wigner distribution 6 5.3 Second order moments of the Wigner distribution 6 5.4 Derived quantities 6 6 Measurement arrangement and test equipment 6 6.1 General 6 6.2 Preparation 6 6.3 Control of environment 7 6.4 Detector system 7 6.5 Beam-forming optics and optical attenuators 8 7 Measurement of the second order moments 8 7.1 General 8 7.2 Measurement of the second order moments of power density distributions 8 7.3 Measurement of all second order moments of the Wigner distribution 10 8 Determination of effective beam propagation ratio 12 9 Determination of	Fore	word	iv
2Normative references13Terms and definitions14Coordinate system65Test principles65.1General65.2Spatial second order moments of the Wigner distribution65.3Second order moments of the Wigner distribution65.4Derived quantities66Measurement arrangement and test equipment66.1General66.2Preparation66.3Control of environment76.4Detector system76.5Beam-forming optics and optical attenuators87Measurement of the second order moments87.1General87.2Measurement of the second order moments of power density distributions87.3Measurement of all second order moments of the Wigner distribution108Determination of effective beam propagation ratio129Determination of intrinsic astigmatism1210Determination of the twist parameter13	Intro	oduction	v
2Normative references13Terms and definitions14Coordinate system65Test principles65.1General65.2Spatial second order moments of the Wigner distribution65.3Second order moments of the Wigner distribution65.4Derived quantities66Measurement arrangement and test equipment66.1General66.2Preparation66.3Control of environment76.4Detector system76.5Beam-forming optics and optical attenuators87Measurement of the second order moments87.1General87.2Measurement of the second order moments of power density distributions87.3Measurement of all second order moments of the Wigner distribution108Determination of effective beam propagation ratio129Determination of intrinsic astigmatism1210Determination of the twist parameter13	1	Scope	1
Terms and definitions	2	-	
5Test principles65.1General65.2Spatial second order moments of the Wigner distribution65.3Second order moments of the Wigner distribution65.4Derived quantities66Measurement arrangement and test equipment66.1General66.2Preparation66.3Control of environment76.4Detector system76.5Beam-forming optics and optical attenuators87Measurement of the second order moments87.1General87.2Measurement of the second order moments of power density distributions87.3Measurement of all second order moments of the Wigner distribution108Determination of effective beam propagation ratio129Determination of intrinsic astigmatism1210Determination of the twist parameter13	3		
5Test principles65.1General65.2Spatial second order moments of the Wigner distribution65.3Second order moments of the Wigner distribution65.4Derived quantities66Measurement arrangement and test equipment66.1General66.2Preparation66.3Control of environment76.4Detector system76.5Beam-forming optics and optical attenuators87Measurement of the second order moments87.1General87.2Measurement of the second order moments of power density distributions87.3Measurement of all second order moments of the Wigner distribution108Determination of effective beam propagation ratio129Determination of intrinsic astigmatism1210Determination of the twist parameter13	4	Coordinate system	6
6.1 General 6.2 Preparation 6.3 Control of environment 7 6.4 Detector system 7 6.5 Beam-forming optics and optical attenuators 8 7 Measurement of the second order moments 7 7.1 General 8 7.2 Measurement of the second order moments of power density distributions 8 7.3 Measurement of all second order moments of the Wigner distribution 10 8 Determination of effective beam propagation ratio 12 9 Determination of intrinsic astigmatism 12 10 Determination of the twist parameter 13	5	 Test principles 5.1 General 5.2 Spatial second order moments of the Wigner distribution 5.3 Second order moments of the Wigner distribution 	6 6 6
7.1 General 8 7.2 Measurement of the second order moments of power density distributions 8 7.3 Measurement of all second order moments of the Wigner distribution 10 8 Determination of effective beam propagation ratio 12 9 Determination of intrinsic astigmatism 12 10 Determination of the twist parameter 13	6	6.1 General 6.2 Preparation 6.3 Control of environment 6.4 Detector system	6 6 7
9 Determination of intrinsic astigmatism 12 10 Determination of the twist parameter 13	7	7.1 General Measurement of the second order moments of power density distributions	8 8
10 Determination of the twist parameter13	8	Determination of effective beam propagation ratio	12
10 Determination of the twist parameter13	9	Determination of intrinsic astigmatism	12
	10		
1	11		
Bibliography16	Bibli	•	

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 172, *Optics and photonics*, Subcommittee SC 9, *Laser and electro-optical systems*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 123, *Lasers and photonics*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 11146-2:2005), which has been technically revised. The main changes compared to the previous edition are as follows:

- The terms and definitions were harmonized with the new ISO 11145.
- The "principal axes" were defined more thoroughly and named as x' and y'. Quantities related to the principal axes coordinate system refer to this definition and use x' and y' in their indices.
- The requirements for the integration range for the determination of the second order moments have been relaxed.

A list of all parts in the ISO 11146 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

The propagation properties of laser beams can be characterized by ten independent parameters when applying the method of second order moments (see ISO/TR 11146-3). Most laser beams need few parameters for a complete description due to their higher symmetry. Lasers emit beams which are stigmatic or simple astigmatic due to their resonator design.

ISO 11146-1 describes the measurement methods for stigmatic and simple astigmatic beams while this document deals with the measurement procedures for general astigmatic beams. This document is applicable to beams of unknown type. Beam characterization, based on the method of second order moments as described in ISO 11146-1 and this document, is only valid within the paraxial approximation.

The theoretical description of beam characterization and propagation as well as the classification of laser beams is given in ISO/TR 11146-3, which is a Technical Report. The procedures for background subtraction and offset correction are also given in ISO/TR 11146-3.

In ISO 11146, the second order moments of the power (energy) density distribution function are used for the determination of beam widths. If problems are experienced in the direct measurements of these quantities, other indirect methods of measurement of second order moments may be used as long as comparable results are achievable.

In ISO/TR 11146-3, three alternative methods for beam width measurement and their correlation with the method used in this document are described. These methods are:

- variable aperture method;
- moving knife-edge method;
- moving slit method.

Lasers and laser-related equipment — Test methods for laser beam widths, divergence angles and beam propagation ratios —

Part 2:

General astigmatic beams

1 Scope

This document specifies methods for measuring beam widths (diameter), divergence angles and beam propagation ratios of laser beams. This document is applicable to general astigmatic beams or unknown types of beams. For stigmatic and simple astigmatic beams, ISO 11146-1 is applicable.

Within this document, the description of laser beams is accomplished by means of the second order moments of the Wigner distribution rather than physical quantities such as beam widths and divergence angles. However, these physical quantities are closely related to the second order moments of the Wigner distribution. In ISO/TR 11146-3, formulae are given to calculate all relevant physical quantities from the measured second order moments.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 11145, Optics and photonics — Lasers and laser-related equipment — Vocabulary and symbols

ISO 11146-1, Lasers and laser-related equipment — Test methods for laser beam widths, divergence angles and beam propagation ratios — Part 1: Stigmatic and simple astigmatic beams

EN 61040:1992, Power and energy measuring detectors, instruments and equipment for laser radiation

koniec náhľadu – text ďalej pokračuje v platenej verzii STN