

<b>STN</b>	<b>Skúšanie požiarneho nebezpečenstva Časť 11-11: Skúšobné plamene Stanovenie charakteristického tepelného toku pre vznietenie od bezdotykového zdroja plameňa</b>	<b>STN EN IEC 60695-11-11</b>  34 5630
------------	--	--

Fire hazard testing - Part 11-11: Test flames - Determination of the characteristic heat flux for ignition from a non-contacting flame source

Táto norma obsahuje anglickú verziu európskej normy.  
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 09/21

Obsahuje: EN IEC 60695-11-11:2021, IEC 60695-11-11:2021

**133639**

EUROPEAN STANDARD

**EN IEC 60695-11-11**

NORME EUROPÉENNE

EUROPÄISCHE NORM

July 2021

ICS 13.220.40; 19.020

English Version

**Fire hazard testing - Part 11-11: Test flames - Determination of  
the characteristic heat flux for ignition from a non-contacting  
flame source  
(IEC 60695-11-11:2021)**

Essais relatifs aux risques du feu - Partie 11-11: Flamme  
d'essai - Détermination du flux de chaleur caractéristique  
pour l'allumage à partir d'une flamme source sans contact  
(IEC 60695-11-11:2021)

Prüfungen zur Beurteilung der Brandgefahr - Teil 11-11:  
Prüfflammen - Bestimmung der charakteristischen  
Wärmestromdichte für eine Entzündung durch eine nicht  
berührende Flamme  
(IEC 60695-11-11:2021)

This European Standard was approved by CENELEC on 2021-07-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

**EN IEC 60695-11-11:2021 (E)****European foreword**

The text of document 89/1482/CDV, future edition 1 of IEC 60695-11-11, prepared by IEC/TC 89 "Fire hazard testing" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 60695-11-11:2021.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2022-04-01 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2024-07-01 document have to be withdrawn

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

**Endorsement notice**

The text of the International Standard IEC 60695-11-11:2021 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60695-11-5 NOTE Harmonized as EN 60695-11-5

IEC 60695-11-10 NOTE Harmonized as EN 60695-11-10

IEC 60695-11-20 NOTE Harmonized as EN 60695-11-20

ISO 4589-2 NOTE Harmonized as EN ISO 4589-2

## Annex ZA

(normative)

### Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cenelec.eu](http://www.cenelec.eu).

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60695-1-10	-	Fire hazard testing – Part 1–10: Guidance for assessing the fire hazard of electrotechnical products - General guidelines	EN 60695-1-10	-
IEC 60695-1-11	-	Fire hazard testing - Part 1–11: Guidance for assessing the fire hazard of electrotechnical products - Fire hazard assessment		-
IEC 60695-1-12	-	Fire hazard testing - Part 1–12: Guidance for assessing the fire hazard of electrotechnical products - Fire safety engineering	EN IEC 60695-1-12	-
IEC 60695-4	-	Fire hazard testing - Part 4: Terminology-concerning fire tests for electrotechnical products		-
IEC 60695-11-4	-	Fire hazard testing - Part 11–4: Test flames - 50 W flame - Apparatus and confirmational test method	EN 60695-11-4	-
IEC Guide 104	-	The preparation of safety publications and the use of basic safety publications and group safety publications		-
ISO/IEC Guide 51		Safety aspects - Guidelines for their inclusion in standards		
ISO 13943	2017	Fire safety - Vocabulary	EN ISO 13943	2017
ISO 291	-	Plastics - Standard atmospheres for conditioning and testing	EN ISO 291	-
ISO/TS 14934-4	-	Fire tests – Calibration of heat flux meters – Part 4: Guidance on the use of heat flux meters in fire tests		-



IEC 60695-11-11

Edition 1.0 2021-05

# INTERNATIONAL STANDARD

BASIC SAFETY PUBLICATION

---

**Fire hazard testing –  
Part 11-11: Test flames – Determination of the characteristic heat flux for ignition  
from a non-contacting flame source**



**THIS PUBLICATION IS COPYRIGHT PROTECTED****Copyright © 2021 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

**About the IEC**

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

**About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

**IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)**

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

**IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

**IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

**IEC online collection - [oc.iec.ch](http://oc.iec.ch)**

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

**Electropedia - [www.electropedia.org](http://www.electropedia.org)**

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.



IEC 60695-11-11

Edition 1.0 2021-05

# INTERNATIONAL STANDARD

BASIC SAFETY PUBLICATION

---

**Fire hazard testing –  
Part 11-11: Test flames – Determination of the characteristic heat flux for ignition  
from a non-contacting flame source**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 13.220.40; 29.020

ISBN 978-2-8322-9835-0

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references .....	7
3 Terms and definitions .....	8
4 Principle of the test.....	9
5 Apparatus.....	9
5.1 Test arrangement.....	9
5.2 Burner and test flame.....	11
5.3 Heat flux meter .....	11
5.4 Data acquisition system .....	11
5.5 Heat flux meter mounting board .....	11
5.6 Masking board .....	12
5.7 Timing device .....	12
5.8 Conditioning chamber .....	12
5.9 Test specimen support.....	12
5.10 Burner support.....	12
5.11 Observation mirror .....	13
5.12 Flow controller .....	13
5.13 Heat flux meter supporting device .....	13
6 Test specimen .....	13
6.1 Dimensions of test specimen .....	13
6.2 Testing ranges in formulations .....	14
6.2.1 General .....	14
6.2.2 Density, melt flows and filler/reinforcement.....	14
6.2.3 Colour .....	14
6.3 Conditioning of test specimens .....	14
7 Testing conditions .....	14
8 Test procedure .....	14
8.1 Determination of incident heat flux calibration curve.....	14
8.2 Determination of ignition time.....	15
8.3 Repetition of the test at different heat flux values.....	16
9 Evaluation of test results .....	16
9.1 Average ignition time $\bar{t}_{ig}$ .....	16
9.2 Report format for CHFI .....	16
9.3 Analysis on CHFI (optional) .....	17
10 Precision data .....	17
11 Test report.....	17
Annex A (informative) An example of the calibration curve of incident heat flux, $Q$ , versus the distance, $D$ , between the top of the burner tube and the lower surface of the test specimen .....	18
A.1 Calibration curve.....	18
Annex B (informative) Examples of ignition times with various materials of 3 mm thickness .....	20
B.1 Materials – Examples of measurements .....	20
Annex C (informative) Precision data .....	23



C.1	General.....	23
C.2	Heat flux versus distance at different gas flow rates.....	23
C.3	Repeatability.....	24
C.4	Calculations and plots.....	25
Annex D (informative)	Method of positioning the heat flux meter.....	28
D.1	General.....	28
D.2	Positioning the heat flux meter.....	28
Bibliography	.....	30
Figure 1	– Arrangement and position of test specimen and burner.....	10
Figure 2	– Heat flux meter mounting board.....	11
Figure 3	– Structure of the masking board.....	12
Figure 4	– Heat flux meter supporting device.....	13
Figure A.1	– Calibration curve (example).....	18
Figure B.1	– Example of ignition times of PMMA.....	20
Figure B.2	– Ignition times for ABS (example).....	21
Figure B.3	– Ignition times for HIPS (example).....	21
Figure C.1	– Incident heat flux calibration curve (gas flow rate 105 cm <sup>3</sup> /min).....	23
Figure C.2	– Incident heat flux calibration curve (gas flow rate 160 cm <sup>3</sup> /min).....	24
Figure C.3	– Plot of 1/ $t_{ig}$ for material A.....	26
Figure C.4	– Plot of 1/ $t_{ig}$ for material B.....	26
Figure C.5	– Plot of 1/ $t_{ig}$ for material C.....	27
Figure C.6	– Plot of 1/ $t_{ig}$ for material D.....	27
Figure D.1	– Positioning the heat flux meter.....	28
Figure D.2	– Correct position of the test specimen support and the heat flux meter.....	29
Table A.1	– Calibration data (examples of actual measured data as shown in Figure A.1).....	19
Table A.2	– Calibration data (examples of interpolated values).....	19
Table B.1	– Value of Figure B.1.....	20
Table B.2	– Value of Figure B.2.....	21
Table B.3	– Value of Figure B.3.....	22
Table B.4	– Description example of tabulated test results.....	22
Table C.1	– Precision data of ignition time.....	25

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**FIRE HAZARD TESTING –****Part 11-11: Test flames –  
Determination of the characteristic heat flux  
for ignition from a non-contacting flame source**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60695-11-11 has been prepared by IEC technical committee 89: Fire hazard testing.

It has the status of a basic safety publication in accordance with IEC Guide 104 and ISO/IEC Guide 51.

The text of this International Standard is based on the following documents:

CDV	Report on voting
89/1482/CDV	89/1507/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). The main document types developed by IEC are described in greater detail at [www.iec.ch/standardsdev/publications](http://www.iec.ch/standardsdev/publications).

This international standard is to be used in conjunction with IEC 60695-11-4.

A list of all the parts in the IEC 60695 series, under the general title *Fire hazard testing*, can be found on the IEC website.

Part 11 consists of the following parts:

- Part 11-2: Test flames – 1 kW nominal pre-mixed flame – Apparatus, confirmatory test arrangement and guidance
- Part 11-3: Test flames – 500 W flames – Apparatus and confirmational test methods
- Part 11-4: Test flames – 50 W flame – Apparatus and confirmational test method
- Part 11-5: Test flames – Needle-flame test method – Apparatus, confirmatory test arrangement and guidance
- Part 11-10: Test flames – 50 W horizontal and vertical flame test methods
- Part 11-11: Test flames – Determination of the characteristic heat flux for ignition from non-contacting flame source
- Part 11-20: Test flames – 500 W flame test methods
- Part 11-30: Test flames – History and development from 1979 to 1999
- Part 11-40: Test flames – Confirmatory tests – Guidance

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

In the design of any electrotechnical product, the risk of fire and the potential hazards associated with fire need to be considered. In this respect the objective of component, circuit and equipment design as well as the choice of materials is to reduce, to acceptable levels, the potential risks of fire even in the event of foreseeable abnormal use, malfunction or failure. IEC 60695-1-10, IEC 60695-1-11 and IEC 60695-1-12 provide guidance on how this is to be accomplished.

Fires involving electrotechnical products can be initiated from external non-electrical sources. Considerations of this nature are dealt with in an overall fire hazard assessment.

The aim of the IEC 60695 series of standards is to save lives and property by reducing the number of fires or reducing the consequences of the fire. This can be accomplished by

- trying to prevent ignition caused by an electrically energised component part and, in the event of ignition, to confine any resulting fire within the bounds of the enclosure of the electrotechnical product.
- trying to minimise flame spread beyond the product's enclosure and to minimise the harmful effects of fire effluents including heat, smoke and toxic or corrosive combustion products.

This international standard is to be used to measure and describe the properties of materials used for electrotechnical products and sub-assemblies in response to heat from a non-contacting flame source or heat source under controlled laboratory conditions which is characterized by quantitative heat input (heat flux) to the materials. Results of this test may be used as elements of a fire risk assessment which takes into account all of the factors which are pertinent to an assessment of the fire hazard of a particular end use. A test specimen cut from an end-product or sub-assembly can be tested by this test method.

This international standard may involve hazardous materials, operations, and equipment. It does not purport to address all of the safety problems associated with its use. It is the responsibility of the user to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.

Test methods to determine flammability by contact of flame have been developed and standardized already, such as IEC 60695-11-5 [1]<sup>1</sup>, IEC 60695-11-10 [2], IEC 60695-11-20 [3] and ISO 4589-2 [4].

This is the first test method to determine the characteristic heat flux for ignition (CHF<sub>I</sub>) of materials used for electrotechnical products, sub-assemblies or parts from a non-contacting flame source. CHF<sub>I</sub> characterizes ignition behaviour in terms of incident heat flux. This test method simulates the fire behaviour of materials used for electrotechnical products where a flame source or heat source exists close to, but does not contact with, these items. An example is a candle flame near an electrotechnical product.

---

<sup>1</sup> Numbers in square brackets refer to the bibliography.

## **FIRE HAZARD TESTING –**

### **Part 11-11: Test flames – Determination of the characteristic heat flux for ignition from a non-contacting flame source**

#### **1 Scope**

This part of IEC 60695 describes a test method used to determine the characteristic heat flux for ignition (CHF<sub>I</sub>) from a non-contacting flame source for materials used in electrotechnical products, sub-assemblies or their parts. It provides a relationship between ignition time and incident heat flux. A test specimen cut from an end-product or sub-assembly can be tested by this test method.

This part of IEC 60695 can be used in the fire hazard assessment and fire safety engineering procedures described in IEC 60695-1-10, IEC 60695-1-11 and IEC 60695-1-12.

This basic safety publication is intended for use by technical committees in the preparation of standards in accordance with the principles laid down in IEC Guide 104 and ISO/IEC Guide 51.

One of the responsibilities of a technical committee is, wherever applicable, to make use of basic safety publications in the preparation of its publications. The requirements, test methods or test conditions of this basic safety publication will not apply unless specifically referred to or included in the relevant publications.

#### **2 Normative references**

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60695-1-10, *Fire hazard testing – Part 1-10: Guidance for assessing the fire hazard of electrotechnical products – General guidelines*

IEC 60695-1-11, *Fire hazard testing – Part 1-11: Guidance for assessing the fire hazard of electrotechnical products – Fire hazard assessment*

IEC 60695-1-12, *Fire hazard testing – Part 1-12: Guidance for assessing the fire hazard of electrotechnical products – Fire safety engineering*

IEC 60695-4, *Fire hazard testing – Part 4: Terminology concerning fire tests for electrotechnical products*

IEC 60695-11-4, *Fire hazard testing – Part 11-4: Test flames – 50 W flame – Apparatus and confirmational test method*

IEC GUIDE 104, *The preparation of safety publications and the use of basic safety publications and group safety publications*

ISO/IEC Guide 51, *Safety aspects – Guidelines for their inclusion in standards*

ISO 13943:2017, *Fire safety – Vocabulary*

ISO 291, *Plastics – Standard atmospheres for conditioning and testing*

ISO/TS 14934-4, *Fire tests – Calibration of heat flux meters – Part 4: Guidance on the use of heat flux meters in fire tests*

**koniec náhľadu – text ďalej pokračuje v platenej verzii STN**