

| | | |
|------------|---|-------------------------|
| STN | Stavebné vápno Časť 2: Skúšobné metódy | STN EN 459-2 |
| | | 72 2200 |

Building lime - Part 2: Test methods

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 09/21

Obsahuje: EN 459-2:2021

Oznámením tejto normy sa ruší
STN EN 459-2 (72 2200) z augusta 2011

133647

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 459-2

July 2021

ICS 91.100.10

Supersedes EN 459-2:2010

English Version

Building lime - Part 2: Test methods

Chaux de Construction - Partie 2: Méthodes d'essais

Baukalk - Teil 2: Prüfverfahren

This European Standard was approved by CEN on 8 February 2021.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

| | Page |
|---|-----------|
| European foreword..... | 5 |
| Introduction | 7 |
| 1 Scope..... | 8 |
| 2 Normative references..... | 8 |
| 3 Terms and definitions | 8 |
| 4 Sampling..... | 8 |
| 4.1 General..... | 8 |
| 4.2 Sampling of powdered material..... | 8 |
| 4.3 Sampling of granular material | 9 |
| 4.4 Sampling of lime putty and milk of lime | 9 |
| 4.5 Preparation of the test portion | 9 |
| 5 General requirements for testing..... | 11 |
| 5.1 Methods of chemical analysis | 11 |
| 5.2 Number of tests..... | 11 |
| 5.3 Repeatability and reproducibility | 12 |
| 5.4 Expression of masses, volumes, factors and results..... | 12 |
| 5.5 Blank determinations..... | 12 |
| 5.6 Reagents | 12 |
| 5.7 Evaluation of test results..... | 12 |
| 5.7.1 General..... | 12 |
| 5.7.2 Test results for quicklime | 12 |
| 5.7.3 Test results for all other types | 13 |
| 5.7.4 Test results for available lime | 13 |
| 6 Chemical analysis..... | 13 |
| 6.1 Extraction with hydrochloric acid (Reference method) | 13 |
| 6.1.1 General..... | 13 |
| 6.1.2 Principle | 13 |
| 6.1.3 Reagents | 13 |
| 6.1.4 Apparatus..... | 14 |
| 6.1.5 Procedure..... | 14 |
| 6.2 Fusion with lithium tetraborate (Alternative method)..... | 14 |
| 6.2.1 General..... | 14 |
| 6.2.2 Principle | 14 |
| 6.2.3 Reagents | 14 |
| 6.2.4 Apparatus..... | 15 |
| 6.2.5 Procedure..... | 15 |
| 6.3 Calcium oxide (CaO) and magnesium oxide (MgO)..... | 15 |
| 6.3.1 General..... | 15 |
| 6.3.2 Principle | 15 |
| 6.3.3 Reagents | 15 |
| 6.3.4 Apparatus..... | 16 |
| 6.3.5 Procedure..... | 17 |
| 6.3.6 Evaluation and expression of results..... | 17 |
| 6.4 Sulfate (expressed as SO₃) | 18 |
| 6.4.1 General..... | 18 |

| | | |
|-------|--|----|
| 6.4.2 | Principle..... | 18 |
| 6.4.3 | Reagents..... | 18 |
| 6.4.4 | Apparatus | 19 |
| 6.4.5 | Procedure | 19 |
| 6.4.6 | Evaluation and expression of results | 19 |
| 6.5 | Free water | 20 |
| 6.5.1 | General | 20 |
| 6.5.2 | Principle..... | 20 |
| 6.5.3 | Apparatus | 20 |
| 6.5.4 | Procedure | 20 |
| 6.5.5 | Evaluation and expression of results | 21 |
| 6.6 | Volumetric determination of carbon dioxide (CO ₂) (reference method) | 21 |
| 6.6.1 | Principle..... | 21 |
| 6.6.2 | Reagents..... | 21 |
| 6.6.3 | Apparatus | 21 |
| 6.6.4 | Procedure | 22 |
| 6.6.5 | Calibration of the apparatus..... | 23 |
| 6.6.6 | Evaluation and expression of results | 24 |
| 6.7 | Gravimetric determination of carbon dioxide (CO ₂) (alternative method)..... | 24 |
| 6.7.1 | Principle..... | 24 |
| 6.7.2 | Reagents..... | 24 |
| 6.7.3 | Apparatus | 25 |
| 6.7.4 | Procedure | 27 |
| 6.7.5 | Evaluation and expression of results | 28 |
| 6.8 | Loss on ignition | 28 |
| 6.8.1 | General | 28 |
| 6.8.2 | Principle..... | 28 |
| 6.8.3 | Apparatus | 28 |
| 6.8.4 | Procedure | 28 |
| 6.8.5 | Evaluation and expression of results | 29 |
| 6.9 | Available lime | 29 |
| 6.9.1 | General | 29 |
| 6.9.2 | Principle..... | 29 |
| 6.9.3 | Reagents..... | 29 |
| 6.9.4 | Apparatus | 30 |
| 6.9.5 | Procedure | 30 |
| 6.9.6 | Sugar extraction | 30 |
| 6.9.7 | Determination for calcium lime | 30 |
| 6.9.8 | Determination for lime with hydraulic properties | 31 |
| 6.9.9 | Evaluation and expression of results | 31 |
| 7 | Physical tests..... | 31 |
| 7.1 | Particle size by dry sieving..... | 31 |
| 7.1.1 | General | 31 |
| 7.1.2 | Principle..... | 31 |
| 7.1.3 | Apparatus | 31 |
| 7.1.4 | Preparation of test portions | 32 |
| 7.1.5 | Procedure | 32 |
| 7.1.6 | Evaluation and expression of results | 32 |
| 7.2 | Particle size by air-jet sieving | 33 |
| 7.2.1 | General | 33 |
| 7.2.2 | Apparatus | 33 |
| 7.2.3 | Procedure | 34 |

| | | |
|--------|--|----|
| 7.2.4 | Evaluation and expression of results..... | 35 |
| 7.3 | Bulk density | 35 |
| 7.3.1 | Apparatus..... | 35 |
| 7.3.2 | Procedure..... | 37 |
| 7.3.3 | Evaluation and expression of results..... | 37 |
| 7.4 | Soundness..... | 37 |
| 7.4.1 | General..... | 37 |
| 7.4.2 | For hydrated calcium lime and all types of lime with hydraulic properties | 38 |
| 7.4.3 | For hydrated calcium lime, lime putty and hydrated dolomitic lime which include grains larger than 0,2 mm..... | 41 |
| 7.4.4 | For quicklime, lime putty, dolomitic lime and hydrated dolomitic lime..... | 42 |
| 7.5 | Setting times | 45 |
| 7.5.1 | Principle | 45 |
| 7.5.2 | Laboratory, apparatus and materials..... | 45 |
| 7.5.3 | Standard consistence test | 45 |
| 7.5.4 | Setting time test..... | 48 |
| 7.6 | Reactivity | 49 |
| 7.6.1 | General..... | 49 |
| 7.6.2 | Apparatus..... | 49 |
| 7.6.3 | Quality check of the test equipment..... | 50 |
| 7.6.4 | Sample preparation..... | 54 |
| 7.6.5 | Procedure..... | 54 |
| 7.6.6 | Evaluation and expression of test results | 54 |
| 7.7 | Yield | 55 |
| 7.7.1 | Slaking vessel..... | 55 |
| 7.7.2 | Procedure..... | 56 |
| 7.7.3 | Evaluation and expression of results..... | 56 |
| 7.8 | Standard mortar by mass and water demand for values of flow and penetration..... | 56 |
| 7.8.1 | General..... | 56 |
| 7.8.2 | Composition and preparation of standard mortar | 57 |
| 7.8.3 | Water demand for values of flow and penetration | 62 |
| 7.9 | Water retention | 62 |
| 7.9.1 | Principle | 62 |
| 7.9.2 | Apparatus..... | 62 |
| 7.9.3 | Preparation of specimen material | 62 |
| 7.9.4 | Procedure..... | 62 |
| 7.9.5 | Evaluation..... | 63 |
| 7.10 | Determination of air content | 64 |
| 7.10.1 | Apparatus..... | 64 |
| 7.10.2 | Calibration of apparatus..... | 65 |
| 7.10.3 | Preparation of test mortar..... | 65 |
| 7.10.4 | Procedure..... | 65 |
| 7.10.5 | Reporting of results..... | 65 |
| 7.11 | Compressive strength..... | 66 |
| 7.11.1 | General..... | 66 |
| 7.11.2 | Modifications to EN 196-1 | 66 |
| | Annex A (informative) Example for the calculation of the results on sieving..... | 70 |
| | Annex B (informative) Precision data for the test methods | 71 |
| | Bibliography..... | 74 |

European foreword

This document (EN 459-2:2021) has been prepared by Technical Committee CEN/TC 51 "Cement and building limes", the secretariat of which is held by NBN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2022, and conflicting national standards shall be withdrawn at the latest by January 2022.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 459-2:2010.

In comparison with EN 459-2:2010, the following modifications have been made:

- description of fusion with lithium tetraborate;
- a new Clause 5.1 included;
- amendments for the determinations of CaO and MgO;
- change of the order of methods for determination of CO₂;
- Phenolphthalein as indicator replaced by thymolphthalein;
- Amendments for the determination of available lime;
- amendments of the methods for particle size determination;
- amendment for the description of bulk density;
- amendments for the determination of reactivity;
- amendments for the Table B.1 and Table B.2 in Annex B;
- editorial changes were made and minor mistakes corrected.

EN 459, *Building lime*, is currently composed of the following parts:

- *Part 1: Definitions, specifications and conformity criteria;*
- *Part 2: Test methods;*
- *Part 3: Conformity evaluation.*

The existing standards from the EN 196 series were used as a basis for the testing of physical and mechanical properties in EN 459-2. For the testing of chemical properties of building limes, test methods described in EN 12485 have been incorporated into this document.

EN 459-2:2021 (E)

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

The objective in this document has been to adopt as many European standardized methods as possible, and where this has not been possible, to use other appropriate proven methods.

Unless otherwise stated, tolerance class m of ISO 2768-1 apply (Indications on drawings by "ISO 2768-1").

All dimensions are in millimetres.

1 Scope

This document specifies the test methods for all building limes covered by EN 459-1. They can also be applied to other lime materials, the standards for which call up these methods.

This document specifies in Table 2 the methods used for the chemical analyses and the determination of physical properties of building limes.

This document specifies the reference methods and, in certain cases, an alternative method which can be considered to be equivalent. In the case of a dispute, only the reference methods are used.

Any other methods may be used provided they are calibrated, either against the reference methods or against internationally accepted reference materials, in order to demonstrate their equivalence.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 196-1:2016, *Methods of testing cement - Part 1: Determination of strength*

EN 196-3, *Methods of testing cement - Part 3: Determination of setting times and soundness*

EN 196-7, *Methods of testing cement - Part 7: Methods of taking and preparing samples of cement*

EN 459-1, *Building lime - Part 1: Definitions, specifications and conformity criteria*

EN 932-1, *Tests for general properties of aggregates - Part 1: Methods for sampling*

EN ISO 6506-1, *Metallic materials - Brinell hardness test - Part 1: Test method (ISO 6506-1)*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN