

<b>STN</b>	<b>Technické charakteristiky a metódy merania zariadení na generovanie, vysielanie a príjem digitálneho selektívneho volania (DSC) v námornej pohyblivej službe v pásmach MF, MF/HF a/alebo VHF</b> <b>Časť 1: Spoločné požiadavky</b>	<b>STN EN 300 338-1 V1.6.1</b>  87 0338
------------	---	---

Technical characteristics and methods of measurement for equipment for generation, transmission and reception of Digital Selective Calling (DSC) in the maritime MF, MF/HF and/or VHF mobile service; Part 1: Common requirements

Táto norma obsahuje anglickú verziu európskej normy.  
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 09/21

Obsahuje: EN 300 338-1 V1.6.1:2021

**133653**

# ETSI EN 300 338-1 V1.6.1 (2021-05)



**Technical characteristics and methods of measurement  
for equipment for generation, transmission  
and reception of Digital Selective Calling (DSC)  
in the maritime MF, MF/HF and/or VHF mobile service;  
Part 1: Common requirements**

---

**Reference**REN/ERM-TGMAR-610

---

**Keywords**DSC, GMDSS, maritime, radio

---

**ETSI**650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

---

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° w061004871

---

**Important notice**

---

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at [www.etsi.org/deliver](http://www.etsi.org/deliver).

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

---

**Notice of disclaimer & limitation of liability**

---

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

---

**Copyright Notification**

---

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2021.  
All rights reserved.

# Contents

Intellectual Property Rights .....	7
Foreword.....	7
Modal verbs terminology.....	8
1 Scope .....	9
2 References .....	10
2.1 Normative references .....	10
2.2 Informative references.....	11
3 Definition of terms, symbols and abbreviations.....	12
3.1 Terms.....	12
3.2 Symbols.....	13
3.3 Abbreviations .....	13
4 General requirements .....	14
4.1 General .....	14
4.2 Frequencies.....	14
4.3 Classes of emission .....	15
4.4 Accessibility .....	15
4.5 Calibration.....	15
4.6 Controls and indicators.....	15
4.6.1 General.....	15
4.6.2 Markings.....	15
4.7 Distress alert activation .....	16
4.8 Own MMSI .....	16
4.9 Group MMSI.....	16
4.10 Own position .....	16
4.11 Light sources .....	17
4.12 Operation.....	17
4.13 Routine testing.....	17
4.14 Safety precautions .....	17
4.14.1 Excessive current and voltage.....	17
4.14.2 Protection.....	17
4.14.3 Earthing .....	17
4.14.4 Access.....	17
4.15 Memory .....	18
4.16 Compass safe distance.....	18
4.17 Instructions.....	18
4.18 Warming-up period .....	18
4.18.1 Time.....	18
4.18.2 Heaters .....	18
4.18.3 Heating circuits.....	18
4.19 Selection of signal characteristics .....	19
4.20 Automatic/semi-automatic service .....	19
4.21 RF power used for DSC signalling.....	19
5 Test conditions .....	19
5.1 Test conditions, power sources, and ambient temperatures.....	19
5.1.1 Normal and extreme test conditions.....	19
5.1.2 Test power source .....	19
5.2 Normal test conditions.....	19
5.2.1 Normal temperature and humidity .....	19
5.2.2 Normal power sources .....	20
5.2.2.1 Battery power source.....	20
5.2.2.2 Other power sources.....	20
5.3 Extreme test conditions .....	20
5.3.0 General.....	20
5.3.1 Extreme temperatures .....	20

5.3.2	Extreme values of test power sources .....	20
5.3.2.1	Battery power source.....	20
5.3.2.2	Other power sources.....	20
5.3.3	Procedure for tests at extreme temperatures .....	20
5.4	Standard test signals .....	20
5.4.1	References to standard test signals .....	20
5.4.2	Standard test signal no. 1 .....	21
5.4.3	Standard test signal no. 2 .....	21
5.4.4	Standard test signal no. 3 .....	21
5.4.5	Standard test signal no. 4 .....	21
5.5	Determination of the symbol error rate in the output of the receiving part .....	21
5.6	Test Impedances.....	21
6	RF test or baseband test of DSC equipment.....	22
6.1	RF test of integrated DSC equipment.....	22
6.1.1	SOLAS VHF class A .....	22
6.1.2	Non-SOLAS VHF class D.....	22
6.1.3	SOLAS MF/HF class A .....	22
6.1.4	Non-SOLAS MF/HF class E .....	22
6.1.5	Non-SOLAS VHF class H.....	22
6.1.6	MoB class M.....	22
6.2	Baseband test of non-integrated DSC equipment.....	22
6.2.1	VHF Encoder.....	22
6.2.1.1	Frequency error.....	22
6.2.1.1.1	Definition.....	22
6.2.1.1.2	Method of measurements.....	22
6.2.1.1.3	Limits .....	22
6.2.1.2	Output voltage.....	23
6.2.1.2.1	Definition.....	23
6.2.1.2.2	Method of measurement .....	23
6.2.1.2.3	Limits .....	23
6.2.1.3	Bit stream speed.....	23
6.2.1.3.1	Definition.....	23
6.2.1.3.2	Method of measurement .....	23
6.2.1.3.3	Limits .....	23
6.2.1.4	Unwanted spectral components of the output signal.....	23
6.2.1.4.1	Definition.....	23
6.2.1.4.2	Method of measurement .....	23
6.2.1.4.3	Limits .....	24
6.2.1.5	Residual frequency modulation.....	24
6.2.1.5.1	Definition.....	24
6.2.1.5.2	Method of measurement .....	24
6.2.1.5.3	Limits .....	24
6.2.2	VHF DSC decoder.....	25
6.2.2.1	Dynamic range.....	25
6.2.2.1.1	Definition.....	25
6.2.2.1.2	Method of measurement .....	25
6.2.2.1.3	Limits .....	25
6.2.2.2	Noise immunity.....	25
6.2.2.2.1	Definition.....	25
6.2.2.2.2	Method of test.....	25
6.2.2.2.3	Limits .....	25
6.2.3	MF/HF DSC encoder.....	26
6.2.3.1	Frequency error.....	26
6.2.3.1.1	Definition.....	26
6.2.3.1.2	Method of measurement .....	26
6.2.3.1.3	Limits .....	26
6.2.3.2	Output voltage.....	26
6.2.3.2.1	Definition.....	26
6.2.3.2.2	Method of measurement .....	26
6.2.3.2.3	Limits .....	26
6.2.3.3	Bit stream speed.....	26

6.2.3.3.1	Definition.....	26
6.2.3.3.2	Method of measurement .....	26
6.2.3.3.3	Limits .....	27
6.2.3.4	Unwanted spectral components of the output signal .....	27
6.2.3.4.1	Definition.....	27
6.2.3.4.2	Method of measurement .....	27
6.2.3.4.3	Limits .....	27
6.2.3.5	Residual frequency modulation.....	28
6.2.3.5.1	Definition.....	28
6.2.3.5.2	Method of measurement .....	28
6.2.3.5.3	Limits .....	28
6.2.4	MF/HF DSC decoder.....	28
6.2.4.1	Interface for scanning.....	28
6.2.4.2	Scanning efficiency .....	28
6.2.4.2.1	Definition.....	28
6.2.4.2.2	Method of measurement .....	29
6.2.4.2.3	Limits .....	29
6.2.4.3	Dynamic range .....	29
6.2.4.3.1	Definition.....	29
6.2.4.3.2	Method of measurement .....	29
6.2.4.4	Noise Immunity.....	29
6.2.4.4.1	Definition.....	29
6.2.4.4.2	Method of test.....	30
6.2.4.4.3	Limits .....	30
7	Environmental tests .....	30
7.1	Environmental tests .....	30
7.1.1	Introduction.....	30
7.1.2	Procedure .....	30
7.1.3	Performance check.....	30
7.1.4	Vibration test (all classes).....	31
7.1.4.1	Method of measurement.....	31
7.1.4.2	Requirement .....	31
7.1.5	Temperature tests .....	31
7.1.5.1	Dry heat for externally mounted equipment (all classes) .....	31
7.1.5.1.1	Method of measurement .....	31
7.1.5.1.2	Requirement .....	31
7.1.5.2	Damp heat cycle (all classes) .....	32
7.1.5.2.1	Method of measurement .....	32
7.1.5.2.2	Requirement .....	32
7.1.5.3	Low temperature cycle.....	32
7.1.5.3.1	Method of measurement for externally mounted equipment (all classes) .....	32
7.1.5.3.2	Method of measurement for internally mounted equipment.....	32
7.1.5.3.3	Requirement .....	32
7.1.6	Corrosion test (class A).....	32
7.1.6.1	General .....	32
7.1.6.2	Method of measurement.....	33
7.1.6.3	Requirements .....	33
7.1.7	Rain test (externally mounted, class A) .....	33
7.1.7.1	General .....	33
7.1.7.2	Method of measurement.....	34
7.1.7.3	Requirements .....	34
8	Decoding and error correction.....	34
8.1	Reception of DSC messages.....	34
8.2	Error handling in the automated procedures.....	35
8.2.1	General.....	35
8.2.2	Distress automated procedures .....	36
8.2.3	Non distress automated procedures .....	36
9	Interfaces .....	37
9.1	DSC signals input/output: analogue signals .....	37
9.2	DSC signals input/output: digital signals .....	37

9.3	Entry of position information .....	37
9.4	Interfaces between DSC equipment and external circuits .....	37
9.4.1	Operational interfaces .....	37
9.4.2	Printer output .....	37
9.4.3	Other interfaces.....	38
10	Multiple operator positions .....	38
10.1	Priority.....	38
10.2	Alarms .....	38
10.3	Specific functionality .....	38
11	Multiple radio installations.....	38
12	Channel and frequency coding .....	39
12.1	Frequency information in DSC messages .....	39
13	Call set-up procedures .....	40
<b>Annex A (normative):</b>	<b>DSC Message Detection and Decoding .....</b>	<b>42</b>
History .....		43

---

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

# Foreword

This European Standard (EN) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM).

The present document is part 1 of a multi-part deliverable covering Digital Selective Calling (DSC), as identified below:

- Part 1: "Common requirements";**
- Part 2: "Class A DSC";
- Part 3: "Class D DSC";
- Part 4: "Class E DSC";
- Part 5: "Handheld VHF Class H DSC";
- Part 6: "Class M DSC";
- Part 7: "Interfacing DSC radio equipment to Bridge Alert Management systems (BAM)";
- Part 8: "Enabling DSC radio equipment with remote control capabilities".

The present document covers the common requirements for all classes of DSC equipment. Operator interfaces and operating system details are class specific and will be found in the appropriate part.

<b>National transposition dates</b>	
Date of adoption of this EN:	18 May 2021
Date of latest announcement of this EN (doa):	31 August 2021
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	28 February 2022
Date of withdrawal of any conflicting National Standard (dow):	28 February 2023

---

## Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

---

# 1 Scope

The present document states the minimum requirements for equipment to be used for generation, transmission and reception of Digital Selective Calling (DSC) for use on board ships.

DSC is intended to be used in the Medium Frequency (MF), High Frequency (HF) and Very High Frequency (VHF) bands of the Maritime Mobile Service (MMS), for distress, urgency and safety communication and general communications.

The present document is part 1 of a multi-part deliverable that covers the requirements to be fulfilled by:

- DSC equipment integrated with a transmitter and/or a receiver;
- DSC equipment not integrated with a transmitter and/or a receiver.

These requirements include the relevant provisions of the ITU Radio Regulations [i.15] and Recommendations ITU-R M.493-15 [2], M.541-10 [3], M.689-3 [4] and M.1082-1 [5], the International Convention for the Safety Of Life At Sea (SOLAS) [i.14], and the following resolutions/circulars of the International Maritime Organization (IMO): A.694(17) [14], A.803(19) [15] amended by MSC.68(68) Annex 1 [17], A.804(19) [16], MSC.68(68) Annex 2 [17], A.806(19) [18], MSC.68(68) Annex 3 [17], MSC 302(87) [12] and MSC/Circ.862 [19].

Equipment for generation, transmission and reception of DSC designed according to the following equipment classes:

- Class A: includes all the facilities defined in annex 1 of Recommendation ITU-R M.493-15 [2] and complies Performance Standards A.803(19) for VHF [15], A.804(19) for MF [16] and A.806(19) for MF/HF equipment capable of voice and DSC [18].
- Class D: provides minimum facilities for VHF DSC distress, urgency and safety as well as routine calling and reception as recommended by IMO MSC/Circ.803 [i.2] for non-SOLAS vessels participating in the GMDSS and defined by Recommendation ITU-R M.493-15 [2].
- Class E: provides minimum facilities for MF and/or HF DSC distress, urgency and safety as well as routine calling and reception as recommended by IMO MSC/Circ.803 [i.2] for non-SOLAS vessels participating in the GMDSS and Recommendation ITU-R M.493-15 [2].
- Class H: provides minimum facilities for handheld VHF DSC distress, urgency and safety as well as routine calling and reception as recommended by IMO MSC/Circ.803 [i.2] for non-SOLAS vessels participating in the GMDSS and Recommendation ITU-R M.493-15 [2].
- Class M: provides minimum facilities for VHF Man Overboard devices as defined in Recommendation ITU-R M.493-15 [2].

NOTE 1: Class A equipment may support the optional semi-automatic/automatic service in accordance with Recommendations ITU-R M.689-3 [4], M.1082-1 [5] and M.493-15 [2], tables A1-4.10.1 and A1-4.10.2 and are encouraged to do so.

NOTE 2: Class D and Class E equipment may also support the optional semi-automatic/automatic service.

NOTE 3: Class D, Class E, Class H should provide a defined list of functions as a closed list for these classes of equipment is the preferable approach to ensure safe and simple operation. Optional functions should be avoided, with the intention to provide the same functionality of all equipment of one class.

---

## 2 References

### 2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference/>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] Recommendation ITU-T E.161: "Arrangement of digits, letters and symbols on telephones and other devices that can be used for gaining access to a telephone network".
- [2] Recommendation ITU-R M.493-15 (2019): "Digital selective-calling system for use in the maritime mobile service".
- [3] Recommendation ITU-R M.541-10 (2015): "Operational procedures for the use of digital selective-calling equipment in the maritime mobile service".
- [4] Recommendation ITU-R M.689-3 (2012): "International maritime VHF radiotelephone system with automatic facilities based on DSC signalling format".
- [5] Recommendation ITU-R M.1082-1 (1997): "International maritime MF/HF radiotelephone system with automatic facilities based on digital selective calling signalling format".
- [6] Recommendation ITU-T V.11 (1996): "Electrical characteristics for balanced double-current interchange circuits operating at data signalling rates up to 10 Mbit/s".
- [7] IEC 61162-1:2016: "Maritime navigation and radiocommunication equipment and systems - Digital interfaces - Part 1: Single talker and multiple listeners".
- [8] IEC 61162-2:1998 (Ed. 1.0): "Maritime navigation and radiocommunication equipment and systems - Digital interfaces - Part 2: Single talker and multiple listeners, high-speed transmission".
- [9] IEC 61162-3:2008+AMD1:2010+AMD2:2014 (Ed. 1.2): "Maritime navigation and radiocommunication equipment and systems - Digital interfaces - Part 3: Serial data instrument network".
- [10] IEC 61162-450:2018: "Maritime navigation and radiocommunication equipment and systems - Digital interfaces - Part 450: Multiple talkers and multiple listeners - Ethernet interconnection".
- [11] Recommendation ITU-R M.1080 (1994): "Digital selective calling system enhancement for multiple equipment installations".
- [12] IMO Resolution MSC.302(87): "Adoption of performance standards for bridge alert management".
- [13] IEC 62923 (parts 1 and 2): "Maritime navigation and radiocommunication equipment and systems - Bridge alert management".
- [14] IMO Resolution A.694(17): "General Requirements for Shipborne Radio Equipment Forming Part of The Global Maritime Distress and Safety System (GMDSS) and for Electronic Navigational Aids".
- [15] IMO Resolution A.803(19): "Performance Standards for Shipborne VHF Radio Installations Capable of Voice Communication and Digital Selective Calling".

- [16] IMO Resolution A.804(19): "Performance Standards for Shipborne MF Radio Installations Capable of Voice Communication and Digital Selective Calling".
- [17] IMO Resolution MSC.68(68): "Adoption of Amendments to Performance Standards for Shipborne Radio Communication Equipment".
- [18] IMO Resolution A.806(19): "Performance Standards for Shipborne MF/HF Radio Installations Capable of Voice Communication, Narrow-Band Direct-Printing and Digital Selective Calling".
- [19] IMO Circular MSC 862: "Clarifications of Certain Requirements in IMO Performance Standards for GMDSS Equipment".
- [20] Recommendation ITU-R M.821-1 (1997): "Optional expansion of the digital selective-calling system for use in the maritime mobile service".

## 2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] IEC 60529:2001 (Ed. 2.1): "Degrees of protection provided by enclosures (IP Code)".
- [i.2] IMO Circular MSC/Circ.803: "Participation of non-SOLAS ships in the Global Maritime Distress and Safety System (GMDSS)".
- [i.3] Void.
- [i.4] Void.
- [i.5] Void.
- [i.6] ETSI EN 301 925: "Radiotelephone transmitters and receivers for the maritime mobile service operating in VHF bands; Technical characteristics and methods of measurement".
- [i.7] ETSI EN 301 033: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Technical characteristics and methods of measurement for shipborne watchkeeping receivers for reception of Digital Selective Calling (DSC) in the maritime MF, MF/HF and VHF bands".
- [i.8] ETSI EN 301 025: "VHF radiotelephone equipment for general communications and associated equipment for Class "D" Digital Selective Calling (DSC); Harmonised Standard covering the essential requirements of articles 3.2 and 3.3(g) of the Directive 2014/53/EU".
- [i.9] ETSI EN 300 373-1: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Maritime mobile transmitters and receivers for use in the MF and HF bands; Part 1: Technical characteristics and methods of measurement".
- [i.10] ETSI EN 303 402: "Maritime mobile transmitters and receivers for use in the MF and HF bands; Harmonised Standard covering the essential requirements of articles 3.2 and 3.3(g) of Directive 2014/53/EU".
- [i.11] ETSI EN 302 885: "Portable Very High Frequency (VHF) radiotelephone equipment for the maritime mobile service operating in the VHF bands with integrated handheld class H DSC; Harmonised Standard covering the essential requirements of articles 3.2 and 3.3(g) of Directive 2014/53/EU".
- [i.12] ISO 3791: "Office machines and data processing equipment - Keyboard layouts for numeric applications".

- [i.13] ETSI EN 303 132: "Maritime low power VHF personal locating beacons employing Digital Selective Calling (DSC); Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU".
- [i.14] International Convention for the Safety of Life at Sea (SOLAS), 1974.
- [i.15] ITU Radio Regulations (2020).

**koniec náhľadu – text ďalej pokračuje v platenej verzii STN**