

STN	Rádiové zariadenia pracujúce pri prenosových rýchlosťach násobku gigabitov/s vo frekvenčnom pásme 60 GHz Harmonizovaná norma pre prístup k rádiovému spektru	STN EN 302 567 V2.2.1
		87 2567

Multiple-Gigabit/s radio equipment operating in the 60 GHz band; Harmonised Standard for access to radio spectrum

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 09/21

Obsahuje: EN 302 567 V2.2.1:2021

133658

ETSI EN 302 567 V2.2.1 (2021-07)



**Multiple-Gigabit/s radio equipment
operating in the 60 GHz band;
Harmonised Standard for access to radio spectrum**

Reference

REN/BRAN-230018

Keywords

access, broadband, LAN, radio, SRD, testing

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at
<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.
In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2021.
All rights reserved.

Contents

Intellectual Property Rights	6
Foreword.....	6
Modal verbs terminology.....	7
Introduction	7
1 Scope	8
2 References	8
2.1 Normative references	8
2.2 Informative references.....	8
3 Definition of terms, symbols and abbreviations.....	9
3.1 Terms.....	9
3.2 Symbols.....	10
3.3 Abbreviations	10
4 Technical requirements specifications	11
4.1 Environmental profile.....	11
4.2 Conformance requirements	11
4.2.1 Spectral power density.....	11
4.2.1.0 Applicability.....	11
4.2.1.1 Definition	11
4.2.1.2 Limit.....	11
4.2.1.3 Conformance.....	11
4.2.2 RF output power	11
4.2.2.0 Applicability.....	11
4.2.2.1 Definition	11
4.2.2.2 Limit.....	11
4.2.2.3 Conformance.....	12
4.2.3 Transmitter unwanted emissions in the spurious domain	12
4.2.3.0 Applicability.....	12
4.2.3.1 Definition	12
4.2.3.2 Limit.....	12
4.2.3.3 Conformance.....	12
4.2.4 Receiver unwanted emissions	13
4.2.4.0 Applicability.....	13
4.2.4.1 Definition	13
4.2.4.2 Limit.....	13
4.2.4.3 Conformance.....	13
4.2.5 Adaptivity (medium access protocol)	13
4.2.5.1 Applicability.....	13
4.2.5.2 Definition	13
4.2.5.3 Requirement.....	13
4.2.5.4 Conformance.....	14
4.2.6 Short Control Signalling Transmissions	14
4.2.6.1 Applicability.....	14
4.2.6.2 Definition	14
4.2.6.3 Limits	14
4.2.6.4 Conformance.....	14
4.2.7 Receiver Adjacent Channel Rejection	14
4.2.7.1 Applicability.....	14
4.2.7.2 Definition	15
4.2.7.3 Performance Criteria	15
4.2.7.4 Limits	15
4.2.7.5 Conformance.....	15
4.2.8 Transmitter unwanted emissions in the out-of-band domain	15
4.2.8.0 Applicability.....	15
4.2.8.1 Definition	15

4.2.8.2	Limit.....	15
4.2.8.3	Conformance.....	16
4.2.9	Void	16
4.2.10	Occupied Channel Bandwidth	16
4.2.10.1	Applicability.....	16
4.2.10.2	Definition	16
4.2.10.3	Requirements	16
4.2.10.4	Conformance.....	16
4.2.11	Receiver Sensitivity level	17
4.2.11.1	Applicability.....	17
4.2.11.2	Definition	17
4.2.11.3	Limits	17
4.2.11.4	Conformance.....	17
5	Testing for compliance with technical requirements.....	17
5.1	Environmental conditions for testing	17
5.1.1	Introduction.....	17
5.1.2	Normal test conditions.....	17
5.1.2.1	Normal temperature and humidity	17
5.1.2.2	Normal power source	17
5.1.3	Extreme test conditions.....	18
5.2	Void.....	18
5.3	Test procedure for the essential radio test suites	18
5.3.0	General.....	18
5.3.1	Product Information.....	18
5.3.2	Test modulation, frequency and configuration	18
5.3.3	Spectral power density.....	19
5.3.3.1	Test conditions	19
5.3.3.2	Test method.....	19
5.3.4	RF output power	20
5.3.4.1	Test conditions	20
5.3.4.2	Test method.....	20
5.3.5	Transmitter unwanted emissions in the spurious domain	21
5.3.5.0	Test conditions	21
5.3.5.1	Pre-scan.....	21
5.3.5.2	Identified emissions	22
5.3.6	Receiver unwanted emissions	23
5.3.6.0	Test conditions	23
5.3.6.1	Pre-scan.....	23
5.3.6.2	Identified emissions	23
5.3.7	Receiver Adjacent Channel Rejection	24
5.3.7.1	Test conditions	24
5.3.7.2	Test Method	24
5.3.8	Adaptivity (medium access protocol)	25
5.3.8.1	Test conditions	25
5.3.8.2	Test method.....	25
5.3.8.3	Generic test procedure for measuring channel/frequency usage	27
5.3.9	Transmitter unwanted emissions in the out-of-band domain	28
5.3.9.1	Test conditions	28
5.3.9.2	Test method.....	28
5.3.10	Occupied Channel Bandwidth	29
5.3.10.1	Test conditions	29
5.3.10.2	Test method.....	29
5.3.11	Receiver sensitivity level	29
5.3.11.1	Test conditions	29
5.3.11.2	Test method.....	29
Annex A (informative):	Relationship between the present document and the essential requirements of Directive 2014/53/EU.....	31
Annex B (informative):	Maximum Measurement Uncertainty.....	33

Annex C (normative):	Test sites and arrangements for radiated measurements.....	34
C.1	Test sites.....	34
C.1.1	Open air test sites	34
C.1.2	Anechoic chamber.....	35
C.1.2.1	General.....	35
C.1.2.2	Description.....	35
C.1.2.3	Influence of parasitic reflections.....	35
C.1.2.4	Calibration and mode of use	35
C.2	Test antenna.....	37
C.3	Substitution antenna	37
Annex D (normative):	General description of measurement	38
D.1	Radiated measurements.....	38
D.2	Substitution measurement	39
Annex E (informative):	Bibliography.....	40
Annex F (informative):	Change History	41
History	42	

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the **GSM** logo are trademarks registered and owned by the GSM Association.

Foreword

This Harmonised European Standard (EN) has been produced by ETSI Technical Committee Broadband Radio Access Networks (BRAN).

The present document has been prepared under the Commission's standardisation request C(2015) 5376 final [i.2] to provide one voluntary means of conforming to the essential requirements of Directive 2014/53/EU on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC [i.6].

Once the present document is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of the present document given in table A.1 confers, within the limits of the scope of the present document, a presumption of conformity with the corresponding essential requirements of that Directive and associated EFTA regulations.

National transposition dates	
Date of adoption of this EN:	5 July 2021
Date of latest announcement of this EN (doa):	31 October 2021
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	30 April 2022
Date of withdrawal of any conflicting National Standard (dow):	30 April 2023

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Introduction

60 GHz radio equipment are capable of operating at data rates of multiple-gigabit per second.

The spectrum usage conditions for this equipment are set in Commission Decision 2013/752/EU [i.4] and Commission Decision 2019/1345/EU [i.7] amending Commission Decision 2006/771/EC of 9 November 2006 [i.5] and ERC Recommendation 70-03 [i.3], annex 3.

1 Scope

The present document specifies technical characteristics and methods of measurements for radio equipment with integral antennas operating indoor or outdoor at data rates of multiple-gigabit per second in the 60 GHz frequency range.

These radio equipment operate with very wideband communications using a variety of directional medium and high gain antennas to enable a high degree of spectrum reuse, and may use a flexible bandwidth scheme under which they normally operate in a wideband mode, and periodically reduce their bandwidth (e.g. for antenna training and other activities).

The technical characteristics of applications using these radio equipment are further described in ETSI TR 102 555 [i.1].

Equipment in this frequency range intended for outdoor Fixed Local Area Network Extension (FLANE) or Fixed Point-to-Point applications are not in the scope of the present document.

These radio equipment types are capable of operating in all or any part of the frequency bands given in table 1.

Table 1: Radiocommunications service frequency band

	Radiocommunications service frequency band
Transmit	57 GHz to 71 GHz
Receive	57 GHz to 71 GHz

NOTE: The relationship between the present document and essential requirements of article 3.2 of Directive 2014/53/EU [i.6] is given in annex A.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference/>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

Not applicable.

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] ETSI TR 102 555: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Technical characteristics of multiple gigabit wireless systems in the 60 GHz range System Reference Document".
- [i.2] Commission Implementing Decision C(2015) 5376 final of 4.8.2015 on a standardisation request to the European Committee for Electrotechnical Standardisation and to the European Telecommunications Standards Institute as regards radio equipment in support of Directive 2014/53/EU of the European Parliament and of the Council.
- [i.3] ERC Recommendation 70-03 (Tromsø 1997 and subsequent amendments): "Related to the Use of Short Range Devices (SRD)".
- [i.4] Commission Implementing Decision 2013/752/EU of 11 December 2013 amending Decision 2006/771/EC on harmonisation of the radio spectrum for use by short-range devices and repealing Decision 2005/928/EC (notified under document C(2013) 8776) Text with EEA relevance.
- [i.5] Commission Decision 2006/771/EC of 9 November 2006 on harmonisation of the radio spectrum for use by short-range devices.
- [i.6] Directive 2014/53/EU of the European Parliament and of the Council of 16 April 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC.
- [i.7] Commission Implementing Decision (EU) 2019/1345 of 2 August 2019 amending Decision 2006/771/EC updating harmonised technical conditions in the area of radio spectrum use for short-range devices (notified under document C(2019) 5660) Text with EEA relevance.
- [i.8] IEEE 802.11-2020™: "Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications".
- [i.9] ITU-R Radio Regulations.
- [i.10] ERC Recommendation 74-01 (1998 and subsequent amendments): "Unwanted emissions in the spurious domain".

koniec náhľadu – text d'alej pokračuje v platenej verzii STN