

| | | |
|------------|--|--|
| STN | Kozmická technika Kozmické prostredie | STN EN 16603-10-04 31 0543 |
|------------|--|--|

Space engineering - Space environment

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 12/21

Obsahuje: EN 16603-10-04:2021

Oznámením tejto normy sa ruší
STN EN 16603-10-04 (31 0543) z augusta 2015

133810



EUROPEAN STANDARD

EN 16603-10-04

NORME EUROPÉENNE

EUROPÄISCHE NORM

September 2021

ICS 49.140

Supersedes EN 16603-10-04:2015

English version

Space engineering - Space environment

Ingénierie spatiale - Environnement spatial


Raumfahrttechnik - Raumfahrtumweltbedingungen

This European Standard was approved by CEN on 23 June 2021.

CEN and CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN and CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN and CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN and CENELEC members are the national standards bodies and national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



**CEN-CENELEC Management Centre:
Rue de la Science 23, B-1040 Brussels**

Table of contents

| | |
|--|-----------|
| European Foreword | 13 |
| Introduction | 14 |
| 1 Scope | 15 |
| 2 Normative references | 16 |
| 3 Terms, definitions and abbreviated terms | 19 |
| 3.1 Terms defined in other standards | 19 |
| 3.2 Terms specific to the present standard | 19 |
| 3.3 Abbreviated terms..... | 27 |
| 4 Gravity | 29 |
| 4.1 Introduction and description | 29 |
| 4.1.1 Introduction | 29 |
| 4.1.2 Gravity model formulation | 29 |
| 4.1.3 Third body gravitation..... | 31 |
| 4.1.4 Tidal effects..... | 31 |
| 4.2 Requirements for model selection and application | 31 |
| 4.2.1 General requirements for gravity models..... | 31 |
| 4.2.2 Selection and application of gravity models..... | 32 |
| 5 Geomagnetic fields | 33 |
| 5.1 Introduction and description..... | 33 |
| 5.1.1 The geomagnetic field and its sources | 33 |
| 5.1.2 The internal field | 33 |
| 5.1.3 External field: ionospheric components..... | 33 |
| 5.1.4 External magnetic field: magnetospheric components..... | 34 |
| 5.1.5 Models of the internal and external geomagnetic fields | 34 |
| 5.2 Requirements for model selection and application | 35 |
| 5.2.1 The internal field | 35 |
| 5.2.2 The external field | 36 |
| 5.3 Tailoring guidelines..... | 37 |

| | | |
|----------|---|-----------|
| 6 | Natural electromagnetic radiation and indices | 38 |
| 6.1 | Introduction and description | 38 |
| 6.1.1 | Introduction | 38 |
| 6.1.2 | Electromagnetic radiation and indices | 38 |
| 6.2 | Requirements | 41 |
| 6.2.1 | Electromagnetic radiation | 41 |
| 6.2.2 | Reference index values | 41 |
| 6.2.3 | Tailoring guidelines | 42 |
| 6.3 | Tables | 42 |
| 7 | Neutral atmospheres | 44 |
| 7.1 | Introduction and description | 44 |
| 7.1.1 | Introduction | 44 |
| 7.1.2 | Structure of the Earth's atmosphere | 44 |
| 7.1.3 | Models of the Earth's atmosphere | 44 |
| 7.1.4 | Wind model of the Earth's homosphere and heterosphere | 45 |
| 7.2 | Requirements for atmosphere and wind model selection | 45 |
| 7.2.1 | Earth atmosphere | 45 |
| 7.2.2 | Earth wind model | 47 |
| 7.2.3 | Models of the atmospheres of the planets and their satellites | 47 |
| 8 | Plasmas | 48 |
| 8.1 | Introduction and description | 48 |
| 8.1.1 | Introduction | 48 |
| 8.1.2 | Ionosphere | 48 |
| 8.1.3 | Plasmasphere | 49 |
| 8.1.4 | Outer magnetosphere | 49 |
| 8.1.5 | Solar wind | 50 |
| 8.1.6 | Magnetosheath | 50 |
| 8.1.7 | Magnetotail and L2 | 50 |
| 8.1.8 | Planetary environments | 51 |
| 8.1.9 | Induced environments | 51 |
| 8.2 | Requirements for model selection and application | 51 |
| 8.2.1 | General | 51 |
| 8.2.2 | Ionosphere | 52 |
| 8.2.3 | Auroral charging environment | 52 |
| 8.2.4 | Plasmasphere | 53 |
| 8.2.5 | Outer magnetosphere | 54 |
| 8.2.6 | The solar wind (interplanetary environment) | 54 |

EN 16603-10-04:2021 (E)

| | | |
|-----------|--|-----------|
| 8.2.7 | Other plasma environments | 54 |
| 8.2.8 | Tables | 55 |
| 9 | Energetic particle radiation | 56 |
| 9.1 | Introduction and description | 56 |
| 9.1.1 | Introduction | 56 |
| 9.1.2 | Overview of energetic particle radiation environment and effects | 56 |
| 9.2 | Requirements for energetic particle radiation environments | 59 |
| 9.2.1 | Trapped radiation belt fluxes | 59 |
| 9.2.2 | Solar particle event models | 61 |
| 9.2.3 | Cosmic ray models | 63 |
| 9.2.4 | Geomagnetic shielding | 63 |
| 9.2.5 | Neutrons | 63 |
| 9.2.6 | <<deleted>> | 63 |
| 9.2.7 | L2 and the Deep Magnetotail Environment | 63 |
| 9.3 | Preparation of a radiation environment specification | 63 |
| 9.4 | Tables | 65 |
| 10 | Space debris and meteoroids | 66 |
| 10.1 | Introduction and description | 66 |
| 10.1.1 | The particulate environment in near Earth space | 66 |
| 10.1.2 | Space debris | 66 |
| 10.1.3 | Meteoroids | 67 |
| 10.2 | Requirements for impact risk assessment and model selection | 67 |
| 10.2.1 | General requirements for meteoroids and space debris | 67 |
| 10.2.2 | Model selection and application | 67 |
| 10.2.3 | <<deleted>> | 70 |
| 10.2.4 | The meteoroid model | 71 |
| 10.2.5 | Impact risk assessment | 71 |
| 10.2.6 | Margins | 72 |
| 11 | Contamination | 73 |
| 11.1 | Introduction and description | 73 |
| 11.1.1 | Introduction | 73 |
| 11.1.2 | Description of molecular contamination | 73 |
| 11.1.3 | Transport mechanisms | 74 |
| 11.1.4 | Description of particulate contamination | 74 |
| 11.1.5 | Transport mechanisms | 74 |
| 11.2 | Requirements for on-orbit contamination assessment | 75 |

| | |
|--|------------|
| Annex A (normative) Natural electromagnetic radiation and indices | 76 |
| A.1 Solar activity values for complete solar cycle | 76 |
| A.2 Tables..... | 77 |
| Annex B (normative) Energetic particle radiation | 81 |
| B.1 Historical dates of solar maximum and minimum | 81 |
| B.2 GEO model (IGE-2006) | 81 |
| B.3 ONERA MEOv2 model | 81 |
| B.4 FLUMIC model | 82 |
| B.4.1 Overview..... | 82 |
| B.4.2 Outer belt ($L > 2,5 R_e$) | 82 |
| B.4.3 Inner belt ($L < 2,5 R_e$) | 83 |
| B.5 NASA worst case GEO spectrum | 83 |
| B.6 ESP solar proton model specification..... | 84 |
| B.7 Solar ions model..... | 84 |
| B.8 Geomagnetic shielding (Størmer theory) | 85 |
| B.9 MOBE-DIC..... | 85 |
| B.9.1 Overview..... | 85 |
| B.9.2 Spectral form..... | 85 |
| B.9.3 L-shell profile..... | 86 |
| B.9.4 Magnetic latitude profile | 87 |
| B.10 Tables..... | 88 |
| Annex C (normative) Space debris and meteoroids..... | 100 |
| C.1 Flux models | 100 |
| C.1.1 <<deleted>>..... | 100 |
| C.1.2 <<deleted>>..... | 100 |
| C.1.3 <<deleted>>..... | 100 |
| C.1.4 Meteoroid streams | 100 |
| C.1.5 Grün meteoroid model | 102 |
| C.2 Tables..... | 105 |
| Annex D (informative) Gravitation | 109 |
| D.1 Gravity models: background | 109 |
| D.2 Guidelines for use..... | 110 |
| D.3 Availability of models | 112 |
| D.4 Tables..... | 112 |
| D.5 Figures | 113 |
| Annex E (informative) Geomagnetic fields..... | 114 |

EN 16603-10-04:2021 (E)

| | | |
|-----|---|-----|
| E.1 | Overview of the effects of the geomagnetic field | 114 |
| E.2 | Models of the internal geomagnetic field | 114 |
| E.3 | Models of the external geomagnetic field | 115 |
| E.4 | Magnetopause boundary | 115 |
| E.5 | Geomagnetic coordinate system – <i>B</i> and <i>L</i> | 116 |
| E.6 | Tables..... | 118 |
| E.7 | Figures | 120 |

Annex F (informative) Natural electromagnetic radiation and indices 122

| | | |
|-------|--|-----|
| F.1 | Solar spectrum | 122 |
| F.2 | Solar and geomagnetic indices – additional information | 122 |
| F.2.1 | E10.7 | 122 |
| F.2.2 | F10.7..... | 122 |
| F.2.3 | S10.7 | 122 |
| F.2.4 | M10.7..... | 123 |
| F.3 | Additional information on short-term variation | 123 |
| F.4 | Useful internet references for indices..... | 124 |
| F.5 | Earth electromagnetic radiation | 124 |
| F.5.1 | Earth albedo..... | 124 |
| F.5.2 | Earth infrared | 125 |
| F.6 | Electromagnetic radiation from other planets | 126 |
| F.6.1 | Planetary albedo | 126 |
| F.6.2 | Planetary infrared..... | 126 |
| F.7 | Activity indices information..... | 126 |
| F.8 | Tables..... | 126 |
| F.9 | Figures | 127 |

Annex G (informative) Neutral atmospheres..... 130

| | | |
|-------|--|-----|
| G.1 | Structure of the Earth's atmosphere | 130 |
| G.2 | Development of models of the Earth's atmosphere..... | 130 |
| G.3 | NRLMSISE-00 and JB-2006 - additional information | 131 |
| G.4 | The GRAM series of atmosphere models. | 132 |
| G.5 | Atmosphere model uncertainties and limitations | 132 |
| G.6 | HMW07 additional information..... | 132 |
| G.7 | Planetary atmospheres models..... | 133 |
| G.7.1 | Jupiter | 133 |
| G.7.2 | Venus..... | 133 |
| G.7.3 | Mars..... | 134 |
| G.7.4 | Saturn | 134 |

| | | |
|---|---|------------|
| G.7.5 | Titan..... | 134 |
| G.7.6 | Neptune | 134 |
| G.7.7 | Mercury..... | 134 |
| G.8 | Reference data..... | 135 |
| G.9 | Tables..... | 136 |
| G.10 | Figures | 140 |
| Annex H (informative) Plasmas | | 144 |
| H.1 | Identification of plasma regions..... | 144 |
| H.2 | Plasma effects on spacecraft..... | 144 |
| H.3 | Reference data | 144 |
| H.3.1 | Introduction | 144 |
| H.3.2 | Ionosphere..... | 145 |
| H.3.3 | Plasmasphere | 145 |
| H.3.4 | Outer magnetosphere | 146 |
| H.3.5 | Magnetosheath | 147 |
| H.3.6 | Magnetotail and distant magnetosheath..... | 147 |
| H.3.7 | Planetary environments | 147 |
| H.3.8 | Induced environments..... | 148 |
| H.4 | Tables..... | 149 |
| H.5 | Figures | 152 |
| Annex I (informative) Energetic particle radiation | | 153 |
| I.1 | Trapped radiation belts | 153 |
| I.1.1 | Basic data | 153 |
| I.1.2 | Tailoring guidelines: orbital and mission regimes | 153 |
| I.1.3 | Existing trapped radiation models | 154 |
| I.1.4 | The South Atlantic Anomaly | 156 |
| I.1.5 | Dynamics of the outer radiation belt | 157 |
| I.1.6 | Internal charging | 157 |
| I.2 | Solar particle event models..... | 158 |
| I.2.1 | Overview..... | 158 |
| I.2.2 | ESP model..... | 158 |
| I.2.3 | JPL models | 158 |
| I.2.4 | Spectrum of individual events | 159 |
| I.2.5 | Event probabilities..... | 160 |
| I.2.6 | Other SEP models | 161 |
| I.3 | Cosmic ray environment and effects models..... | 161 |
| I.4 | Geomagnetic shielding | 161 |

EN 16603-10-04:2021 (E)

| | | |
|--|--|------------|
| I.5 | <<deleted>> | 162 |
| I.6 | Planetary environments | 162 |
| I.6.1 | Overview..... | 162 |
| I.6.2 | Existing models..... | 162 |
| I.7 | Atmospheric albedo neutron models..... | 163 |
| I.8 | Interplanetary environments | 164 |
| I.9 | Tables..... | 165 |
| I.10 | Figures | 167 |
| Annex J (informative) Space debris and meteoroids | | 173 |
| J.1 | Reference data | 173 |
| J.1.1 | Trackable space debris | 173 |
| J.1.2 | Reference flux data for space debris and meteoroids..... | 173 |
| J.2 | Additional information on flux models..... | 174 |
| J.2.1 | Meteoroids | 174 |
| J.2.2 | Space debris flux models | 175 |
| J.2.3 | Model uncertainties | 177 |
| J.3 | Impact risk assessment | 177 |
| J.3.1 | Impact risk analysis procedure | 177 |
| J.3.2 | <<deleted>>..... | 178 |
| J.3.3 | Damage assessment | 178 |
| J.4 | Analysis tools..... | 180 |
| J.4.1 | General..... | 180 |
| J.4.2 | Deterministic analysis | 180 |
| J.4.3 | Statistical analysis..... | 181 |
| J.5 | Tables..... | 182 |
| J.6 | Figures | 188 |
| Annex K (informative) <<deleted>> | | 190 |

Figures

| | | |
|------------|---|-----|
| Figure D-1 | : Graphical representation of the EIGEN-GLO4C geoid (note: geoid heights are exaggerated by a factor 10 000)..... | 113 |
| Figure E-1 | : The IGRF-12 field strength (nT, at 2015) and predicted change in intensity between 2015 and 2020 at the mean Earth radius. (Mercator projection from [RN.38]) | 120 |
| Figure E-2 | : The general morphology of model magnetospheric field lines, according to the Tsyganenko 1989 model, showing the seasonal variation, dependent on rotation axis tilt | 121 |

| | |
|---|-----|
| Figure F-1 : Solar spectral irradiance (in red, AM0 (Air Mass 0) is the radiation level outside of the Earth's atmosphere (extraterrestrial), in blue, AM1,5 is the radiation level after passing through the atmosphere 1,5 times, which is about the level at solar zenith angle 48,19°s, an average level at the Earth's surface (terrestrial))..... | 127 |
| Figure F-2 : Daily solar and geomagnetic activity indices over the last two solar cycles..... | 128 |
| Figure F-3 : Monthly (27-day) mean solar and geomagnetic activity indices over the last two solar cycles..... | 129 |
| Figure G-1 : Temperature profile of the Earth's atmosphere..... | 140 |
| Figure G-2 : Variation of the JB-2006 mean air density with altitude for low, moderate, high long and high short term solar and geomagnetic activities..... | 141 |
| Figure G-3 : Variation of the NRLMSISE-00 mean atomic oxygen with altitude for low, moderate and high long solar and geomagnetic activities..... | 142 |
| Figure G-4 : Variation of the NRLMSISE-00 mean concentration profile of the atmosphere constituents N_2 , O , O_2 , He , Ar , H , N and anomalous O with altitude for moderate solar and geomagnetic activities ($F10.7 = F10.7_{avg} = 140$, $A_p = 15$)..... | 143 |
| Figure H-1 : Profile of electron density for solar magnetic local time = 18 hr, solar magnetic latitude=0, $K_p = 0$ and 9 from the GCPM for 1/1/1999..... | 152 |
| Figure I-1 : Contour plots of the proton and electron radiation belts..... | 167 |
| Figure I-2 : Electron (a) and proton (b) omnidirectional fluxes, integral in energy, on the geomagnetic equator for various energy thresholds..... | 168 |
| Figure I-3 : Integral omnidirectional fluxes of protons (>10 MeV) and electrons (>10 MeV) at 400 km altitude showing the inner radiation belt's "South Atlantic anomaly" and, in the case of electrons, the outer radiation belt encountered at high latitudes..... | 169 |
| Figure I-4 : Comparison of POLE with AE8 (flux vs. Energy) for 15 year mission (with worst case and best case included)..... | 170 |
| Figure I-5 : Comparison of ONERA/GNSS model from 0,28 MeV up to 1,12 MeV (best case, mean case and worst case) with AE8 (flux vs. Energy) for 15 yr mission (with worst case & best case)..... | 170 |
| Figure I-6 : Albedo neutron spectra at 100 km altitude at solar maximum..... | 171 |
| Figure I-7 : Albedo neutron spectra at 100 km altitude at solar minimum..... | 171 |
| Figure I-8 : Jupiter environment model (proton & electron versions)..... | 172 |
| Figure J-1 : Time evolution of the number of trackable objects in orbit (as of May 2018). Regular updates available online: https://discosweb.esoc.esa.int/web/guest/statistics | 188 |
| Figure J-2 : Semi-major axis distribution of trackable objects in LEO orbits (as of May 2018)..... | 188 |
| Figure J-3 : Distribution of trackable objects as function of their inclination (as of May 2018)..... | 189 |
| Figure J-4 : The HRMP velocity distribution for different altitudes from the Earth surface..... | 189 |

EN 16603-10-04:2021 (E)**Tables**

| | |
|--|-----|
| Table 6-1: Conversion from K_p to a_p | 42 |
| Table 6-2: Electromagnetic radiation values | 43 |
| Table 6-3: Reference fixed index values..... | 43 |
| Table 6-4: Reference index values for variations of a_p | 43 |
| Table 8-1: Worst-case bi-Maxwellian environment | 55 |
| Table 8-2: Solar wind parameters..... | 55 |
| Table 9-1: Standard field models to be used with AE8 and AP8 | 65 |
| Table 11-1: Contamination levels - interaction with the space environment components | 75 |
| | |
| Table A-1 : Solar cycle 23 solar activity indices averaged over 30-day (1 month) intervals..... | 77 |
| Table B-1 : A and E_0 for three confidence levels..... | 86 |
| Table B-2 : Minima and maxima of sunspot number cycles | 88 |
| Table B-3 : IGE-2006 GEO average model – electron flux ($\text{kev}^{-1}\text{cm}^{-2}\text{s}^{-1}\text{sr}^{-1}$) according to year in the solar cycle (referred to solar min: 0) and for different energies for a mission duration of 1 year. | 89 |
| Table B-4 : IGE-2006 GEO upper case model - maximum electron flux ($\text{kev}^{-1}\text{cm}^{-2}\text{s}^{-1}\text{sr}^{-1}$) according to year in the solar cycle (referred to solar min: 0) and for different energies for a mission duration of 1 year. | 90 |
| Table B-5 : MEOv2 average case model - average electron flux ($\text{Mev}^{-1}\text{cm}^{-2}\text{s}^{-1}\text{sr}^{-1}$) according to year in the solar cycle (referred to solar min: 0) and for different energies for a mission duration of 1 year. | 92 |
| Table B-6 : MEOv2 upper case model - maximum electron flux ($\text{Mev}^{-1}\text{cm}^{-2}\text{s}^{-1}\text{sr}^{-1}$) according to year in the solar cycle (referred to solar min: 0) and for different energies for a mission duration of 1 year. | 92 |
| Table B-7 : Worst case spectrum for geostationary orbits..... | 93 |
| Table B-8 : Values of the parameters for the ESP model..... | 93 |
| Table B-9 : Values to scale fluence from >100 MeV to >300 MeV | 94 |
| Table B-10 : CREME-96 solar ion worst 5-minute fluxes in an interplanetary environment | 94 |
| Table B-11 : CREME-96 solar ion worst day fluxes in an interplanetary environment.. | 96 |
| Table B-12 : CREME-96 solar ion worst week fluxes in an interplanetary environment | 98 |
| Table C-1 : Normalized meteoroid velocity distribution | 105 |
| Table C-2 : The annual meteor streams | 107 |
| Table D-1 : Degree power attenuation for an orbit at 25 000 km altitude | 112 |
| Table D-2 : Coefficients of the EIGEN-GL04C model up to degree and order 8×8 ... | 113 |
| Table E-1 : Magnetic pole positions since 1900 as determined from IGRF-12 in WGS84 geodetic latitude (taken from [RN.38]) | 118 |

| | |
|--|-----|
| Table E-2 : Sibeck et al. Magnetopause model | 119 |
| Table F-1 : Reference values for average planetary albedo and infra-red radiation ... | 126 |
| Table G-1 : Altitude profiles of the atmosphere constituents N ₂ , O, O ₂ , He, Ar, H, N and anomalous O for low solar and geomagnetic activities (NRLMSISE-00 model - $F10.7 = F10.7_{avg} = 65$, $A_p = 0$)..... | 136 |
| Table G-2 : Altitude profiles of the atmosphere constituents N ₂ , O, O ₂ , He, Ar, H, N and anomalous O for mean solar and geomagnetic activities (NRLMSISE-00 model - $F10.7 = F10.7_{avg} = 140$, $A_p = 15$)..... | 137 |
| Table G-3 : Altitude profiles of the atmosphere constituents N ₂ , O, O ₂ , He, Ar, H, N and anomalous O for high long term solar and geomagnetic activities (NRLMSISE-00 model - $F10.7 = F10.7_{avg} = 250$, $A_p = 45$) | 138 |
| Table G-4 : Altitude profiles of total density ρ [kg m ⁻³] for low, moderate, high long and high short term solar and geomagnetic activities (JB-2006 model) | 139 |
| Table H-1 : Worst-case 3-Maxwellian environment..... | 146 |
| Table H-2 : Regions encountered by different mission types | 149 |
| Table H-3 : Main engineering concerns due to space plasmas..... | 149 |
| Table H-4 : Ionospheric electron density profiles derived from IRI-2016 for date 01/01/2016, lat=0, long=0..... | 150 |
| Table H-5 : Profile of densities for solar magnetic local time = 18 hr, solar magnetic latitude=0, Kp = 5,0 from the GCPM for 1/1/1999..... | 150 |
| Table H-6 : Typical plasma parameters at geostationary orbit | 151 |
| Table H-7 : Typical magnetosheath plasma parameters..... | 151 |
| Table H-8 : Typical plasma parameters around L2 | 151 |
| Table H-9 : Worst-case environments for eclipse charging near Jupiter and Saturn.. | 151 |
| Table H-10 : Photoelectron sheath parameters | 152 |
| Table H-11 : Some solar UV photoionization rates at 1 AU | 152 |
| Table I-1 : Example albedo neutron environment at 450 km altitude [RD.151]..... | 164 |
| Table I-2 : Characteristics of typical radiation belt particles | 165 |
| Table I-3 : Recommended updated values of the parameters of the JPL model | 165 |
| Table I-4 : Proton fluence levels for energy, mission duration and confidence levels from the ESP model with the NASA parameters from Table B-8. | 166 |
| Table I-5 : Parameters for the fit to the peak fluxes from the October 1989 events.... | 166 |
| Table J-1 : Approximate flux ratios for meteoroids for 400 km and 800 km altitudes.. | 182 |
| Table J-2 : Cumulative number of impacts, N , to a randomly tumbling plate for a range of minimum particle sizes using the MASTER-8 model (version 8.0.0).... | 183 |
| Table J-3 : Cumulative number of impacts, N , to a randomly tumbling plate for a range of minimum particle sizes using the MASTER-8 model (version 8.0.0).... | 184 |
| Table J-4 : Cumulative number of impacts, N , to a randomly tumbling plate for a range of minimum particle sizes using the MASTER-8 model (version 8.0.0).... | 185 |
| Table J-5 : Cumulative number of impacts, N , to a randomly tumbling plate for a range of minimum particle masses | 186 |

EN 16603-10-04:2021 (E)

Table J-6 : Parameters (appearing in Eq.) to account for modified meteoroid fluxes encountered by spacecraft in circular Earth orbits at various altitudes.....187

European Foreword

This document (EN 16603-10-04:2021) has been prepared by Technical Committee CEN-CENELEC/TC 5 “Space”, the secretariat of which is held by DIN.

This standard (EN 16603-10-04:2021) originates from ECSS-E-ST-10-04C Rev.1.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2022, and conflicting national standards shall be withdrawn at the latest by March 2022.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN16603-10-04:2015.

The main changes with respect to EN16603-10-04:2015 are listed below:

- Implementation of Change requests
- Update of Terms, definitions and abbreviated term in clause 3
- Addition of new Annex B.9 “MOBE-DIC”
- Addition of new Annex I.7 “Atmospheric albedo neutron models”

This document has been prepared under a standardization request given to CEN by the European Commission and the European Free Trade Association.

This document has been developed to cover specifically space systems and has therefore precedence over any EN covering the same scope but with a wider domain of applicability (e.g. : aerospace).

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

This standard forms part of the System Engineering branch (ECSS-E-10) of the Engineering area of the ECSS system. As such it is intended to assist in the consistent application of space environment engineering to space products through specification of required or recommended methods, data and models to the problem of ensuring best performance, problem avoidance or survivability of a product in the space environment.

The space environment can cause severe problems for space systems. Proper assessment of the potential effects is part of the system engineering process as defined in ECSS-E-ST-10. This is performed in the early phases of a mission when consideration is given to e.g. orbit selection, mass budget, thermal protection, and component selection policy. As the design of a space system is developed, further engineering iteration is normally necessary with more detailed analysis.

In this Standard, each component of the space environment is treated separately, although synergies and cross-linking of models are specified. Informative annexes are provided as explanatory background information associated with each clause.

1

Scope

This standard applies to all product types which exist or operate in space and defines the natural environment for all space regimes. It also defines general models and rules for determining the local induced environment.

Project-specific or project-class-specific acceptance criteria, analysis methods or procedures are not defined.

The natural space environment of a given item is that set of environmental conditions defined by the external physical world for the given mission (e.g. atmosphere, meteoroids and energetic particle radiation). The induced space environment is that set of environmental conditions created or modified by the presence or operation of the item and its mission (e.g. contamination, secondary radiations and spacecraft charging). The space environment also contains elements which are induced by the execution of other space activities (e.g. debris and contamination).

This standard may be tailored for the specific characteristic and constraints of a space project in conformance with ECSS-S-ST-00.

Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this ECSS Standard. For dated references, subsequent amendments to, or revision of any of these publications do not apply, However, parties to agreements based on this ECSS Standard are encouraged to investigate the possibility of applying the more recent editions of the normative documents indicated below. For undated references, the latest edition of the publication referred to applies.

ECSS-S-ST-00-01 ECSS system – Glossary of terms

- [RN.1] C. Förste, F. Flechtner, R. Schmidt, R. König, U. Meyer, R. Stubenvoll, M. Rothacher, F. Barthelmes, H. Neumayer, R. Biancale, S. Bruinsma, J.-M. Lemoine, and S. Loyer, A Mean Global Gravity Field Model from the Combination of Satellite Mission and Altimetry/Gravimetry Surface Data – EIGEN-GL04C, *Geophysical Research Abstracts*, Vol.8, 03462, 2006
- [RN.2] G. Petit, B. Luzum (eds.), in *IERS Conventions (2010)*, IERS Technical Note No. 36, 2010, <https://www.iers.org/SharedDocs/Publikationen/EN/IERS/Publications/tn/TechnNote36/tn36.html>
- [RN.3] W.M. Folkner et al, *The Planetary and Lunar Ephemerides DE430 and DE431*, IPN Progress Report 42-196, February 15, 2014
- [RN.4] Picone, J. M., A. E. Hedin, D. P. Drob and Aikin, A. C., “NRLMSISE-00 Empirical Model of the Atmosphere: Statistical Comparisons and Scientific Issues”, *J. Geophys. Res.*, 107(A12), doi 10.1029/2002JA009430. 2002, p. 1468.
- [RN.5] Bowman, B. R., Tobiska, W. K., Marcos, F. A., Valladares, “The JB2006 Empirical Thermospheric Density Model”, *Journal of Atmospheric and Solar-Terrestrial Physics*, Vol. 70, Issue 5, pp. 774-793, 2008, doi:10.1016/j.jastp.2007.10.002.
- [RN.6] Hedin, A.E., E.L. Fleming, A.H. Manson, F.J. Scmidlin, S.K. Avery, R.R. Clark, S.J. Franke, G.J. Fraser, T. Tsunda, F. Vial and R.A. Vincent, *Empirical Wind Model for the Upper, Middle, and Lower Atmosphere*, *J. Atmos. Terr. Phys.*, 58, 1421-1447, 1996.
- [RN.7] E. Millour et al., “The Mars Climate Database (MCD version 5.3)”, Vol. 19, EGU2017-12247, 2017
- [RN.8] Gallagher D.L., P.D. Craven, and R.H. Comfort. *Global Core Plasma model*. *J. Geophys. Res.*, 105, A8, 18819-18833, 2000.
- [RN.9] D. Bilitza, D., Altadill, V. D, Zhang Y, Mertens C, Truhlik, V. Shubin, I. Galkin, B. Reinisch, and X. Huang, V, et al.: *The International Reference Ionosphere 2016: From ionospheric climate to real-time weather predictions, 2012 – a model of international collaboration*. *J. Space Weather*, 15, 418-429, 2017 *Space Clim.*, 2014, 4, A07
- [RN.10] Vette J.I., “The AE-8 Trapped Electron Model Environment”, NSSDC/WDC-A-R&S Report 91-24, NASA-GSFC, 1991.
- [RN.11] Sawyer D.M. and J.I. Vette, “AP8 Trapped Proton Environment For Solar Maximum and Solar Minimum”, NSSDC WDC-A-R&S 76-06, NASA-GSFC, 1976.
- [RN.12] A Sicard-Piet, S. A. Bourdarie, D. M. Boscher, R. H. W. Friedel, M. Thomsen, T. Goka, H. Matsumoto, H. Koshiishi, “A new international geostationary electron model: IGE-2006, from 1 keV to 5.2 MeV”, *Space Weather*, 6, S07003, doi:10.1029/2007SW000368, 2008.

- [RN.13] Sicard-Piet A., S. Bourdarie, D. Boscher, R. Friedel, T. Cayton, Solar Cycle Electron Radiation Environment at GNSS Like Altitude, session D5.5-04, Proceedings 57th International Astronautical Congress, Valencia, Sept 2006
- [RN.14] Rodgers D.J, Hunter K.A and Wrenn G.L, The Flumic Electron Environment Model, Proceedings 8th Spacecraft Charging Technology Conference, Huntsville Alabama, 2003
- [RN.15] Xapsos, M. A., G.P. Summers, J.L. Barth, E. G. Stassinopoulos and E.A. Burke, "Probability Model for Cumulative Solar Proton Event Fluences", IEEE Trans. Nucl. Sci., vol. 47, no. 3, June 2000, pp 486-490
- [RN.16] Lario et al., Radial and Longitudinal Dependence of solar 4-13 MeV and 27-37 MeV Proton Peak Intensities and Fluences: HELIOS and IMP8 Observations, Astrophys Journal, 653:1531-1544, Dec 20, 2006.
- [RN.17] Bourdarie, S., A. Sicard-Piet, "Jupiter environment modelling", ONERA Technical note 120 Issue 1.2, ESA contract 19735/NL/HB, FR 1/11189 DESP, October 2006
- [RN.18] CREME96: <https://creme96.nrl.navy.mil/>
- [RN.19] ISO Model 15390:2004, ISO/TC 20/SC 14 Space systems and operations, June 2004
- [RN.20] Adams J.H., R. Silberberg and C.H. Tsao, "Cosmic Ray Effects on Microelectronics, Part I: The Near-Earth Particle Environment", NRL Memorandum Report 4506, Naval Research Laboratory, Washington DC 20375-5000, USA, 1981.
- [RN.21] Desorgher, L., MAGNETOCOSMICS User Manual 2003, <http://reat.space.qinetiq.com/septimes/magcos/>
- [RN.22] Smart, D. F., Shea, M.A., Calculated cosmic ray cut-off rigidities at 450 km for epoch 1990, Proc. 25th ICRC, 2, 397-400, 1997.
- [RN.23] Stassinopoulos E.G. and J.H. King, "Empirical Solar Proton Model For Orbiting Spacecraft Applications", IEEE Trans. on Aerosp. and Elect. Systems AES-10, 442, 1973
- [RN.24] D. C. Jensen and J. C. Cain, An Interim Geomagnetic Field, J. Geophys. Res. 67, 3568, 1962.
- [RN.25] J. C. Cain, S. J. Hendricks, R. A. Langel, and W. V. Hudson, A Proposed Model for the International Geomagnetic Reference Field, 1965, J. Geomag. Geoelectr. 19, 335, 1967.
- [RN.26] MASTER-8, <https://sdup.esoc.esa.int>, 2018
- [RN.27] NOAA/SEC source of dates for solar maxima and minima: ftp://ftp.ngdc.noaa.gov/STP/SOLAR_DATA/SUNSPOT_NUMBERS/maxmin.new
- [RN.28] Roberts C.S., "Co-ordinates for the Study of Particles Trapped in the Earth's Magnetic Field: A Method of Converting from B,L to R, λ Co-ordinates", J. Geophys. Res. 69, 5 089, 1964.
- [RN.29] IGRF-12, the list of coefficients is given at the IGRF web page on the IAGA web site: <http://www.ngdc.noaa.gov/IAGA/vmod/igrf.html>
- [RN.30] Alexeev I.I., Kalegaev V.V., Belenkaya E.S., Bobrovnikov S.Yu., Feldstein Ya.I., Gromova L.I. (2001), J. Geophys. Res., V.106, No A11, P. 25,683-25,694
- [RN.31] Tsyganenko, N.A., and D.P. Stern, Modeling the global magnetic field of the large-scale Birkeland current systems, J. Geophys. Res., V. 101, 27187-27198, 1996.
- [RN.32] T.L. Gulyaeva et al., "Inter-hemispheric imaging of the ionosphere with the upgraded IRI-Plas model during the space weather storms", Earth Planets Space, 63, 929-939, 2011
- [RN.33] S. Bourdarie et al., "GEO-handbook V1.1", TN 1/13377 DESP, April 2008, http://space-env.esa.int/Reports/ECSS/1-13377%20avril%202008%20GEO_handbook-V1.1.pdf
- [RN.34] RadMod Research Ltd web-site for MAIRE: <http://www.radmod.co.uk/maire>, 2017

EN 16603-10-04:2021 (E)

- [RN.35] Fan Lei, Alex Hands, Simon Clucas, Clive Dyer, and Pete Truscott, "Improvement to and validations of the QinetiQ Atmospheric Radiation Model (QARM)," IEEE Trans Nucl Sci, Vol 53, No 4, pp1851-1858, 2006.
- [RN.36] Paula H. Krisko. "The New NASA Orbital Debris Engineering Model ORDEM 3.0 (Invited)", AIAA/AAS Astrodynamics Specialist Conference, AIAA SPACE Forum, (AIAA 2014-4227) <https://doi.org/10.2514/6.2014-4227>, 2014
- [RN.37] Moorhead, A. V., H. M. Koehler, and W. J. Cooke. "NASA Meteoroid Engineering Model Release 2.0." (2015)
- [RN.38] Thebault et al, International Geomagnetic Reference Field 12th Generation, Earth, Planets and Space (2015) 67:79
- [RN.39] Bowman, Bruce R., W. Kent Tobiska, Frank A. Marcos, Cheryl Y. Huang, Chin S. Lin, and William J. Burke (2008a), A new empirical thermospheric density model JB-2008 using new solar and geomagnetic indices, in AIAA/AAS Astrodynamics Specialist Conference and Exhibit, 18–21 August 2008, Honolulu, Hawaii, number AIAA 2008–6438
- [RN.40] D.P. Drob et al., "An empirical model of the Earth's horizontal wind fields: HWM-07", J Geophys Res, Vol. 113, A12304, doi:10.1029/2008JA013668, 2008

koniec náhľadu – text ďalej pokračuje v platenej verzii STN