TNI	Meranie difúzie vodíka v kovových materiáloch Metóda HELIOS 4 HOT PROBE	TNI CWA 17794
		42 0327

Measurement of diffusible hydrogen in metallic materials - HELIOS 4 HOT PROBE method

Táto technická normalizačná informácia obsahuje anglickú verziu CWA 17794:2021. This Technical standard information includes the English version of CWA 17794:2021.

Táto technická normalizačná informácia bola oznámená vo Vestníku ÚNMS SR č. 12/21



CEN

CWA 17794

WORKSHOP

August 2021

AGREEMENT

ICS 77.040.10

English version

Measurement of diffusible hydrogen in metallic materials - HELIOS 4 HOT PROBE method

This CEN Workshop Agreement has been drafted and approved by a Workshop of representatives of interested parties, the constitution of which is indicated in the foreword of this Workshop Agreement.

The formal process followed by the Workshop in the development of this Workshop Agreement has been endorsed by the National Members of CEN but neither the National Members of CEN nor the CEN-CENELEC Management Centre can be held accountable for the technical content of this CEN Workshop Agreement or possible conflicts with standards or legislation.

This CEN Workshop Agreement can in no way be held as being an official standard developed by CEN and its Members.

This CEN Workshop Agreement is publicly available as a reference document from the CEN Members National Standard Bodies.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

CWA 17794:2021 (E)

Contents		Page	
Euroj	pean Foreword	3	
Introduction		4	
1	Scope	5	
2	Normative references	5	
3	Terms, definitions and acronyms	5	
3.1	Terms and definitions		
3.2	Acronyms	6	
4	Equipment	6	
4.1	General	6	
4.2	Technical specifications	8	
5	Principle	8	
5.1	Measuring unit	8	
5.1.1	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
5.1.2			
5.2	Instrument and measurement validation		
6	Sampling		
6.1	Selection of measurement area		
6.2	Surface preparation and coating		
7	Test procedure		
7.1	Text execution	12	
8	Test results and report		
8.1	New steel grade qualification		
8.1.1			
8.1.2 8.2	Test reportProcess monitoring		
8.2.1	S S S S S S S S S S S S S S S S S S S		
8.2.2			
8.2.3	•		
8.3	Results to be discarded	15	
Anne	ex A (informative) Application to FormPlanet project case study: Transport B		
	chassis part/AHSS at Cassino FCA plant		
A.1	General	16	
A.2	Test procedure	16	
A.3	Test report	18	
Rihlia	ography	20	

European Foreword

This CEN Workshop Agreement (CWA 17794:2021) has been developed in accordance with the CEN-CENELEC Guide 29 "CEN/CENELEC Workshop Agreements – A rapid prototyping to standardization" and with the relevant provisions of CEN/CENELEC Internal Regulations – Part 2. It was approved by a Workshop of representatives of interested parties on 2021-05-31, the constitution of which was supported by CEN following the public call for participation made on 2020-10-26. However, this CEN Workshop Agreement does not necessarily include all relevant stakeholders.

The final text of this CEN Workshop Agreement was provided to CEN for publication on 2021-07-27.

This CEN Workshop Agreement is based on the results of the FormPlanet research project, which received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement Nº 814517.

The following organizations and individuals developed and approved this CEN Workshop Agreement:

- EURECAT, Spain, Ms. Begoña Casas (Chairperson), Mr. Eduard Piqueras, Mr. David Frómeta, Mr. Daniel Casellas, Ms. Montserrat Vilaseca, Mr. Toni Lara, Ms. Sílvia Molas, Mr. Sergi Parareda, Ms. Laura Grifé, Mr. Amadeu Concustell
- UNE, Spain, Mr. Javier López-Quiles (Secretary)
- LETOMEC S.R.L, Italy, (CWA draft leadership), Ms. Linda Bacchi, Ms. Serena Corsinovi, Ms. Paola Bonfanti
- ARCELORMITTAL MAIZIERES RESEARCH, France, Mr. Thomas Dieudonné, Mr. Thierry Sturel
- DIN, Germany, Mr. Jens Riedel
- UNIPI, Italy, Mr. Renzo Valentini, Mr. Bernardo Disma Monelli, Ms. Randa Anis Ishack
- ZWICKROELL, Germany, Mr. Eduard Schenuit, Mr. Aleksander Koprivc

Attention is drawn to the possibility that some elements of this document may be subject to patent rights. CEN-CENELEC policy on patent rights is described in CEN-CENELEC Guide 8 "Guidelines for Implementation of the Common IPR Policy on Patent". CEN shall not be held responsible for identifying any or all such patent rights.

Although the Workshop parties have made every effort to ensure the reliability and accuracy of technical and non-technical descriptions, the Workshop is not able to guarantee, explicitly or implicitly, the correctness of this document. Anyone who applies this CEN Workshop Agreement shall be aware that neither the Workshop, nor CEN, can be held liable for damages or losses of any kind whatsoever. The use of this CEN Workshop Agreement does not relieve users of their responsibility for their own actions, and they apply this document at their own risk. The CEN Workshop Agreement should not be construed as legal advice authoritatively endorsed by CEN/CENELEC.

CWA 17794:2021 (E)

Introduction

HELIOS 4 HOT PROBE test method was developed as a consequence of the use of advanced high strenght steels with increased mechanical properties that present awsome performance but can be susceptible to hydrogen emebrittlement phenomenon. Diffusible hydrogen may be absorbed in several steps of component production from steel making to part manufacturing, and it is fundamental to identify anomalous hydrogen content that may potentially lead to failure.

At the state of the art, at the best of the knowledge of the authors of this document, none non destructive method for industrial monitoring of hydrogen absorption and consequently assess the risk of hydrogen induced delayed fracture, has already been developed for bare and coated metals.

The present test method was developed within the framework of FormPlanet Horizon 2020 project to make the first step toward industrial online diffusible hydrogen monitoring and assess sheet metal part quality directly during manufacturing with a non-destructive methodology. We made a demonstrator on chassis for automotive industry, but also geometries as coils or any other components are allowed.

The research activity was focused on the optimization of equipment operation as well as the development and validation of test method.

In particular "Task Industrial on-line deiffusible H measurements" was carried out to improve the equipment functionality, instrument has been redesigned, both hardware and software, in order to reach the Industry 4.0 objectives, as well as sensor calibration.

Later in Task "Transport BiW or chassis part/AHSS" the device was used for industrial demonstrator of the HELIOS 4 HOT PROBE measurement method on high strength AlSi coated Press hardening Boron steel chassis reinforcement components. Test will be part of the final test bed service catalogue.

Test method falls within the patent EP2912452 B1 rights.

1 Scope

This CWA provides a set of guidelines for the measurement of diffusible hydrogen content in steel sheets, that can be susceptible to hydrogen embrittlement phenomenon. Hydrogen pick up can take place in several processes from steel production, through part manufacturing, till the service life of component.

Current risk assessment methods consists in complicated laboratory tests that involve time consuming sample preparation and long test duration. These procedure are not suitable for industrial monitoring where quick, easy and possibly non-intrusive metodologies are required.

In this framework, the HELIOS 4 HOT PROBE performs non-destructive diffusible hydrogen measuring method at industrial scale, in order to assess the safe operation of high strength steel parts. The innovative technique allows measurements directly on sheet metal coils and parts, to eventually immediately apply corrective actions in case of process out of control, increasing the safety of the final user.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 15724:2001, Metallic and other inorganic coatings — Electrochemical measurement of diffusible hydrogen in steels — Barnacle electrode method

ASTM F519-18, Standard Test Method for Mechanical Hydrogen Embrittlement Evaluation of Plating/Coating Processes and Service Environments

ASTM F1624-12, Standard Test Method for Measurement of Hydrogen Embrittlement Threshold in Steel by the Incremental Step Loading Technique

ASTM G129-00, Standard Practice for Slow Strain Rate Testing to Evaluate the Susceptibility of Metallic Materials to Environmentally Assisted Cracking

ASTM STP 962:1988, Hydrogen Embrittlement: Prevention and Control

koniec náhľadu – text ďalej pokračuje v platenej verzii STN