

## Nestmelené a hydraulicky stmelené zmesi Časť 4: Skúšobné metódy laboratórneho stanovenia porovnávacej objemovej hmotnosti a obsahu vody Vibračné kladivo

STN EN 13286-4

73 6181

Unbound and hydraulically bound mixtures - Part 4: Test methods for laboratory reference density and water content - Vibrating hammer

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 01/22

Obsahuje: EN 13286-4:2021

Oznámením tejto normy sa ruší STN EN 13286-4 (73 6181) z mája 2004

# EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 13286-4

November 2021

ICS 93.080.20

Supersedes EN 13286-4:2003

#### **English Version**

# Unbound and hydraulically bound mixtures - Part 4: Test methods for laboratory reference density and water content - Vibrating hammer

Mélanges traités et mélanges non traités aux liants hydrauliques - Partie 4: Méthode d'essai de détermination en laboratoire de la masse volumique apparente sèche de référence et de la teneur en eau -Marteau vibrant Ungebundene und hydraulisch gebundene Gemische -Teil 4: Laborprüfverfahren für die Trockendichte und den Wassergehalt - Vibrationshammer

This European Standard was approved by CEN on 5 July 2021.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

# EN 13286-4:2021 (E)

Contents	Page
----------	------

Euro	pean foreword	
1	Scope	5
2	Normative references	5
3	Terms and definitions	5
4	Principle	5
5	Apparatus	5
6	Preparation	7
6.1	Preparation of the sample for test	7
6.2	Preparation of the test portions	7
7	Procedure	8
7.1	Compaction	8
7.2	Measurement	8
7.3	Further test portions	8
8	Calculation and expression of results	9
8.1	Calculate the bulk density	9
8.2	Calculation of dry density	9
8.3	Plotting of densities	9
8.4	Plotting of air-void curves (optional)	10
9	Test report	10
Anne	ex A (normative) Performance check of vibrating hammer	11
<b>A.1</b>	Materials	11
<b>A.2</b>	Procedure	11
<b>A.3</b>	Pressure check	11

# **European foreword**

This document (EN 13286-4:2021) has been prepared by Technical Committee CEN/TC 227 "Road Materials", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2022, and conflicting national standards shall be withdrawn at the latest by May 2022.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 13286-4:2003.

In comparison with the previous edition, the following technical modifications have been made:

- editorial changes;
- removal of the particle size requirement at 20mm which was considered unnecessary and contrary to current usage;
- advice on the use of the test method with absorbent aggregates, soils and hydraulically bound mixtures;
- the inclusion of text relating to the possible types of compaction curves and definition/selection of the resulting optimum water content;
- removal of the Annex: Compactibility test for graded aggregates, which was deemed unnecessary.

This document is one of a series of standards as follows:

- EN 13286-1, Unbound and hydraulically bound mixtures Part 1: Test methods for laboratory reference density and water content Introduction, general requirements and sampling
- EN 13286-2, Unbound and hydraulically bound mixtures Part 2: Test methods for laboratory reference density and water content Proctor compaction
- EN 13286-3, Unbound and hydraulically bound mixtures Part 3: Test methods for laboratory reference density and water content Vibrocompression with controlled parameters
- EN 13286-4, Unbound and hydraulically bound mixtures Part 4: Test methods for laboratory reference density and water content Vibrating hammer
- EN 13286-5, Unbound and hydraulically bound mixtures Part 5: Test methods for laboratory reference density and water content Vibrating table
- EN 13286-7, Unbound and hydraulically bound mixtures Part 7: Cyclic load triaxial test for unbound mixtures
- EN 13286-40, Unbound and hydraulically bound mixtures Part 40: Test method for the determination of the direct tensile strength of hydraulically bound mixtures
- EN 13286-41, Unbound and hydraulically bound mixtures Part 41: Test method for the determination of the compressive of strength of hydraulically bound mixtures

#### prEN 13286-4:2020 (E)

- EN 13286-42, Unbound and hydraulically bound mixtures Part 42: Test method for the determination of the indirect tensile strength of hydraulically bound mixtures
- EN 13286-43, Unbound and hydraulically bound mixtures Part 43: Test method for the determination of the modulus of elasticity of hydraulically bound mixtures
- EN 13286-44, Unbound and hydraulically bound mixtures Part 44: Test method for the determination of the alpha coefficient of vitrified blastfurnace slag
- EN 13286-45, Unbound and hydraulically bound mixtures Part 45: Test method for the determination of the workability period of hydraulically bound mixtures
- EN 13286-46, Unbound and hydraulically bound mixtures Part 46: Test method for the determination of the moisture condition value
- EN 13286-47, Unbound and hydraulically bound mixtures Part 47: Test method for the determination of California bearing ratio, immediate bearing index and linear swelling
- EN 13286-48, Unbound and hydraulically bound mixtures Part 48: Test method for the determination of the degree of pulverisation
- EN 13286-49, Unbound and hydraulically bound mixtures Part 49: Test method for the determination of the accelerated swelling of soil treated by lime and/or hydraulic binder
- EN 13286-50, Unbound and hydraulically bound mixtures Part 50: Method for the manufacture of test specimens of hydraulically bound mixtures using Proctor equipment or vibrating table compaction
- EN 13286-51, Unbound and hydraulically bound mixtures Part 51: Method for the manufacture of test specimens of hydraulically bound mixtures using vibrating hammer compaction
- EN 13286-52, Unbound and hydraulically bound mixtures Part 52: Method for the manufacture of test specimens of hydraulically bound mixtures using vibrocompression
- EN 13286-53, Unbound and hydraulically bound mixtures Part 53: Method for the manufacture of test specimens of hydraulically bound mixtures using axial compression
- CEN/TS 13286-54, Unbound and hydraulically bound mixtures Part 54: Test method for the determination of frost susceptibility – Resistance to freezing and thawing of hydraulically bound mixtures

#### Annex A is normative.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

### 1 Scope

This document specifies a method for the determination of the relationship between the dry density and water content of a mixture using vibrating hammer compaction.

This document applies to mixtures which contain no more than 10 % by mass of the mixture retained on the 40 mm test sieve.

This document also describes the procedure for calculating and plotting the curves corresponding to 0%, 5% and 10% air voids.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 932-2, Tests for general properties of aggregates - Part 2: Methods for reducing laboratory samples

EN 933-1, Tests for geometrical properties of aggregates - Part 1: Determination of particle size distribution - Sieving method

EN 1097-5, Tests for mechanical and physical properties of aggregates - Part 5: Determination of the water content by drying in a ventilated oven

EN 13286-1, Unbound and hydraulically bound mixtures - Part 1: Test methods for laboratory reference density and water content - Introduction, general requirements and sampling

koniec náhľadu – text ďalej pokračuje v platenej verzii STN