

STN P	Obaly na zdravotnícke pomôcky sterilizované v konečnom obale Návod na používanie ISO 11607-1 a ISO 11607-2 (ISO/TS 16775: 2021)	STN P CEN ISO/TS 16775 85 6544
------------------	--	--

Packaging for terminally sterilized medical devices - Guidance on the application of ISO 11607-1 and ISO 11607-2 (ISO/TS 16775:2021)

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 01/22

Táto predbežná STN je určená na overenie. Pripomienky zasielajte ÚNMS SR najneskôr do 22. 8. 2023.

Obsahuje: CEN ISO/TS 16775:2021, ISO/TS 16775:2021

Oznámením tejto normy sa ruší
STN P CEN ISO/TS 16775 (85 6544) z októbra 2014

134410

TECHNICAL SPECIFICATION
SPÉCIFICATION TECHNIQUE
TECHNISCHE SPEZIFIKATION

CEN ISO/TS 16775

November 2021

ICS 11.080.30

Supersedes CEN ISO/TS 16775:2014

English Version

Packaging for terminally sterilized medical devices - Guidance on the application of ISO 11607-1 and ISO 11607-2 (ISO/TS 16775:2021)

Emballages des dispositifs médicaux stérilisés au stade
terminal - Lignes directrices relatives à l'application
de l'ISO 11607-1 et l'ISO 11607-2 (ISO/TS
16775:2021)

Verpackungen für in der Endverpackung zu
sterilisierende Medizinprodukte - Leitfaden für die
Anwendung von ISO 11607-1 und ISO 11607-2
(ISO/TS 16775:2021)

This Technical Specification (CEN/TS) was approved by CEN on 22 August 2021 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

CEN ISO/TS 16775:2021 (E)

Contents	Page
European foreword.....	3

European foreword

This document (CEN ISO/TS 16775:2021) has been prepared by Technical Committee ISO/TC 198 "Sterilization of health care products" in collaboration with Technical Committee CEN/TC 102 "Sterilizers and associated equipment for processing of medical devices" the secretariat of which is held by DIN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes CEN ISO/TS 16775:2014.

Any feedback and questions on this document should be directed to the users' national standards body/national committee. A complete listing of these bodies can be found on the CEN website.

In comparison with the previous edition, the following technical modifications have been made:

- clause normative references has been added;
- clause 3 "Terms and definitions" has been updated;
- structural adaptation of the text to the structure of ISO 11607-1:2019 and ISO 11607-2:2019;
- updates to reflect current editions of ISO 11607-1:2019 and ISO 11607-2:2019;
- intent and guidance is provided for each clause of the standard to improve usability of this document;
- new annexes have been added;
- some annexes have been removed.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO/TS 16775:2021 has been approved by CEN as CEN ISO/TS 16775:2021 without any modification.

**TECHNICAL
SPECIFICATION****ISO/TS
16775**Second edition
2021-11

**Packaging for terminally sterilized
medical devices — Guidance on the
application of ISO 11607-1 and ISO
11607-2***Emballages des dispositifs médicaux stérilisés au stade terminal —
Lignes directrices relatives à l'application de l'ISO 11607-1 et l'ISO
11607-2*Reference number
ISO/TS 16775:2021(E)

© ISO 2021

ISO/TS 16775:2021(E)**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	vii
Introduction	viii
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Guidance on Clauses 1-4 of ISO 11607-1:2019 and ISO 11607-2:2019	2
4.1 Scope (ISO 11607-1:2019, Clause 1 and ISO 11607-2:2019, Clause 1).....	2
4.1.1 Intent.....	2
4.1.2 Guidance.....	2
4.2 Normative references (ISO 11607-1:2019, Clause 2 and ISO 11607-2:2019, Clause 2).....	3
4.2.1 Intent.....	3
4.2.2 Guidance.....	3
4.3 Terms and definitions (ISO 11607-1:2019, Clause 3 and ISO 11607-2:2019, Clause 3).....	4
4.3.1 Intent.....	4
4.3.2 Guidance.....	4
4.4 Quality and risk management (ISO 11607-1:2019, 4.1, 4.2 and ISO 11607-2:2019, 4.1, 4.2).....	4
4.4.1 Intent.....	4
4.4.2 Guidance.....	4
4.5 Sampling (ISO 11607-1:2019, 4.3 and ISO 11607-2:2019, 4.3).....	6
4.5.1 Intent.....	6
4.5.2 Guidance.....	6
4.6 Test methods (ISO 11607-1:2019, 4.4 and ISO 11607-2:2019, 4.4).....	7
4.6.1 Intent.....	7
4.6.2 Guidance.....	7
4.7 Documentation (ISO 11607-1:2019, 4.5 and ISO 11607-2:2019, 4.5).....	9
4.7.1 Intent.....	9
4.7.2 Guidance.....	9
5 Guidance on Clauses 5-11 of ISO 11607-1:2019	10
5.1 General requirements for materials, preformed sterile barrier systems and sterile barrier systems (ISO 11607-1:2019, 5.1.1 and 5.1.2).....	10
5.1.1 Intent.....	10
5.1.2 Guidance.....	10
5.2 Conditions for production and handling (ISO 11607-1:2019, 5.1.3 and 5.1.4).....	10
5.2.1 Intent.....	10
5.2.2 Guidance.....	10
5.3 Source, history and traceability of materials (ISO 11607-1:2019, 5.1.5).....	11
5.3.1 Intent.....	11
5.3.2 Guidance.....	11
5.4 Properties to be evaluated (ISO 11607-1:2019, 5.1.6).....	12
5.4.1 Intent.....	12
5.4.2 Guidance.....	12
5.5 General performance requirements for materials (ISO 11607-1:2019, 5.1.7 and 5.1.8).....	12
5.5.1 Intent.....	12
5.5.2 Guidance.....	13
5.6 Additional requirements for sterile barrier systems and preformed sterile barrier systems (ISO 11607-1:2019, 5.1.9).....	16
5.6.1 Intent.....	16
5.6.2 Guidance.....	16
5.7 Reusable sterile barrier systems (ISO 11607-1:2019, 5.1.10, 5.1.11 and 5.1.12).....	17
5.7.1 Intent.....	17

ISO/TS 16775:2021(E)

5.7.2	Guidance	17
5.8	Microbial barrier properties (ISO 11607-1:2019, 5.2)	17
5.8.1	Intent	17
5.8.2	Guidance	17
5.9	Compatibility with the sterilization process (ISO 11607-1:2019, 5.3)	18
5.9.1	Intent	18
5.9.2	Guidance	18
5.10	Labelling system (ISO 11607-1:2019, 5.4)	19
5.10.1	Intent	19
5.10.2	Guidance	19
5.11	Storage and transport of materials and preformed sterile barrier systems (ISO 11607-1:2019, 5.5)	21
5.11.1	Intent	21
5.11.2	Guidance	21
5.12	Design and development (ISO 11607-1:2019, 6.1.1)	22
5.12.1	Intent	22
5.12.2	Guidance	22
5.13	Aseptic presentation (ISO 11607-1:2019, 6.1.2)	23
5.13.1	Intent	23
5.13.2	Guidance	23
5.14	Physical protection (ISO 11607-1:2019, 6.1.3 and 6.1.4)	24
5.14.1	Intent	24
5.14.2	Guidance	24
5.15	Sterilization compatibility (ISO 11607-1:2019, 6.1.5)	25
5.15.1	Intent	25
5.15.2	Guidance	25
5.16	Maintenance of Sterility (ISO 11607-1:2019, 6.1.6 and 6.1.7)	25
5.16.1	Intent	25
5.16.2	Guidance	25
5.17	Requirements for multi-layer packaging (ISO 11607-1:2019, 6.1.8)	26
5.17.1	Intent	26
5.17.2	Guidance	26
5.18	Packaging families (ISO 11607-1:2019, 6.1.9)	27
5.18.1	Intent	27
5.18.2	Guidance	27
5.19	Design process (ISO 11607-1:2019, 6.2.1)	28
5.19.1	Intent	28
5.19.2	Guidance	29
5.20	Design inputs (ISO 11607-1:2019, 6.2.2 and 6.2.3)	29
5.20.1	Intent	29
5.20.2	Guidance	29
5.21	Sterile fluid path (ISO 11607-1:2019, 6.2.4, 6.2.5)	31
5.21.1	Intent	31
5.21.2	Guidance	31
5.22	Usability evaluation for aseptic presentation (ISO 11607-1:2019, 7.1, 7.2 and 7.3)	32
5.22.1	Intent	32
5.22.2	Guidance	32
5.23	Leveraging usability evaluations (ISO 11607-1:2019, 7.4)	33
5.23.1	Intent	33
5.23.2	Guidance	33
5.24	Usability evaluation failures (ISO 11607-1:2019, 7.5)	33
5.24.1	Intent	33
5.24.2	Guidance	33
5.24.3	Guidance on formative and summative studies	34
5.25	Packaging system performance and stability (ISO 11607-1:2019, 8.1)	35
5.25.1	Intent	35
5.25.2	Guidance	35
5.26	Packaging system performance testing (ISO 11607-1:2019, 8.2)	37

5.26.1	Intent	37
5.26.2	Guidance	37
5.27	Stability testing (ISO 11607-1:2019, 8.3)	38
5.27.1	Intent	38
5.27.2	Guidance	38
5.28	Packaging system validation and changes (ISO 11607-1:2019, 9.1)	40
5.28.1	Intent	40
5.28.2	Guidance	40
5.29	Change control (ISO 11607-1:2019, 9.2)	40
5.29.1	Intent	40
5.29.2	Guidance	40
5.30	Revalidations (ISO 11607-1:2019, 9.3, 9.4, and 9.5)	40
5.30.1	Intent	40
5.30.2	Guidance	40
5.31	Inspection immediately prior to aseptic presentation (ISO 11607-1:2019, Clause 10)	41
5.31.1	Intent	41
5.31.2	Guidance	41
5.32	Information to be provided (ISO 11607-1:2019, Clause 11)	41
5.32.1	Intent	41
5.32.2	Guidance	41
6	Guidance on Clauses 5-8 of ISO 11607-2:2019	42
6.1	General Clauses 1-4 of ISO 11607-2:2019	42
6.2	Validation of packaging processes – general requirements (ISO 11607-2:2019, 5.1.1 and 5.1.2)	42
6.2.1	Intent	42
6.2.2	Guidance	42
6.3	Process specification (ISO 11607-2:2019, 5.1.3)	43
6.3.1	Intent	43
6.3.2	Guidance	43
6.4	Process validation of packaging families (ISO 11607-2:2019, 5.1.4)	43
6.4.1	Intent	43
6.4.2	Guidance	43
6.5	Installation qualification (ISO 11607-2:2019, 5.2)	44
6.5.1	Intent	44
6.5.2	Guidance	45
6.6	Operational qualification (ISO 11607-2:2019, 5.3)	45
6.6.1	Intent	45
6.6.2	Guidance	46
6.7	Performance qualification (ISO 11607-2:2019, 5.4)	46
6.7.1	Intent	46
6.7.2	Guidance	46
6.8	Formal approval of the process validation (ISO 11607-2:2019, 5.5)	47
6.8.1	Intent	47
6.8.2	Guidance	47
6.9	Process control and monitoring (ISO 11607-2:2019, 5.6)	48
6.9.1	Intent	48
6.9.2	Guidance	48
6.10	Process changes and revalidation (ISO 11607-2:2019, 5.7)	48
6.10.1	Intent	48
6.10.2	Guidance	48
6.11	Assembly (ISO 11607-2:2019, Clause 6)	49
6.11.1	Intent	49
6.11.2	Guidance	49
6.12	Use of reusable sterile barrier systems (ISO 11607-2:2019, Clause 7)	51
6.12.1	Intent	51
6.12.2	Guidance	51
6.13	Sterile fluid path packaging (ISO 11607-2:2019, Clause 8)	51
6.13.1	Intent	51

ISO/TS 16775:2021(E)

6.13.2 Guidance	51
Annex A (informative) Design and development for packaging systems – guidance for industry	52
Annex B (informative) Guidance on the application of the ISO 11607 series in healthcare facilities	60
Annex C (informative) Risk analysis tools — Guidance for industry and healthcare facilities	91
Annex D (informative) Considerations for sampling plans – Guidance for healthcare facilities	93
Annex E (informative) Guidance on establishing process parameters – guidance for industry	95
Annex F (informative) Sterilization considerations – Guidance for industry and healthcare facilities	101
Annex G (informative) Use of contract packagers – Guidance for industry and healthcare facilities	108
Annex H (informative) Example of a handling, distribution and storage checklist – Guidance for healthcare facilities for selecting a sterile barrier system	109
Annex I (informative) Investigating failure – Guidance for industry and healthcare facilities	112
Annex J (informative) Validation summary – Guidance for healthcare facilities	116
Annex K (informative) Validation for wrapping process — Guidance for healthcare facilities	118
Annex L (informative) Validation for reusable container process – Guidance for healthcare facilities	124
Annex M (informative) Validation for heat sealing process for preformed sterile barrier systems (PSBS) – Guidance for healthcare facilities	130
Annex N (informative) Evaluation of sterile packaging by end users — Guidance for healthcare facilities	138
Bibliography	139

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 198, *Sterilization of health care products*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 102, *Sterilizers and associated equipment for processing of medical devices*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO/TS 16775:2014), which has been technically revised.

The main changes compared to the previous edition are as follows:

- updates to reflect ISO 11607-1:2019 and ISO 11607-2:2019 editions;
- intent and guidance is provided for each clause of the standard to improve usability of this document.
- new annexes have been added;
- some annexes have been removed.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

ISO/TS 16775:2021(E)

Introduction

Sterile barrier systems are intended to allow for sterilization, provide physical protection, maintain the sterility of their contents until the point of use and ensure aseptic presentation. The sterile barrier system, depending on conditions of handling, distribution or storage, can be combined with additional protective packaging to create a packaging system.

ISO 11607-1 specifies the requirements for materials, sterile barrier systems, and packaging systems, including the validation of the packaging system design while ISO 11607-2 specifies the requirements for packaging process validation. The requirements outlined in these standards are generic and are applicable to healthcare facilities and wherever medical devices are packaged and sterilized. It is recognized that the circumstances of the application of these standards will be different when they are used in a healthcare facility, by a medical device manufacturer or reprocessor.

This document provides guidance on the application of ISO 11607-1 and ISO 11607-2. This latest revision has been completely reorganised following the structure of ISO 11607-1 and ISO 11607-2 and referring to individual or groups of clauses or subclauses while indicating the intent of the requirements followed by relevant guidance. It can be used for the systematic application of ISO 11607-1 and ISO 11607-2 or as a reference when questions come up about specific requirements. [Clause 4](#) covers the general requirements that are identical in ISO 11607-1 and ISO 11607-2, while Clause 5 applies to ISO 11607-1:2019 and Clause 6 to ISO 11607-2:2019. Guidance on the application of risk management over the packaging life cycle has been added in anticipation of the upcoming amendments to ISO 11607 (all parts).

This guidance document is applicable to healthcare facilities and to industry while differences for the two environments are addressed as necessary. Although healthcare facilities are usually not involved in sterile barrier system design tasks, their part in the sterile barrier system and packaging system design process consists of carefully selecting an appropriate sterile barrier system and protective packaging based on the identified risks related to the content, sterilization method, transport, storage and aseptic presentation. Sterile barrier and packaging systems and the related processes must then be properly validated, and sealing, closure and assembly processes must be controlled and monitored. To ensure patient safety, healthcare facilities should develop written procedures to be implemented by adequately trained personnel. Guidance given in the annexes of this document is applicable to healthcare facilities and/or industry, as indicated.

The conditions of use of this guidance can vary widely around the world and can be subject to interpretation by circumstances and regulatory environments.

Packaging for terminally sterilized medical devices — Guidance on the application of ISO 11607-1 and ISO 11607-2

1 Scope

This document provides guidance for the application of the requirements contained in ISO 11607-1 and ISO 11607-2. It does not add to, or otherwise change, the requirements of ISO 11607-1 and ISO 11607-2. This is an informative document, not normative. It does not include requirements to be used as basis of regulatory inspection or certification assessment activities.

The guidance can be used to better understand the requirements of ISO 11607-1 and ISO 11607-2 and illustrates the variety of methods and approaches available for meeting the requirements of those International Standards. It is not required that this document be used to demonstrate conformity with them.

Guidance is given for evaluation, selection and use of packaging materials, preformed sterile barrier systems, sterile barrier systems and packaging systems. Guidance on validation requirements for forming, sealing and assembly processes is also given.

This document provides information for both healthcare facilities and the medical devices industry for terminally sterilized medical devices.

This document does not provide guidance for applications of packaging materials and systems after their opening. In the use of packaging for other purposes such as a “sterile field” or transport of contaminated items, other regulatory standards will apply.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 11607-1:2019, *Packaging for terminally sterilized medical devices — Part 1: Requirements for materials, sterile barrier systems and packaging systems*

ISO 11607-2:2019, *Packaging for terminally sterilized medical devices — Part 2: Validation requirements for forming, sealing and assembly processes*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN