

<b>STN</b>	<b>Poľnohospodárske a lesnícke stroje Mobilné približovacie navijaky na ťažbu dreva Bezpečnosť</b>	<b>STN EN 16517</b>  47 9600
------------	------------------------------------------------------------------------------------------------------------	----------------------------------------

Agricultural and forestry machinery - Mobile yarders for timber logging - Safety

Táto norma obsahuje anglickú verziu európskej normy.  
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 02/22

Obsahuje: EN 16517:2021

**134502**

EUROPEAN STANDARD

**EN 16517**

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2021

ICS 53.020.20; C

English Version

## Agricultural and forestry machinery - Mobile yarders for timber logging - Safety

Matériel agricole et forestier - Téléphériques forestiers  
mobiles pour l'exploitation du bois - Sécurité

Land- und Forstmaschinen - Mobile Seilkrananlagen  
für den Holztransport - Sicherheit

This European Standard was approved by CEN on 24 October 2021.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

**EN 16517:2021 (E)****Contents**

Page

European foreword.....	4
Introduction .....	5
1 Scope .....	6
2 Normative references .....	6
3 Terms and definitions .....	8
4 List of significant hazards .....	12
5 Safety requirements and / or protective risk reduction measures .....	16
5.1 General.....	16
5.2 Structural calculations.....	16
5.2.1 General.....	16
5.2.2 Information to be given in the calculation.....	17
5.2.3 Loads and forces.....	17
5.2.4 Load combinations .....	17
5.3 Stress analyses .....	18
5.4 Mechanical arrangements.....	18
5.4.1 Tower.....	18
5.4.2 Guying.....	18
5.4.3 Stabilizers .....	18
5.4.4 Securing for transport.....	18
5.5 Rope drive - Drive mechanism .....	18
5.5.1 General.....	18
5.5.2 Ropes .....	19
5.5.3 Winches .....	20
5.5.4 Designs of blocks, drums, traction sheave .....	20
5.5.5 Brake.....	20
5.6 Carriage .....	21
5.6.1 Derailing.....	21
5.6.2 Stopping devices.....	21
5.6.3 Carriage clamp .....	21
5.6.4 Drums and pulleys .....	21
5.6.5 Load balance .....	21
5.6.6 Diameter of pulley and roller .....	21
5.7 Hydraulic system.....	22
5.8 Limiting and indicating devices .....	22
5.8.1 Load limiter .....	22
5.8.2 Motion limiters .....	22
5.8.3 Speed limiters.....	22
5.8.4 Acoustic/visual warnings.....	22
5.8.5 General safe stop (GSS) .....	22
5.9 Controls.....	22
5.9.1 General.....	22
5.9.2 Control from different control stations.....	23
5.9.3 Controls automatic returning to neutral position.....	23
5.9.4 Controls with holding position.....	23
5.9.5 Emergency devices against uncontrolled 'carriage' downhill movement.....	23

<b>5.9.6</b>	<b>Symbols .....</b>	<b>23</b>
<b>5.10</b>	<b>Control stations .....</b>	<b>23</b>
<b>5.10.1</b>	<b>General .....</b>	<b>23</b>
<b>5.10.2</b>	<b>Operator cabin .....</b>	<b>24</b>
<b>5.10.3</b>	<b>Safety .....</b>	<b>24</b>
<b>5.10.4</b>	<b>Ground control .....</b>	<b>24</b>
<b>5.10.5</b>	<b>Control station for setting up .....</b>	<b>24</b>
<b>5.11</b>	<b>Platform and ladder .....</b>	<b>24</b>
<b>5.11.1</b>	<b>Platform .....</b>	<b>24</b>
<b>5.11.2</b>	<b>Ladder .....</b>	<b>24</b>
<b>5.11.3</b>	<b>Strength and rigidity of components .....</b>	<b>25</b>
<b>5.12</b>	<b>Electrical systems .....</b>	<b>25</b>
<b>5.13</b>	<b>Assembly of machine components .....</b>	<b>25</b>
<b>5.13.1</b>	<b>Attachment to three-point hitch system .....</b>	<b>25</b>
<b>5.13.2</b>	<b>Combination of components of different manufacturers .....</b>	<b>25</b>
<b>6</b>	<b>Verification of safety requirements and measures .....</b>	<b>25</b>
<b>7</b>	<b>Information for use .....</b>	<b>26</b>
<b>7.1</b>	<b>Mounting instructions .....</b>	<b>26</b>
<b>7.1.1</b>	<b>General .....</b>	<b>26</b>
<b>7.1.2</b>	<b>Instructions for assembly .....</b>	<b>26</b>
<b>7.2</b>	<b>Markings .....</b>	<b>27</b>
<b>7.2.1</b>	<b>General .....</b>	<b>27</b>
<b>7.2.2</b>	<b>Manufacturer's plate .....</b>	<b>27</b>
<b>7.2.3</b>	<b>Installer's plate .....</b>	<b>28</b>
<b>7.2.4</b>	<b>Load signs .....</b>	<b>28</b>
<b>7.2.5</b>	<b>Warnings .....</b>	<b>28</b>
<b>7.3</b>	<b>Operator's manual .....</b>	<b>28</b>
	<b>Annex A (informative) Risk zone .....</b>	<b>30</b>
	<b>Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2006/42/EC aimed to be covered .....</b>	<b>32</b>
	<b>Bibliography .....</b>	<b>35</b>

## EN 16517:2021 (E)

### European foreword

This document (EN 16517:2021) has been prepared by Technical Committee CEN/TC 144 “Tractors and machinery for agriculture and forestry”, the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2022, and conflicting national standards shall be withdrawn at the latest by June 2022.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a Standardization Request given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## Introduction

Cable yarders in the context of this document are machines consisting of a yarder (including all components), ropes (cables, lines) and a transporter system (carriage, rider block or butt rigg) where the trees/logs/wooden biomass is hooked on to the transporter. The yarder is mounted on a chassis (wheeled, tracked or sledge frame) and is designed for a quick change of location. In most cases, the logging operations change position on a 1-3 day frequency.

Typical operation for cable yarders is the close collaboration of mechanized components with workers, often in rough terrain. Cable yarding includes a lot of manual work in very difficult terrain where the weight of the tools and ropes has a direct impact on the operators' ergonomic workload. Ergonomics play therefore an important role in choosing adequate working coefficients for all elements. A review of the relevant literature; historical experience and operation of cable yarders have indicated a wide range of working coefficients (safety factor) with a focus on 2, 5 to 3 for the skyline and mainline.

This document is a type-C standard as stated in EN ISO 12100.

This document is of relevance, in particular, for the following stakeholder groups representing the market players with regard to machinery safety:

- machine manufacturers (small, medium and large enterprises);
- health and safety bodies (regulators, accident prevention organizations, market surveillance, etc.).

Others can be affected by the level of machinery safety achieved with the means of the document by the above-mentioned stakeholder groups:

- machine users/employers (small, medium and large enterprises);
- machine users/employees (e.g. trade unions, organizations for people with special needs);
- service providers, e.g. for maintenance (small, medium and large enterprises);
- consumers (in case of machinery intended for use by consumers).

The above-mentioned stakeholder groups have been given the possibility to participate at the drafting process of this document.

The machinery concerned and the extent to which hazards, hazardous situations or hazardous events are covered are indicated in the Scope of this document.

When requirements of this type-C standard are different from those, which are stated in type-A or type-B standards, the requirements of this type-C standard take precedence over the requirements of the other standards for machines that have been designed and built according to the requirements of this type-C standard.

## EN 16517:2021 (E)

### 1 Scope

This document gives safety requirements, and the means of verification, for the design and construction of mobile yarders for logging of forest products and their mounting. It counts for all logging operations with cable yarders both in sloped and flat terrain. In addition, it specifies the type of information on safe working practices (including residual risks) meant to be provided by the manufacturer.

It deals with the significant hazards (as listed in Table 1), hazardous situations and events relevant to mobile yarders used as intended and under the conditions of misuse foreseeable by the manufacturer (see Clauses 4 and 5).

Emission of noise (with regard to airborne noise) is not covered by this document.

It is not applicable to:

- rope splicing;
- ancillary loaders or cable cranes;
- cableways for material transport (other than wood); and
- skidder winches (skidding).

The specifications of cabin in this context are only relevant for the yarder or a yarder-loader combination. The cabin and the chassis of the vehicle (prime mover), to which the yarder is mounted are not part of this document.

This document is not applicable to mobile yarders manufactured before the date of its publication.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 353-1:2014+A1:2017, *Personal fall protection equipment - Guided type fall arresters including an anchor line - Part 1: Guided type fall arresters including a rigid anchor line*

EN 353-2:2002, *Personal protective equipment against falls from a height - Part 2: Guided type fall arresters including a flexible anchor line*

EN 12077-2:1998+A1:2008, *Cranes safety - Requirements for health and safety - Part 2: Limiting and indicating devices*

EN 12385-1:2002+A1:2008, *Steel wire ropes - Safety - Part 1: General requirements*

EN 12385-2:2002+A1:2008, *Steel wire ropes - Safety - Part 2: Definitions, designation and classification*

EN 12385-3:2020, *Steel wire ropes - Safety - Part 3: Information for use and maintenance*

EN 12385-4:2002+A1:2008, *Steel wire ropes - Safety - Part 4: Stranded ropes for general lifting applications*

EN 12965:2019, *Tractors and machinery for agriculture and forestry - Power take-off (PTO) drive shafts and their guards - Safety*

EN 12999:2020, *Cranes - Loader cranes*

EN 13001-3-1:2012+A2:2018, *Cranes - General Design - Part 3-1: Limit States and proof competence of steel structure*

EN 13001-3-2:2014, *Cranes - General design - Part 3-2: Limit states and proof of competence of wire ropes in reeving systems*

EN 13557:2003+A2:2008, *Cranes - Controls and control stations*

EN 13586:2020, *Cranes - Access*

EN 17067:2018, *Forestry machinery - Safety requirements on radio remote controls*

EN 60204-1:2018, *Safety of machinery - Electrical equipment of machines - Part 1: General requirements (IEC 60204-1:2016)*

EN 60204-32:2008, *Safety of machinery - Electrical equipment of machines - Part 32: Requirements for hoisting machines (IEC 60204-32:2008)*

EN 60947-5-5:1997,<sup>1</sup> *Low-voltage switchgear and controlgear - Part 5-5: Control circuit devices and switching elements - Electrical emergency stop device with mechanical latching function (IEC 60947-5-5:1997)*

EN 61000-6-2:2005,<sup>2</sup> *Electromagnetic compatibility (EMC) - Part 6-2: Generic standards - Immunity for industrial environments (IEC 61000-6-2:2005)*

EN 61000-6-4:2007,<sup>3</sup> *Electromagnetic compatibility (EMC) - Part 6-4: Generic standards - Emission standard for industrial environments (IEC 61000-6-4:2006)*

EN ISO 3411:2007, *Earth-moving machinery - Physical dimensions of operators and minimum operator space envelope (ISO 3411:2007)*

EN ISO 3449:2008, *Earth-moving machinery - Falling-object protective structures - Laboratory tests and performance requirements (ISO 3449:2005)*

EN ISO 4413:2010, *Hydraulic fluid power - General rules and safety requirements for systems and their components (ISO 4413:2010)*

EN ISO 12100:2010, *Safety of machinery - General principles for design - Risk assessment and risk reduction (ISO 12100:2010)*

EN ISO 13849-1:2015, *Safety of machinery - Safety-related parts of control systems - Part 1: General principles for design (ISO 13849-1:2015)*

---

<sup>1</sup> As impacted by EN 60947-5-5:1997/A1:2005, EN 60947-5-5:1997/A2:2017 and EN 60947-5-5:1997/A11:2013.

<sup>2</sup> As impacted by EN 61000-6-2:2005/AC:2005.

<sup>3</sup> As impacted by EN 61000-6-4:2007/A1:2011.



**EN 16517:2021 (E)**

EN ISO 13850:2015, *Safety of machinery - Emergency stop function - Principles for design (ISO 13850:2015)*

EN ISO 13854:2019, *Safety of machinery - Minimum gaps to avoid crushing of parts of the human body (ISO 13854:2017)*

EN ISO 13857:2019, *Safety of machinery - Safety distances to prevent hazard zones being reached by upper and lower limbs (ISO 13857:2019)*

ISO 730:2009,<sup>4</sup> *Agricultural wheeled tractors — Rear-mounted three-point linkage — Categories 1N, 1, 2N, 2, 3N, 3, 4N and 4*

ISO 3600:2015, *Tractors, machinery for agriculture and forestry, powered lawn and garden equipment — Operator's manuals — Content and format*

ISO 4309:2017, *Cranes — Wire ropes — Care and maintenance, inspection and discard*

ISO 6750-1:2019, *Earth-moving machinery — Operator's manual — Part 1: Contents and format*

ISO 7000:2019, *Graphical symbols for use on equipment — Registered symbols*

ISO 8083:2006, *Machinery for forestry — Falling-object protective structures (FOPS) — Laboratory tests and performance requirements*

ISO 8084:2003, *Machinery for forestry — Operator protective structures — Laboratory tests and performance requirements*

ISO 16625:2013, *Cranes and hoists — Selection of wire ropes, drums and sheaves*

**koniec náhľadu – text ďalej pokračuje v platenej verzii STN**