

Plasty Stanovenie ťahových vlastností Časť 4: Skúšobné podmienky pre plastové kompozity vystužené izotropnými a ortotropnými vláknami (ISO 527-4: 2021, opravená verzia 2022-02)

STN EN ISO 527-4

64 0605

Plastics - Determination of tensile properties - Part 4: Test conditions for isotropic and orthotropic fibre-reinforced plastic composites (ISO 527-4:2021)

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 03/22

Obsahuje: EN ISO 527-4:2021, ISO 527-4: 2021, Corrected version 2022-02

Oznámením tejto normy sa ruší STN EN ISO 527-4 (64 0605) z novembra 2001

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN ISO 527-4

December 2021

ICS 83.120

Supersedes EN ISO 527-4:1997

English Version

Plastics - Determination of tensile properties - Part 4: Test conditions for isotropic and orthotropic fibre-reinforced plastic composites (ISO 527-4:2021, Corrected version 2022-02)

Plastiques - Détermination des propriétés en traction -Partie 4 : Conditions d'essai pour les composites plastiques renforcés de fibres isotropes et orthotropes (ISO 527-4:2021, Version corrigée 2022-02) Kunststoffe - Bestimmung der Zugeigenschaften - Teil 4: Prüfbedingungen für isotrop und anisotrop faserverstärkte Kunststoffverbundwerkstoffe (ISO 527-4:2021, korrigierte Fassung 2022-02)

This European Standard was approved by CEN on 4 October 2021.

This European Standard was corrected and reissued by the CEN-CENELEC Management Centre on 09 March 2022.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN ISO 527-4:2021 (E)

Contents	Page
European foreword	3

European foreword

This document (EN ISO 527-4:2021) has been prepared by Technical Committee ISO/TC 61 "Plastics" in collaboration with Technical Committee CEN/TC 249 "Plastics" the secretariat of which is held by NBN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2022, and conflicting national standards shall be withdrawn at the latest by June 2022.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 527-4:1997.

Any feedback and questions on this document should be directed to the users' national standards body/national committee. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 527-4:2021, Corrected version 2022-02 has been approved by CEN as EN ISO 527-4:2021 without any modification.

INTERNATIONAL STANDARD

ISO 527-4

Second edition 2021-12

Corrected version 2022-02

Plastics — Determination of tensile properties —

Part 4:

Test conditions for isotropic and orthotropic fibre-reinforced plastic composites

Plastiques — Détermination des propriétés en traction —

Partie 4: Conditions d'essai pour les composites plastiques renforcés de fibres isotropes et orthotropes



Reference number ISO 527-4:2021(E)

ISO 527-4:2021(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

ISO 527-4:2021(E)

Introduction	Cor	Contents		
1 Scope	Fore	word		iv
1 Scope	Intro	oductio	n	v
2 Normative references				
3 Terms and definitions 1 4 Principle 5 5 Apparatus 5 6 Test specimens 5 6.1 Shape and dimensions 5 6.2 Preparation of specimens 9 6.2.1 General 9 6.2.2 End tabs for type 3 specimens 9 6.3 Gauge marks 9 6.4 Checking the specimens 10 6.5 Anisotropy 10 7 Number of specimens 10 8 Conditioning 10 9 Procedure 10 9.1 Test atmosphere 10 9.1 Test atmosphere 10 9.2 Measurement of specimen dimensions 10 9.3 Clamping 11 9.4 Prestresses 11 9.5 Setting of extensometers and strain gauges and placing of gauge marks 11 9.5 Setting of extensometers and strain gauges and placing of gauge marks 11 9.6 Speed of testing 11	2	-		
4 Principle 5 Apparatus 5 Apparatus 5 6 Test specimens 5 6.1 Shape and dimensions 5 6.2 Preparation of specimens 9 6.2.1 General 9 6.2.2 End tabs for type 3 specimens 9 6.3. Gauge marks 9 6.4 Checking the specimens 10 6.5 Anisotropy 10 6.5 Anisotropy 10 7 Number of specimens 10 6.5 Anisotropy 10 7 Number of specimens 10 9 Procedure 10 9.1 Test atmosphere 10 9.2 Measurement of specimen dimensions 10 9.3 Clamping 11 9.4 Prestresses 11 9.5 Setting of extensometers and strain gauges and placing of gauge marks 11 9.6 Speed of testing 11 9.6.1 For type 18 test specimens 11 9.6.2 For type 2, type 3 and type 4 test specimens 11 10 Calculation and expression of results 11 10.1 Calculation of all properties for parallel sided specimens 11 10.1 Calculation and expression of results 11 10.1 Calculation of all properties for parallel sided specimens 11 10.2 Failure location related calculation of tensile strength for type 4 specimens 12 Annex A (informative) Alignment of specimens 22 Annex B (informative) Unbonded tabs or gripping condition without tabs using fine grip face 18 Annex D (normative) Specimen preparation for type 2 and type 3 22 Annex E (normative) Failure location related calculation of tensile strength for type 4 specimens 23				
5 Apparatus 5 6 Test specimens 5 6.1 Shape and dimensions 5 6.2 Preparation of specimens 9 6.2.1 General 9 6.2.2 End tabs for type 3 specimens 9 6.3 Gauge marks 9 6.4 Checking the specimens 10 6.5 Anisotropy 10 7 Number of specimens 10 8 Conditioning 10 9 Procedure 10 9.1 Test atmosphere 10 9.2 Measurement of specimen dimensions 10 9.2 Measurement of specimen dimensions 10 9.2 Measurement of specimen dimensions 11 9.5 Setting of extensometers and strain gauges and placing of gauge marks 11 9.5 Speed of testing 11 9.6 Speed of testing 11 9.6 Speed of testing 11 9.7 Recording of data 11 10 Calculation and expression of results 11				
6 Test specimens 5 6.1 Shape and dimensions 5 6.2 Preparation of specimens 9 6.2.1 General 9 6.2.2 End tabs for type 3 specimens 9 6.2.2 End tabs for type 3 specimens 9 6.3 Gauge marks 9 6.4 Checking the specimens 10 6.5 Anisotropy 10 7 Number of specimens 10 8 Conditioning 10 9 Procedure 10 9.1 Test atmosphere 10 9.2 Measurement of specimen dimensions 10 9.3 Clamping 11 9.4 Prestresses 11 9.5 Setting of extensometers and strain gauges and placing of gauge marks 11 9.6 Speed of testing 9.6.2 For type 2, type 3 and type 4 test specimens 11 9.7 Recording of data 11 10 Calculation and expression of results 11 10.1 Calculation and expression of results 11 10.2 Failure location related calculation of tensile strength for type 4 specimens 12 11 Precision 12 12 Test report 12 Annex A (informative) Alignment of specimens 21 Annex B (informative) Testing with tapered tensile specimen geometry without tabs (type 4) Annex C (informative) Specimen preparation for type 2 and type 3 21 Annex D (normative) Specimen preparation for type 2 and type 3 22 Annex E (normative) Failure location related calculation of tensile strength for type 4 specimens 12 Annex E (normative) Failure location related calculation of tensile strength for type 4 specimens 12 Annex E (normative) Specimen preparation for type 2 and type 3 21 Annex E (normative) Failure location related calculation of tensile strength for type 4 specimens 12 Annex E (normative) Failure location related calculation of tensile strength for type 4 specimens 12 Annex E (normative) Specimen preparation for type 2 and type 3 21 Annex E (normative) Failure location related calculation of tensile strength for type 4 specimens 12		-		
6.1 Shape and dimensions 6.2 Preparation of specimens 9 6.2.1 General 9 6.2.2 End tabs for type 3 specimens 9 6.2.3 Applications of end tabs for type 3 specimens 9 6.2.3 Applications of end tabs for type 3 specimens 9 6.4 Checking the specimens 10 6.5 Anisotropy 10 7 Number of specimens 10 8 Conditioning 10 9 Procedure 10 9.1 Test atmosphere 10 9.2 Measurement of specimen dimensions 10 9.3 Clamping 11 9.4 Prestresses 11 9.5 Setting of extensometers and strain gauges and placing of gauge marks 11 9.6 Speed of testing 11 9.6.1 For type 18 test specimens 11 9.6.2 For type 2, type 3 and type 4 test specimens 11 9.6.3 For type 18 test specimens 11 10 Calculation and expression of results 11 10.1 Calculation and expression of results 11 10.2 Failure location related calculation of tensile strength for type 4 specimens 12 11 Precision 12 12 Test report 12 Annex A (informative) Alignment of specimens 12 Annex B (informative) Testing with tapered tensile specimen geometry without tabs (type 4) 15 Annex C (informative) Unbonded tabs or gripping condition without tabs using fine grip face 18 Annex D (normative) Specimen preparation for type 2 and type 3 Annex E (normative) Failure location related calculation of tensile strength for type 4 specimens 23				
6.2 Preparation of specimens 9 6.2.1 General 9 6.2.2 End tabs for type 3 specimens 9 6.2.3 Applications of end tabs for type 3 specimens 9 6.3 Gauge marks 9 6.4 Checking the specimens 9 6.5 Anisotropy 10 7 Number of specimens 10 8 Conditioning 10 9 Procedure 10 9.1 Test atmosphere 10 9.2 Measurement of specimen dimensions 10 9.3 Clamping 11 9.4 Prestresses 11 9.5 Setting of extensometers and strain gauges and placing of gauge marks 11 9.6 Speed of testing 11 9.6.1 For type 1B test specimens 11 9.6.2 For type 2, type 3 and type 4 test specimens 11 9.7 Recording of data 11 10 Calculation and expression of results 11 10.1 Calculation of all properties for parallel sided specimens 11 10.2 Failure location related calculation of tensile strength for type 4 specimens 12 11 Precision 12 12 Test report 12 Annex A (informative) Alignment of specimens 12 Annex B (informative) Testing with tapered tensile specimen geometry without tabs (type 4) 15 Annex C (informative) Unbonded tabs or gripping condition without tabs using fine grip face 18 Annex D (normative) Specimen preparation for type 2 and type 3 21 Annex E (normative) Failure location related calculation of tensile strength for type 4 specimens 12				
6.2.2 End tabs for type 3 specimens		6.2	Preparation of specimens	9
6.2.3 Applications of end tabs for type 3 specimens 9 6.4 Gauge marks 9 6.4 Checking the specimens 10 6.5 Anisotropy 10 7 Number of specimens 10 8 Conditioning 10 9 Procedure 10 9.1 Test atmosphere 10 9.2 Measurement of specimen dimensions 10 9.3 Clamping 11 9.4 Prestresses 11 9.5 Setting of extensometers and strain gauges and placing of gauge marks 11 9.6 Speed of testing 11 9.6.1 For type 1B test specimens 11 9.6.2 For type 2, type 3 and type 4 test specimens 11 9.7 Recording of data 11 10 Calculation and expression of results 11 10.1 Calculation of all properties for parallel sided specimens 11 10.2 Failure location related calculation of tensile strength for type 4 specimens 12 11 Precision 12 12 Test report 12 Annex A (informative) Alignment of specimens 13 Annex B (informative) Testing with tapered tensile specimen geometry without tabs (type 4) Annex C (informative) Testing with tapered tensile specimen geometry without tabs (type face 18 Annex D (normative) Specimen preparation for type 2 and type 3 21 Annex E (normative) Failure location related calculation of tensile strength for type 4 specimens 21 Annex E (normative) Failure location related calculation of tensile strength for type 4 specimens 21 Annex E (normative) Failure location related calculation of tensile strength for type 4 specimens 21 Annex E (normative) Failure location related calculation of tensile strength for type 4 specimens 22				
6.3 Gauge marks 6.4 Checking the specimens 10 6.5 Anisotropy 10 7 Number of specimens 10 8 Conditioning 9 Procedure 9.1 Test atmosphere 9.2 Measurement of specimen dimensions 10 9.3 Clamping 11 9.4 Prestresses 11 9.5 Setting of extensometers and strain gauges and placing of gauge marks 11 9.6 Speed of testing 11 9.6.1 For type 1B test specimens 11 9.6.2 For type 2, type 3 and type 4 test specimens 11 9.7 Recording of data 11 10 Calculation and expression of results 11 10.1 Calculation and expression of results 11 10.2 Failure location related calculation of tensile strength for type 4 specimens 12 11 Precision 12 12 Test report 13 Annex A (informative) Alignment of specimens 14 Annex B (informative) Testing with tapered tensile specimen geometry without tabs (type 4) Annex D (normative) Specimen preparation for type 2 and type 3 21 Annex E (normative) Specimen preparation for type 2 and type 3 22 Annex E (normative) Failure location related calculation of tensile strength for type 4 specimens 23				
6.4 Checking the specimens		6.2	6.2.3 Applications of end tabs for type 3 specimens	9 0
6.5 Anisotropy 10 Number of specimens 10 Conditioning 10 Procedure 10 9.1 Test atmosphere 10 9.2 Measurement of specimen dimensions 10 9.3 Clamping 11 9.4 Prestresses 11 9.5 Settling of extensometers and strain gauges and placing of gauge marks 11 9.6 Speed of testing 11 9.6.1 For type 1B test specimens 11 9.7 Recording of data 11 9.7 Recording of data 11 10.1 Calculation and expression of results 11 10.2 Failure location related calculation of tensile strength for type 4 specimens 12 11 Precisio 12 12 Test report 12 Annex A (informative) Alignment of specimens 13 Annex B (informative) Testing with tapered tensile specimen geometry without tabs (type 4) 15 Annex C (informative) Unbonded tabs or gripping condition without tabs using fine grip face 18 Annex D (normative) Specimen preparation for type 2 and type 3 23 Annex E (normative) Failure location related calculation of tensile strength for type 4 specimens 23				
7 Number of specimens 10 8 Conditioning 10 9 Procedure 10 9.1 Test atmosphere 10 9.2 Measurement of specimen dimensions 10 9.3 Clamping 11 9.4 Prestresses 11 9.5 Setting of extensometers and strain gauges and placing of gauge marks 11 9.6 Speed of testing 11 9.6.1 For type 1B test specimens 11 9.6.2 For type 2, type 3 and type 4 test specimens 11 9.7 Recording of data 11 10 Calculation and expression of results 11 10.1 Calculation of all properties for parallel sided specimens 11 10.2 Failure location related calculation of tensile strength for type 4 specimens 12 11 Precision 12 12 Test report 12 13 Annex A (informative) Alignment of specimens 13 Annex B (informative) Testing with tapered tensile specimen geometry without tabs (type 4) 15 Annex C (informative) Unbonded tabs or gripping condition without tabs using fine grip face 18 Annex D (normative) Specimen preparation for type 2 and type 3 21 Annex E (normative) Failure location related calculation of tensile strength for type 4 specimens 21 Annex E (normative) Failure location related calculation of tensile strength for type 4 specimens 21 Annex E (normative) Failure location related calculation of tensile strength for type 4 specimens 21			• •	
8 Conditioning 10 9 Procedure 10 9.1 Test atmosphere 10 9.2 Measurement of specimen dimensions 10 9.3 Clamping 11 9.4 Prestresses 11 9.5 Setting of extensometers and strain gauges and placing of gauge marks 11 9.6 Speed of testing 11 9.6.1 For type 1B test specimens 11 9.6.2 For type 2, type 3 and type 4 test specimens 11 9.7 Recording of data 11 10 Calculation and expression of results 11 10.2 Failure location related calculation of tensile strength for type 4 specimens 12 11 Precision 12 12 Test report 12 Annex A (informative) Alignment of specimens 13 Annex B (informative) Testing with tapered tensile specimen geometry without tabs (type 4) 15 Annex C (informative) Unbonded tabs or gripping condition without tabs using fine grip face 18 Annex D (normative) Specimen preparation for type 2 and type 3 21 Annex E (normative) Failure location related calculation of tensile strength for type 4 specimens 21 Annex E (normative) Failure location related calculation of tensile strength for type 4 specimens 21	7		• •	
9 Procedure 10 9.1 Test atmosphere 10 9.2 Measurement of specimen dimensions 10 9.3 Clamping 11 9.4 Prestresses 11 9.5 Setting of extensometers and strain gauges and placing of gauge marks 11 9.6 Speed of testing 11 9.6.1 For type 1B test specimens 11 9.6.2 For type 2, type 3 and type 4 test specimens 11 9.7 Recording of data 11 10 Calculation and expression of results 11 10.2 Failure location related calculation of tensile strength for type 4 specimens 12 11 Precision 12 12 Test report 12 Annex A (informative) Alignment of specimens 13 Annex B (informative) Testing with tapered tensile specimen geometry without tabs (type 4) 15 Annex C (informative) Unbonded tabs or gripping condition without tabs using fine grip face 18 Annex D (normative) Specimen preparation for type 2 and type 3 21 Annex E (normative) Failure location related calculation of tensile strength for type 4 specimens 18 Annex D (normative) Failure location related calculation of tensile strength for type 4 specimens 18			•	
9.1 Test atmosphere 10 9.2 Measurement of specimen dimensions 10 9.3 Clamping 11 9.4 Prestresses 11 9.5 Setting of extensometers and strain gauges and placing of gauge marks 11 9.6 Speed of testing 9.6.1 For type 1B test specimens 11 9.6.2 For type 2, type 3 and type 4 test specimens 11 9.7 Recording of data 11 0 Calculation and expression of results 11 10.1 Calculation of all properties for parallel sided specimens 11 10.2 Failure location related calculation of tensile strength for type 4 specimens 12 11 Precision 12 12 Test report 12 Annex A (informative) Alignment of specimens 13 Annex B (informative) Testing with tapered tensile specimen geometry without tabs (type 4) 15 Annex C (informative) Unbonded tabs or gripping condition without tabs using fine grip face 18 Annex D (normative) Specimen preparation for type 2 and type 3 23 Annex E (normative) Failure location related calculation of tensile strength for type 4 specimens 23				
9.2 Measurement of specimen dimensions 10 9.3 Clamping 11 9.4 Prestresses 11 9.5 Setting of extensometers and strain gauges and placing of gauge marks 11 9.6 Speed of testing 11 9.6.1 For type 1B test specimens 11 9.6.2 For type 2, type 3 and type 4 test specimens 11 9.7 Recording of data 11 10 Calculation and expression of results 11 10.2 Failure location related calculation of tensile strength for type 4 specimens 12 11 Precision 12 12 Test report 12 Annex A (informative) Alignment of specimens 13 Annex B (informative) Testing with tapered tensile specimen geometry without tabs (type 4) 15 Annex C (informative) Unbonded tabs or gripping condition without tabs using fine grip face 18 Annex D (normative) Specimen preparation for type 2 and type 3 21 Annex E (normative) Failure location related calculation of tensile strength for type 4 specimens 23	9			
9.3 Clamping 11 9.4 Prestresses 11 9.5 Setting of extensometers and strain gauges and placing of gauge marks 11 9.6 Speed of testing 11 9.6.1 For type 1B test specimens 11 9.6.2 For type 2, type 3 and type 4 test specimens 11 9.7 Recording of data 11 10 Calculation and expression of results 11 10.1 Calculation of all properties for parallel sided specimens 11 10.2 Failure location related calculation of tensile strength for type 4 specimens 12 11 Precision 12 12 Test report 12 Annex A (informative) Alignment of specimens 13 Annex B (informative) Testing with tapered tensile specimen geometry without tabs (type 4) 15 Annex C (informative) Unbonded tabs or gripping condition without tabs using fine grip face 18 Annex D (normative) Specimen preparation for type 2 and type 3 21 Annex E (normative) Failure location related calculation of tensile strength for type 4 specimens 23				
9.4 Prestresses 11 9.5 Setting of extensometers and strain gauges and placing of gauge marks 11 9.6 Speed of testing 11 9.6.1 For type 1B test specimens 11 9.6.2 For type 2, type 3 and type 4 test specimens 11 9.7 Recording of data 11 10 Calculation and expression of results 11 10.1 Calculation of all properties for parallel sided specimens 11 10.2 Failure location related calculation of tensile strength for type 4 specimens 12 11 Precision 12 12 Test report 12 Annex A (informative) Alignment of specimens 13 Annex B (informative) Testing with tapered tensile specimen geometry without tabs (type 4) 15 Annex C (informative) Unbonded tabs or gripping condition without tabs using fine grip face 18 Annex D (normative) Specimen preparation for type 2 and type 3 21 Annex E (normative) Failure location related calculation of tensile strength for type 4 specimens 23				
9.6 Speed of testing 9.6.1 For type 1B test specimens 11 9.6.2 For type 2, type 3 and type 4 test specimens 11 9.7 Recording of data 11 10 Calculation and expression of results 11 10.1 Calculation of all properties for parallel sided specimens 11 10.2 Failure location related calculation of tensile strength for type 4 specimens 12 11 Precision 12 12 Test report 12 Annex A (informative) Alignment of specimens 13 Annex B (informative) Testing with tapered tensile specimen geometry without tabs (type 4) 15 Annex C (informative) Unbonded tabs or gripping condition without tabs using fine grip face 18 Annex D (normative) Specimen preparation for type 2 and type 3 21 Annex E (normative) Failure location related calculation of tensile strength for type 4 specimens 23		9.4		
9.6.1 For type 1B test specimens 11 9.6.2 For type 2, type 3 and type 4 test specimens 11 9.7 Recording of data 11 10 Calculation and expression of results 11 10.1 Calculation of all properties for parallel sided specimens 11 10.2 Failure location related calculation of tensile strength for type 4 specimens 12 11 Precision 12 12 Test report 12 Annex A (informative) Alignment of specimens 13 Annex B (informative) Testing with tapered tensile specimen geometry without tabs (type 4) 15 Annex C (informative) Unbonded tabs or gripping condition without tabs using fine grip face 18 Annex D (normative) Specimen preparation for type 2 and type 3 21 Annex E (normative) Failure location related calculation of tensile strength for type 4 specimens 23		9.5	Setting of extensometers and strain gauges and placing of gauge marks	11
9.6.2 For type 2, type 3 and type 4 test specimens		9.6		
9.7 Recording of data 11 10 Calculation and expression of results 11 10.1 Calculation of all properties for parallel sided specimens 11 10.2 Failure location related calculation of tensile strength for type 4 specimens 12 11 Precision 12 12 Test report 12 Annex A (informative) Alignment of specimens 13 Annex B (informative) Testing with tapered tensile specimen geometry without tabs (type 4) 15 Annex C (informative) Unbonded tabs or gripping condition without tabs using fine grip face 18 Annex D (normative) Specimen preparation for type 2 and type 3 21 Annex E (normative) Failure location related calculation of tensile strength for type 4 specimens 23				
10 Calculation and expression of results 11. 10.1 Calculation of all properties for parallel sided specimens 11. 10.2 Failure location related calculation of tensile strength for type 4 specimens 12. 12. Test report 12. Test report 12. Annex A (informative) Alignment of specimens 13. Annex B (informative) Testing with tapered tensile specimen geometry without tabs (type 4). 15. Annex C (informative) Unbonded tabs or gripping condition without tabs using fine grip face 18. Annex D (normative) Specimen preparation for type 2 and type 3. 21. Annex E (normative) Failure location related calculation of tensile strength for type 4 specimens 23.		0.5		
10.1 Calculation of all properties for parallel sided specimens 10.2 Failure location related calculation of tensile strength for type 4 specimens 11 Precision 12 Test report 13 Annex A (informative) Alignment of specimens 14 Annex B (informative) Testing with tapered tensile specimen geometry without tabs (type 4) 15 Annex C (informative) Unbonded tabs or gripping condition without tabs using fine grip face 18 Annex D (normative) Specimen preparation for type 2 and type 3 21 Annex E (normative) Failure location related calculation of tensile strength for type 4 specimens 23				
10.2 Failure location related calculation of tensile strength for type 4 specimens 12 11 Precision 12 12 Test report 12 Annex A (informative) Alignment of specimens 13 Annex B (informative) Testing with tapered tensile specimen geometry without tabs (type 4) 15 Annex C (informative) Unbonded tabs or gripping condition without tabs using fine grip face 18 Annex D (normative) Specimen preparation for type 2 and type 3 21 Annex E (normative) Failure location related calculation of tensile strength for type 4 specimens 23	10		Calculation and expression of results	
11 Precision				
12 Test report		10.2	Failure location related calculation of tensile strength for type 4 specimens	12
Annex A (informative) Alignment of specimens	11			
Annex B (informative) Testing with tapered tensile specimen geometry without tabs (type 4)	12	Test	report	12
4)	Anno	ex A (in	formative) Alignment of specimens	13
face 18 Annex D (normative) Specimen preparation for type 2 and type 3 21 Annex E (normative) Failure location related calculation of tensile strength for type 4 specimens 23	Anno	ex B (in 4)	formative) Testing with tapered tensile specimen geometry without tabs (type	15
Annex E (normative) Failure location related calculation of tensile strength for type 4 specimens 23	Anno			18
specimens 23	Anno	ex D (no	ormative) Specimen preparation for type 2 and type 3	21
Bibliography27	Anno	-	,	23
	Bibli	-		

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 61, *Plastics*, Subcommittee SC 13, *Composites and reinforcement fibres*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 249, *Plastics*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 527-4:1997), which has been technically revised.

The main changes compared to the previous edition are as follows:

- specimen type 4 (tapered tensile specimen) especially for testing of multidirectional, continuous fibre-reinforced thermoplastic composites has been implemented;
- gripping force or pressure (e.g. via torque or manometer depending on gripping system used) has been adjusted;
- the following new annexes have been added:
 - Annex C (Unbonded tabs or gripping condition without tabs using fine grip faces),
 - Annex B (Testing with tapered tensile specimen geometry without tabs), and
 - <u>Annex E</u> (Failure location related calculation of tensile strength for type 4 specimens).

A list of all parts in the ISO 527 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

This corrected version of ISO 527-4:2021 incorporates the following corrections:

— In <u>Annex D</u>, references to <u>Figure A.1</u> has been corrected to <u>Figure D.1</u>.

ISO 527-4:2021(E)

Introduction

This document introduces a new test specimen, type 4, with a tapered geometry for use without end tabs. The geometry has been developed to overcome difficulties with bonding end-tabbed test specimens, especially when testing materials based on a thermoplastic matrix.

Guidance on gripping, including grip face design, is also added.

Plastics — Determination of tensile properties —

Part 4:

Test conditions for isotropic and orthotropic fibrereinforced plastic composites

1 Scope

This document specifies the test conditions for the determination of the tensile properties of isotropic and orthotropic fibre-reinforced plastic composites, based upon the general principles given in ISO 527-1.

NOTE 1 Unidirectional reinforced materials are covered by ISO 527-5.

The methods are used to investigate the tensile behaviour of the test specimens and for determining the tensile strength, tensile modulus, Poisson's ratios and other aspects of the tensile stress-strain relationship under the defined conditions.

The test method is suitable for use with the following materials:

- fibre-reinforced thermosetting and thermoplastic composites incorporating non-unidirectional reinforcements such as mats, woven fabrics, woven rovings, chopped strands, combinations of such reinforcements, hybrids, rovings, short or milled fibres or preimpregnated materials (prepregs);
 - NOTE 2 Injection moulded specimens are covered by ISO 527-2.
- combinations of the above with unidirectional reinforcements and multidirectional reinforced materials constructed from unidirectional layers, provided such laminates are symmetrical;
 - NOTE 3 Materials with completely or mainly unidirectional reinforcements are covered by ISO 527-5.
- finished products made from materials mentioned above.

The reinforcement fibres covered include glass fibres, carbon fibres, aramid fibres and other similar fibres.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 527-1:2019, Plastics — Determination of tensile properties — Part 1: General principles

ISO 1268 (all parts), Fibre-reinforced plastics — Methods of producing test plates

ISO 2818, Plastics — Preparation of test specimens by machining

ISO 16012, Plastics — Determination of linear dimensions of test specimens

koniec náhľadu – text ďalej pokračuje v platenej verzii STN