STN	Kozmická technika Riadenie lámavosti	STN EN 16603-32-01
DI II		31 0543

Space engineering - Fracture control

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 04/22

Obsahuje: EN 16603-32-01:2021

Oznámením tejto normy sa ruší STN EN 16603-32-01 (31 0543) z februára 2015

STN EN 16603-32-01: 2022

EUROPEAN STANDARD

EN 16603-32-01

NORME EUROPÉENNE **EUROPÄISCHE NORM**

December 2021

ICS 49.140

Supersedes EN 16603-32-01:2014

English version

Space engineering - Fracture control

Ingénierie spatiale - Maîtrise de la rupture

Raumfahrttechnik - Überwachung des Rissfortschritts

This European Standard was approved by CEN on 5 December 2021.

CEN and CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN and CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN and CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN and CENELEC members are the national standards bodies and national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.





CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Table of contents

Europ	ean Fo	reword	6
1 Sco	pe		8
2 Norr	native r	references	9
3 Tern	ns, defi	nitions and abbreviated terms	10
3.1	Terms	from other standards	10
3.2	Terms	specific to the present standard	11
3.3	Abbrev	viated terms	16
3.4	Nomer	nclature	18
4 Prin	ciples		19
5 Frac	ture co	ontrol programme	21
5.1	Genera	al	21
5.2	Fractu	re control plan	22
5.3	·		22
	5.3.1	General	22
	5.3.2	Safety and project reviews	22
6 Iden	tificatio	on and evaluation of PFCI	24
6.1	Identifi	ication of PFCIs	24
6.2	Evalua	ation of PFCIs	27
	6.2.1	Damage tolerance	27
	6.2.2	Fracture critical item classification	29
6.3	Compli	liance procedures	29
	6.3.1	General	29
	6.3.2	Safe life items	30
	6.3.3	Fail-safe items	30
	6.3.4	Contained and restrained items	31
	6.3.5	Low-risk fracture items	32
6.4	Docum	nentation requirements	38
	6.4.1	Fracture control plan	38
	6.4.2	Lists	38

611	Eractura control aummany raport	
6.4.4 Fracture control summary report		38
ture me	chanics analysis	40
Genera	il	40
Analytic	cal life prediction	41
7.2.1	Identification of all load events	41
7.2.2	Identification of the most critical location and orientation of the crack	42
7.2.3	Derivation of stresses for the critical location	42
7.2.4	Derivation of the stress spectrum	42
7.2.5	Derivation of material data	43
7.2.6	Identification of the initial crack size and shape	44
7.2.7	Identification of an applicable stress intensity factor solution	46
7.2.8	Performance of crack growth calculations	47
Critical	crack-size calculation	47
ial requ	uirements	49
Introdu	ction	49
Pressu	rized hardware	49
8.2.1	General	49
8.2.2	Pressure vessels	50
8.2.3	Pressurized structures	51
8.2.4	Pressure components, including lines and fittings	52
8.2.5	Low risk sealed containers	53
8.2.6	Hazardous fluid containers	53
8.2.7	Pressurized components with non-hazardous LBB failure mode	54
Welds.		54
8.3.1	Nomenclature	54
8.3.2	Safe life analysis of welds	55
Compo	site, bonded and sandwich structures	56
8.4.1	General	56
8.4.2	Defect assessment	56
8.4.3	Damage threat assessment	58
8.4.4	Compliance procedures	60
Non-me	etallic items other than composite, bonded, sandwich and glass items	62
Rotating machinery6		63
Glass components6		63
Fasteners6		64
Alloys treated with electric discharge manufacturing (EDM)6		65
	ture me General Analytic 7.2.1 7.2.2 7.2.3 7.2.4 7.2.5 7.2.6 7.2.7 7.2.8 Critical Introdu Pressu 8.2.1 8.2.2 8.2.3 8.2.4 8.2.5 8.2.6 8.2.7 Welds 8.3.1 8.3.2 Compo 8.4.1 8.4.2 8.4.3 8.4.4 Non-me Rotatin Glass of Fastene	ture mechanics analysis

9 Mate	rial sele	ection	66
10 Qua	ality ass	surance and NDT	67
		ew	
10.2	2 Nonconformances		67
10.3	NDT of	PFCI	67
	10.3.1	General	67
	10.3.2	NDT of raw material	69
	10.3.3	NDT of safe life finished items	69
10.4	Non-de	structive testing of metallic materials	70
	10.4.1	< <deleted>></deleted>	70
	10.4.2	NDT categories versus initial crack size	70
	10.4.3	< <deleted>></deleted>	71
10.5	< <delet< td=""><td>ted>></td><td>72</td></delet<>	ted>>	72
	10.5.1	< <deleted>></deleted>	72
	10.5.2	< <deleted>></deleted>	73
10.6	Tracea	bility	73
	10.6.1	General	73
	10.6.2	Requirements	74
10.7	Detecte	ed defects	74
	10.7.1	General	
	10.7.2	Acceptability verification	
	10.7.3	Improved probability of detection	76
11 Rec	luced fr	racture control programme	77
11.1	Applica	ıbility	77
11.2	Require	ements	77
	11.2.1	General	77
	11.2.2	Modifications	77
Annex	A (info	rmative) The ESACRACK software package	84
Annex	B (info	rmative) References	85
Bibliog	graphy.		86
Figure	s		
Figure 8	5-1: < <de< td=""><td>eleted, modified and moved to clause 6 as new Figure 6-1></td><td>22</td></de<>	eleted, modified and moved to clause 6 as new Figure 6-1>	22
Figure 6	6-1: Iden	tification of PFCI	26
Figure 6	6-2: Frac	ture control evaluation procedures	28

Figure 6-3: Safe life item evaluation procedure for metallic materials	35
Figure 6-4: Safe life item evaluation procedure for composite, bonded and sandwich items	36
Figure 6-5: Evaluation procedure for fail-safe items	37
Figure 7-1: Initial crack geometries for parts without hole	45
Figure 7-2: Initial crack geometries for parts with holes	46
Figure 7-3: Initial crack geometries for cylindrical parts	46
Figure 8-1: Procedure for metallic pressure vessel and metallic liner evaluation	51
Figure 10-1: < <deleted 7-1="" 7.2.6="" and="" as="" figure="" moved="" to="">></deleted>	72
Figure 10-2: < <deleted 7-2="" 7.2.6="" and="" as="" figure="" moved="" to="">></deleted>	72
Figure 10-3: < <deleted 7-3="" 7.2.6="" and="" as="" figure="" moved="" to="">></deleted>	72
Tables	
Table 8-1: Factor on stress for sustained crack growth analysis of glass items	64
Table 10-1: < <deleted (moved="" ecss-q-st-70-15)="" to="">></deleted>	71

European Foreword

This document (EN 16603-32-01:2021) has been prepared by Technical Committee CEN/CLC/TC 5 "Space", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2022, and conflicting national standards shall be withdrawn at the latest by June 2022.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 16603-32-01:2014.

The main changes with respect to EN 16603-32-01:2014 are listed below:

- Implementation of change requests
- Replacement of term "non-destructive inspection (NDI)" by "non-destructive testing (NDT)" in the whole document
- Update of Scope
- Removal of information about the NASA Space Shuttle program (STS)
- Update of Normative References and Terms, definitions and abbreviated terms
- Addition of Nomenclature
- Addition of clause 8.2.7 "Pressurized components with non-hazardous LBB failure mode"
- Addition of clause 8.9 "Alloys treated with electric discharge manufacturing (EDM)"
- Addition of clause 11.2.2.5 "Safe life composite, bonded and sandwich structures"
- Addition of clause 11.2.2.6 "Metallic parts classified as PFCI according to 11.2.2.1"
- Addition of clause 11.2.2.7 "Fasteners classified as PFCI according to 11.2.2.1"
- Addition of clause 11.2.2.8 "NDT of fusion welded joints in pressure components, as per 10.3.1p"
- Several clauses and requirements moved to EN 16602-70-15 (equivalent to ECSS-Q-ST-70-15)

This document has been prepared under a standardization request given to CEN by the European Commission and the European Free Trade Association.

This document has been developed to cover specifically space systems and has therefore precedence over any EN covering the same scope but with a wider domain of applicability (e.g. : aerospace).

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This ECSS Engineering Standard specifies the fracture control requirements to be imposed on space segments of space systems and their related GSE.

The fracture control programme is applicable for space systems and related GSE where structural failure can result in a catastrophic hazard in accordance with the definition of ECSS-Q-ST-40 or alternative applicable document specified by the customer like those applicable to the ISS or Exploration systems or payloads.

The requirements contained in this Standard, when implemented, also satisfy the fracture control requirements applicable to the NASA and ISS hardware.

The NASA nomenclature differs in some cases from that used by ECSS. When ISS or Exploration-specific requirements and nomenclature are included, they are identified as such.

This standard may be tailored for the specific characteristic and constrains of a space project in conformance with ECSS-S-T-00.

Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this ECSS Standard. For dated references, subsequent amendments to, or revision of any of these publications do not apply, However, parties to agreements based on this ECSS Standard are encouraged to investigate the possibility of applying the more recent editions of the normative documents indicated below. For undated references, the latest edition of the publication referred to applies.

EN reference	Reference in text	Title	
EN 16601-00-01	ECSS-S-ST-00-01	ECSS system – Glossary of terms	
EN 16603-10-02	ECSS-E-ST-10-02	Space engineering – Verification	
EN 16603-10-03	ECSS-E-ST-10-03	Space engineering - Testing	
EN 16603-32	ECSS-E-ST-32	Space engineering – Structural general requirements	
EN 16603-32-02	ECSS-E-ST-32-02	Space engineering – Structural design and verification of pressurized hardware	
EN 16602-20	ECSS-Q-ST-20	Space product assurance – Quality assurance	
EN 16602-40	ECSS-Q-ST-40	Space product assurance – Safety	
EN 16602-70	ECSS-Q-ST-70	Space product assurance – Materials, mechanical parts and processes	
EN 16602-70-15	ECSS-Q-ST-70-15	Space product assurance - Non-destructive testing	
	ECSS-Q-ST-70-36	Space product assurance – Material selection for controlling stress-corrosion cracking	
	ECSS-Q-ST-70-45	Space product assurance – Mechanical testing of metallic materials	
	DOT/FAA/AR- MMPDS	Metallic Materials Properties Development and Standardization (MMPDS) (former MIL-HDBK-5)	
	EN ISO 6520-1	Welding and allied processes – Classification of geometric imperfections in metallic materials – Part 1: Fusion welding	
	ISO 17659	Welding – Multilingual terms for welded joints with illustrations	

koniec náhľadu – text ďalej pokračuje v platenej verzii STN