

<b>STN</b>	<b>Stanovenie maximálneho tlaku pri výbuchu a maximálnej rýchlosti nárastu tlaku plynov a pár</b>	<b>STN EN 15967</b>  38 9682
------------	---	--

Determination of maximum explosion pressure and the maximum rate of pressure rise of gases and vapours

Táto norma obsahuje anglickú verziu európskej normy.  
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 03/22

Obsahuje: EN 15967:2022

Oznámením tejto normy sa od 31.07.2022 ruší  
STN EN 15967 (38 9682) z februára 2012

**134638**



EUROPEAN STANDARD

**EN 15967**

NORME EUROPÉENNE

EUROPÄISCHE NORM

January 2022

ICS 13.230; B

Supersedes EN 15967:2011

English Version

## Determination of maximum explosion pressure and the maximum rate of pressure rise of gases and vapours

Détermination de la pression maximale d'explosion et de la vitesse maximale de montée en pression des gaz et des vapeurs

Verfahren zur Bestimmung des maximalen Explosionsdruckes und des maximalen zeitlichen Druckanstieges für Gase und Dämpfe

This European Standard was approved by CEN on 12 December 2021.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

## EN 15967:2022 (E)

<b>Contents</b>	<b>Page</b>
European foreword .....	4
Introduction .....	5
1 Scope.....	6
2 Normative references.....	6
3 Terms and definitions.....	6
4 Test method .....	7
4.1 Principle.....	7
4.2 Apparatus .....	7
4.2.1 General.....	7
4.2.2 Test Vessel.....	8
4.2.3 Equipment for preparing the test mixture .....	8
4.2.4 Ignition system .....	8
4.2.5 Pressure measuring system.....	9
4.2.6 Initial temperature measuring device .....	10
4.2.7 Safety aspects .....	10
4.3 Preparation and preservation of test samples.....	11
4.4 Procedure .....	12
4.4.1 Preparation of the test mixture .....	12
4.4.2 Determination of the explosion pressure $p_{ex}$ , the maximum explosion pressure $p_{max}$ , the rate of explosion pressure rise $(dp/dt)_{ex}$ and the maximum rate of explosion pressure rise $(dp/dt)_{max}$ .....	12
4.5 Expression of results .....	15
4.5.1 Common aspects.....	15
4.5.2 Explosion pressure and maximum explosion pressure.....	15
4.5.3 Rate of pressure rise and maximum rate of pressure rise .....	16
4.6 Test report.....	17
Annex A (normative) Verification of maximum explosion pressure values.....	19
Annex B (normative) Verification of maximum rate of pressure rise .....	20
Annex C (normative) Smoothing of pressure-time curves.....	23
Annex D (informative) Conversion of the values for the flammable substance content.....	27
D.1 Abbreviations and symbols.....	27
D.2 Substance characteristics of air.....	27
D.3 Definitions .....	28
D.4 Preparation of the test mixture .....	28
Annex E (informative) Example of an evaporator equipment for liquid flammable substances .....	31
Annex F (informative) Example for test report form.....	33
Annex G (informative) Significant technical changes between this European Standard and the previous editions.....	36

<b>Annex H (informative) Approximate dependence of the explosion pressure ratio on temperature .....</b>	<b>37</b>
<b>H.1 Definition of parameters.....</b>	<b>37</b>
<b>H.2 Deriving an equation for approximating the temperature dependence of the explosion pressure ratio .....</b>	<b>37</b>
<b>Annex ZA (informative) Relationship between this European Standard and the essential requirements of Directive 2014/34/EU aimed to be covered .....</b>	<b>39</b>
<b>Annex ZB (informative) Relationship between this European Standard and the essential requirements of Directive 2006/42/EC aimed to be covered.....</b>	<b>40</b>
<b>Bibliography .....</b>	<b>41</b>

**EN 15967:2022 (E)****European foreword**

This document (EN 15967:2022) has been prepared by Technical Committee CEN/TC 305 “Potentially explosive atmospheres - Explosion prevention and protection”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2022, and conflicting national standards shall be withdrawn at the latest by July 2022.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 15967:2011.

Significant technical differences between the editions can be found in Annex G.

This document has been prepared under a Standardization Request given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s) / Regulation(s).

For relationship with EU Directive(s) / Regulation(s), see informative Annex ZA and ZB, which are integral parts of this document.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## **Introduction**

This document describes test methods for the determination of:

- the explosion pressure and the maximum explosion pressure;
- the rate of explosion pressure rise and the maximum rate of explosion pressure rise of a quiescent flammable gas/air/inert mixture at ambient temperature and pressure.

Maximum explosion pressure and maximum rate of explosion pressure rise are used for designing explosion protection measures, such as explosion pressure resistant or explosion pressure shock resistant apparatus, explosion venting and explosion suppression. These characteristics are particularly influenced by:

- the size and shape of the vessel;
- the type and energy of the ignition source;
- the temperature and pressure;
- the level of turbulence.

It is therefore necessary to standardize the conditions at which the maximum explosion pressure and the maximum rate of explosion pressure rise are determined.

**EN 15967:2022 (E)****1 Scope**

This document specifies a test method that is designed to measure the explosion pressure and the maximum explosion pressure, the rate of explosion pressure rise and the maximum rate of explosion pressure rise of a quiescent flammable gas/air/inert mixture in closed volume at ambient temperature and pressure. In this document, the term “gas” includes vapours but not mists. Detonation and decomposition phenomena are not considered in this document.

The pressures and rates of pressure rise measured by the procedures specified in this document are not applicable to flameproof enclosures, i.e. enclosures intended to withstand an internal explosion and not to transmit it to an external explosive atmosphere, or any other closed volume where the internal geometry can result in pressure piling. Even in an enclosure of relatively simple geometry the disposition of the internal components can lead to rates of pressure rise significantly higher than those measured using this document. This document does not apply to the design and testing of flameproof enclosures in conformity with EN ISO 80079-37 (for non-electrical equipment) and EN 60079-1 (for electrical equipment).

**2 Normative references**

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 13237:2012, *Potentially explosive atmospheres - Terms and definitions for equipment and protective systems intended for use in potentially explosive atmospheres*

**koniec náhľadu – text ďalej pokračuje v platenej verzii STN**