

STN	Korózia kovov a zliatin Korózne skúšky vo vodnom prostredí pre zliatiny zirkónia používané v jadrových reaktoroch (ISO 10270: 2022)	STN EN ISO 10270 03 8173
------------	--	--

Corrosion of metals and alloys - Aqueous corrosion testing of zirconium alloys for use in nuclear power reactors (ISO 10270:2022)

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 05/22

Obsahuje: EN ISO 10270:2022, ISO 10270:2022

Oznámením tejto normy sa ruší
STN EN ISO 10270 (03 8173) z augusta 2008

134747

EUROPEAN STANDARD

EN ISO 10270

NORME EUROPÉENNE

EUROPÄISCHE NORM

February 2022

ICS 27.120.10; 77.060

Supersedes EN ISO 10270:2008

English Version

**Corrosion of metals and alloys - Aqueous corrosion testing
of zirconium alloys for use in nuclear power reactors (ISO
10270:2022)**

Corrosion des métaux et alliages - Essais de corrosion
aqueuse des alliages de zirconium utilisés dans les
réacteurs nucléaires (ISO 10270:2022)

Korrosion von Metallen und Legierungen -
Korrosionsprüfung in wässrigen Lösungen für in
Kernreaktoren angewendete Zirkoniumlegierungen
(ISO 10270:2022)

This European Standard was approved by CEN on 26 December 2021.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN ISO 10270:2022 (E)

Contents	Page
European foreword.....	3

European foreword

This document (EN ISO 10270:2022) has been prepared by Technical Committee ISO/TC 156 "Corrosion of metals and alloys" in collaboration with Technical Committee CEN/TC 262 "Metallic and other inorganic coatings, including for corrosion protection and corrosion testing of metals and alloys" the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2022, and conflicting national standards shall be withdrawn at the latest by August 2022.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 10270:2008.

Any feedback and questions on this document should be directed to the users' national standards body/national committee. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 10270:2022 has been approved by CEN as EN ISO 10270:2022 without any modification.

INTERNATIONAL STANDARD

ISO 10270

Second edition
2022-02

Corrosion of metals and alloys — Aqueous corrosion testing of zirconium alloys for use in nuclear power reactors

*Corrosion des métaux et alliages — Essais de corrosion aqueuse des
alliages de zirconium utilisés dans les réacteurs nucléaires*



Reference number
ISO 10270:2022(E)

© ISO 2022

ISO 10270:2022(E)**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	2
5 Significance	2
6 Interference	2
7 Reagents and materials	2
8 Apparatus	3
9 Hazards	3
10 Sampling, test specimens and test units	3
11 Preparation of apparatus	4
12 Calibration and standardization	4
12.1 High mass gain coupon preparation.....	4
12.2 Autoclaves.....	4
12.3 Use of control coupons.....	7
12.4 Calibration.....	7
13 Conditioning	7
13.1 Test water quality.....	7
13.2 Autoclave load restrictions.....	8
13.3 Test conditions.....	8
13.3.1 Temperature.....	8
13.3.2 Pressure.....	8
13.3.3 Time.....	8
13.3.4 Tests.....	8
13.4 Specimen preparation.....	8
13.4.1 Etched specimens.....	8
13.4.2 As-manufacturer specimens.....	8
14 Procedure	8
14.1 Inspection of specimens.....	8
14.2 Dimensions, weight and inspection.....	9
14.3 Autoclaving.....	9
14.3.1 Placing of test specimens.....	9
14.3.2 Venting method A.....	9
14.3.3 Venting method B.....	10
14.3.4 Closed system method C.....	10
14.3.5 Refreshed autoclaving, method D.....	11
14.4 Post-test measurements and inspection.....	11
15 Calculation or interpretation of results	11
15.1 Calculation of mass gain.....	11
15.2 Visual interpretation of surface appearance.....	12
15.3 Invalid tests.....	12
16 Test report	12
Annex A (informative) Guide to specimen preparation	13
Bibliography	16

ISO 10270:2022(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents are noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO is not held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 156, *Corrosion of metals and alloys*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 262, *Metallic and other inorganic coatings, including for corrosion protection and corrosion testing of metals and alloys*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 10270:1995), which has been technically revised. It also incorporates the Technical Corrigendum ISO 10270:1995/Cor 1:1997. The main changes compared with the previous edition are as follows:

- the references have been updated;
- in [Clause 4](#), two sentences have been added: “The tests in water is performed at 18,6 MPa. The pressure is also determined by the contractor's requirements.”;
- in [5.2](#), “the test” has been replaced by “the measurement to avoid erroneous results from differing corrosion behaviour of the materials”;
- in [7.1](#), “welding grade” has been replaced by “of purity 999,9 ml/l or higher”;
- in [11.1](#), d), “1 day” has been replaced by “24 h”; and “at 18,6 MPa” has been added after “at 360 °C in water”.
- in [12.1](#), a sentence has been added: “Post-heat treatment, the coupons are inspected for any residual oxide and prepared (e.g. etched) in line with standard coupons”;
- in [12.3.4](#), a sentence has been added: “However, for the product acceptance test, it is better to keep the control coupons as evidence of test effectiveness.”;
- in [13.3.1](#), “±3 °C for steam tests, and ±6 °C for water tests” has been replaced by “±3 °C for steam tests and water tests”;
- in [13.3.3](#), “3 days or 14 days” has been replaced by “72 h or 336 h”;

- in [14.2](#), a sentence has been added: “Mass gain measurements are taken in triplicate for each specimen and a mean value calculated”;
- in [14.3.1](#), a sentence has been added: “The separators are such as not to induce Galvanic interaction between the samples and the separators”; “zirconium or zirconium alloy” has been added before “stainless steel”;
- in [Clause 16](#), “including its number and year of publication” has been added before “this document”;
- in [A.3.1](#), “3 % (m/m) of hydrofluoric acid ([7.7](#)), 39 % (m/m) of nitric acid ([7.8](#))” has been replaced by “40 g/kg ± 20 g/kg of hydrofluoric acid ([7.7](#)), 450 g/kg ± 50 g/kg of nitric acid ([7.8](#))”, and a sentence has been added: “A different acid ratio may be chosen to satisfy the requirement of a smooth and shining surface given in [13.4.1](#)”;
- in [A.3.2](#), “9 % (m/m) ± 1 % (m/m)” has been replaced by “90 g/kg ± 10 g/kg” and “30 % (m/m) ± 5 % (m/m)” has been replaced by “300 g/kg ± 50 g/kg”;
- in [A.4.2](#), “25 % (V/V)” has been replaced by “250 ml/l” and “50 % (V/V)” has been replaced by “500 ml/l”;
- in [Clause A.6](#), the following text has been added: “or placed into the oven at a recommended temperature of 60 °C to 70 °C for 1 h” and “The specimens need to be cooled to room temperature after removing from the oven”.

Any feedback or questions on this document are directed to the user’s national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Corrosion of metals and alloys — Aqueous corrosion testing of zirconium alloys for use in nuclear power reactors

WARNING — This document can involve the use of hazardous materials, operations and equipment (see [Clause 9](#)). It is the responsibility of the user of this document to consult and establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.

1 Scope

This document specifies:

- a) the determination of mass gain;
- b) the surface inspection of products of zirconium and its alloys when corrosion is tested in water at 360 °C or in steam at or above 400 °C;
- c) the performance of tests in steam at 10,3 MPa.

This document is applicable to wrought products, castings, powder metallurgy products and weld metals.

This method has been widely used in the development of new alloys, heat-treating practices and for the evaluation of welding techniques. It is applicable for use in its entirety to the extent specified for a product acceptance test, rather than merely a means of assessing performance in service.

2 Normative references

There are no normative references in this document.

koniec náhľadu – text ďalej pokračuje v platenej verzii STN