

STN	Pocínované oceľové plechy valcované za studena Elektrolyticky pocínovaný plech a oceľ s elektrolyticky pochrómovaným povrhom	STN EN 10202
		42 0914

Cold reduced tinmill products - Electrolytic tinplate and electrolytic chromium/chromium oxide coated steel

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 04/22

Obsahuje: EN 10202:2022

Oznámením tejto normy sa ruší
STN EN 10202 (42 0914) z novembra 2001

134759

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 10202

February 2022

ICS 77.140.50

Supersedes EN 10202:2001

English Version

**Cold reduced tinmill products - Electrolytic tinplate and
electrolytic chromium/chromium oxide coated steel**

Aciérs pour emballage laminés à froid - Fer blanc
électrolytique et acier revêtu de chrome/d'oxyde de
chrome électrolytique

Kaltgewalzte Verpackungsblecherzeugnisse -
Elektrolytisch verzinnter und spezialverchromter Stahl

This European Standard was approved by CEN on 26 December 2021.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN 10202:2022 (E)**Contents**

	Page
European foreword	6
1 Scope.....	8
2 Normative references.....	8
3 Terms and definitions.....	8
4 Classification and designation	12
4.1 Classification.....	12
4.2 Designation	12
5 Information to be supplied by the purchaser.....	12
5.1 Mandatory information	12
5.2 Options.....	13
5.3 Ordering examples	13
6 Manufacturing features	13
6.1 Steelmaking process	13
6.2 Annealing	14
6.3 Finish.....	14
6.4 Passivation	15
6.4.1 General.....	15
6.4.2 Titanium / Zirconium passivation.....	15
6.4.3 Chromium passivation	15
6.5 Oiling	16
6.6 Imperfections	16
6.6.1 Coils.....	16
6.6.2 Sheets	16
7 Coatings	17
7.1 Electrolytic tinplate.....	17
7.1.1 Properties.....	17
7.1.2 Test method	18
7.2 Electrolytic chromium coated steel.....	18
7.2.1 General.....	18
7.2.2 Test method	19
8 Mechanical properties	19
8.1 General.....	19
8.2 Tensile test measurement	20
8.2.1 General.....	20
8.2.2 Location of test pieces	20
8.2.3 Aging.....	20
8.2.4 Thickness	20
8.2.5 Testing conditions	20
8.2.6 Strength characteristics	20
8.3 Mechanical properties of tinmill products	24
9 Tolerances on dimensions and shape	26
9.1 General.....	26
9.2 Thickness and feather edge	26

9.2.1	Thickness.....	26
9.2.2	Test method for thickness	26
9.2.3	Feather edge	26
9.2.4	Test method for feather edge	26
9.3	Linear dimensions.....	27
9.3.1	Width and length	27
9.3.2	Out-of-squareness of sheets.....	27
9.3.3	Short pitch camber (lateral weave) of coils	28
9.3.4	Test method for short pitch camber	28
9.4	Shape	29
9.4.1	Edge wave	29
9.4.2	Test method for edge wave	29
9.4.3	Bow	29
9.4.4	Test method for bow.....	30
9.4.5	Centre fullness	30
9.4.6	Test method for centre fullness.....	31
9.4.7	Burr.....	32
10	Welds within a coil	32
10.1	General	32
10.2	Number of welds	32
10.3	Location of welds	32
10.4	Dimensions of welds.....	32
10.4.1	Thickness.....	32
10.4.2	Overlap	33
11	Marking of differentially coated cold reduced tinplate.....	33
12	Selection of samples	33
12.1	For quality control.....	33
12.2	In case of dispute	34
13	Retests	34
14	Dispatch and packaging	35
14.1	Coils	35
14.1.1	Coil dispatch	35
14.1.2	Coil winding	35
14.2	Sheets.....	35
	Annex A (informative) De-tinning	36
A.1	Principle.....	36
A.2	Clarke's solution	36
A.3	Procedure	36
	Annex B (normative) Determination of chromium using the diphenylcarbazide method...37	37
B.1	General	37
B.2	Principle.....	37
B.3	Reagent.....	37
B.4	Apparatus	37
B.5	Procedure	37
B.6	Calibration.....	38

EN 10202:2022 (E)

Annex C (normative) Determination of titanium content using the Inductively Coupled Plasma (ICP) method	39
C.1 General.....	39
C.2 Principle.....	39
C.3 Reagent.....	39
C.4 Apparatus	40
C.5 Procedure	40
Annex D (normative) Determination of tin oxides by galvanostatic potentiometry.....	41
D.1 General.....	41
D.2 Principle.....	41
D.3 Reagents.....	41
D.4 Apparatus	41
D.5 Procedure	41
Annex E (normative) Electromechanical method for determining tin coating mass.....	43
E.1 Principle.....	43
E.2 Reagents.....	43
E.3 Apparatus	43
E.3.1 Cell and electrodes	43
E.3.2 Power supply.....	43
E.3.3 Voltmeter.....	43
E.4 Procedure	43
E.5 Calibration of the measuring system.....	43
E.6 Calculation.....	44
Annex F (normative) Methods for determination of metallic chromium and chromium in the oxide on the surface of electrolytic chromium coated steel (ECCS or ECCS-RC)	47
F.1 Determination of chromium in the oxide	47
F.1.1 Principle.....	47
F.1.2 Reagents.....	47
F.1.3 Apparatus	47
F.1.4 Preparation of the chromium calibration curve	48
F.1.5 Procedure	48
F.1.6 Calculation.....	48
F.2 Determination of metallic chromium.....	48
F.2.1 Principle.....	48
F.2.2 Reagents.....	49
F.2.3 Apparatus	49
F.2.4 Preparation of the chromium calibration curve	49

F.2.5 Procedure	50
F.2.5.1 General	50
F.2.5.2 Removal of chromium oxide layer	50
F.2.5.3 Removal and determination of metallic chromium	50
F.2.6 Calculation	50
Annex G (informative) The Rockwell Hardness test for routine determination of proof strength for double reduced materials.....	54
G.1 General	54
G.2 Test pieces.....	54
G.3 Test method.....	54
G.4 Hardness for tinmill products.....	56
Annex H (informative) The springback test for routine determination of proof strength for double reduced material.....	57
H.1 General	57
H.2 Principle.....	57
H.3 Test pieces.....	57
H.4 Test method.....	57
Annex I (normative) Tensile testing conditions in case of dispute	58
I.1 General	58
I.2 Tensile test piece dimensions	58
I.3 Elongation measurement.....	58
I.4 Testing velocity	58
I.4.1 General	58
I.4.2 Material displaying no discontinuous yielding.....	58
I.4.3 Discontinuous yielding material.....	59
Annex J (informative) Indicative tensile strength of tinmill products	60
Annex K (informative) Alternative marking system for electrolytic tinplate — differentially coated.....	61
Bibliography	63

EN 10202:2022 (E)**European foreword**

This document (EN 10202:2022) has been prepared by Technical Committee CEN/TC 459 "ECIIS - European Committee for Iron and Steel Standardization"¹, the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2022, and conflicting national standards shall be withdrawn at the latest by August 2022.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 10202:2001.

In comparison with the previous edition, the following technical modifications have been made:

- normative references have been updated;
- revision of the definition of electrolytic chromium coated steel with the addition of the symbol ECCS-RC which allows the use of a trivalent process;
- rewording of Clause 5 with the split into mandatory information (5.1) and options (5.2);
- modification of Clause 6 with the rewording of 6.1 and the addition of 6.2 and 6.3 about annealing and finish respectively;
- Table 1 has been updated;
- major modifications of 6.4 about passivation;
- addition of a new subclause 6.6 on imperfections that includes 6.6.1 and 6.6.2 for coils and sheets respectively;
- major modifications of Clause 7 about coatings including changes of Table 2, Table 3 and Table 4;
- major modifications of Clause 8 about mechanical properties with the addition of stress-strain curves for batch and continuous annealed material, curve showing the plateau height for continuous annealed material and stress-strain curves for the determination of the yield strength of some continuous annealed grades;
- removal of the tensile strength values from Table 5 and transfer into informative Annex J;
- modification of 9.4.6 about test method for centre fullness;
- modifications of the ordering of Annexes;
- new Annex I about tensile testing conditions in case of dispute;
- deletion of the Annex giving the previous designations and of the Annex giving examples of steel types and chemical composition.

¹ Through its sub-committee SC 9 "Coated and uncoated flat products to be used for cold forming" (secretariat: AFNOR).

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

EN 10202:2022 (E)**1 Scope**

This document specifies requirements for tinmill products in the form of sheets or coils. Tinmill products consist of single and double reduced low carbon mild steel electrolytically coated with either tin (tinplate) or chromium/chromium oxide (ECCS) or (ECCS-RC) (see 3.3).

Single reduced tinmill products are specified in nominal thicknesses that are multiples of 0,005 mm from 0,16 mm up to and including 0,49 mm. Double reduced tinmill products are specified in nominal thicknesses that are multiples of 0,005 mm from 0,12 mm up to and including 0,29 mm.

NOTE 1 Other thicknesses can be ordered upon agreement.

This document applies to coils and sheets cut from coils in nominal minimum widths of 600 mm.

NOTE 2 Standard width coils for specific uses, e.g. tabstock, can be slit into narrow strip for supply in coil form.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 610, *Tin and tin alloys - Ingot tin*

EN 10204, *Metallic products - Types of inspection documents*

EN 10334:2005, *Steel for packaging - Flat steel products intended for use in contact with foodstuffs, products and beverages for human and animal consumption - Non-coated steel (blackplate)*

EN ISO 6892-1:2019, *Metallic materials - Tensile testing - Part 1: Method of test at room temperature (ISO 6892-1:2019)*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN