

STN	Železnice Kabína rušňovodiča Časť 3: Navrhovanie displejov vozidiel pre železničné dráhy	STN EN 16186-3 28 7223
------------	---	--

Railway applications - Drivers cab - Part 3: Design of displays for heavy rail vehicles

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 06/22

Obsahuje: EN 16186-3:2022

Oznámením tejto normy sa ruší
STN EN 16186-3+A1 (28 7223) z júna 2019

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 16186-3

March 2022

ICS 45.060.10

Supersedes EN 16186-3:2016+A1:2018

English Version

**Railway applications - Driver's cab - Part 3: Design of
displays for heavy rail vehicles**

Applications ferroviaires - Cabine de conduite - Partie
3 : Conception des affichages pour véhicules
ferroviaires lourds

Bahnanwendungen - Führerraum - Teil 3:
Displaygestaltung für Vollbahnfahrzeuge

This European Standard was approved by CEN on 31 January 2022.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN 16186-3:2022 (E)

Contents	Page
European foreword.....	4
Introduction	5
1 Scope	7
2 Normative references	8
3 Terms and definitions	8
4 Symbols and abbreviations	13
5 Characteristics of displays and visible or audible information	14
5.1 General	14
5.1.1 General guidelines	14
5.1.2 Provide operation relevant information	15
5.1.3 Display performance requirements	15
5.1.4 Principles for warnings	16
5.1.5 Languages	17
5.2 Design of information	17
5.2.1 General	17
5.2.2 Screen organization and dimensions	18
5.2.3 Luminance	20
5.2.4 Colours	21
5.2.5 Symbols	26
5.2.6 Text	27
5.2.7 Loudspeaker	29
5.3 User/display interaction	29
5.3.1 Buttons	29
5.3.2 Keyboards	34
5.4 Input of data	35
5.4.1 General	35
5.4.2 Entering (alpha)numeric characters	35
5.4.3 Input fields	35
5.4.4 Input for predefined data	36
5.4.5 Acknowledgements	37
5.5 Troubleshooting	37
5.5.1 Fault indication requesting driver warning and acknowledgement (troubleshooting process)	37
5.5.2 Fault indication not requesting driver warning and acknowledgement	38
Annex A (normative) Symbols, text messages and audible messages	39
A.1 General	39
A.2 Mandatory symbols and text messages	39
A.3 Optional symbols	80
A.4 Audible warnings	94
A.4.1 Application specific audible warnings	94
A.4.2 General audible warning	96

Annex B (normative) Information shown on displays by associated symbols related with functions	97
B.1 Mandatory information, if the function exists	97
B.1.1 For all types of rolling stock	97
B.1.2 For high speed Class 1 trains	98
B.2 Optional information	99
Annex C (informative) Information referring to functions using the display	100
Annex D (informative) Hard keys arrangement	102
Annex E (informative) TDD basic screen	103
Annex F (informative) TDD menu structure	105
Annex G (informative) Possible responses to TCMS detectable failures, depending on the quality of information	108
Annex H (informative) Display screens from various applications (examples)	110
Annex I (informative) Perception areas on driver's desk	114
Annex J (informative) Data entry and keyboard (example)	115
J.1 Principles for Example 1	115
J.1.1 General	115
J.1.2 Numerical data entry, Example 1	115
J.1.3 Alphanumerical data entry, Example 1	116
J.2 Alphanumerical data entry, Example 2	119
Annex K (informative) Allocation of clauses to functions according to EN 15380-4	121
Annex L (informative) Project specific tasks of technical specification or choice of an option provided by this standard	126
L.1 General	126
L.2 Project specific tasks	126
L.3 Choice of options	127
Annex M (informative) Registration form for new graphical symbols	129
Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive (EU) 2016/797 aimed to be covered	130
Bibliography	132

EN 16186-3:2022 (E)

European foreword

This document (EN 16186-3:2022) has been prepared by Technical Committee CEN/TC 256 “Railway applications”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2022, and conflicting national standards shall be withdrawn at the latest by September 2022.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 16186-3:2016+A1:2018.

EN 16186, *Railway applications — Driver’s cab* is written as an EN series on all the aspects to be considered when designing a driver’s cab, from anthropometric data and visibility, over the integration of displays, controls and indicators as well as the design of displays to cab layout and access facilities. The background information on the anthropometric data used is provided in CEN/TR 16823 [1].

EN 16186, *Railway applications — Driver’s cab* currently consists of the following parts:

- *Part 1: Anthropometric data and visibility;*
- *Part 2: Integration of displays, controls and indicators;*
- *Part 3: Design of displays for heavy rail vehicles;*
- *Part 4: Layout and access;*
- *Part 5: External visibility for tram vehicles;*
- *Part 6: Integration of displays, controls and indicators for tram vehicles ¹⁾;*
- *Part 7: Design of displays for tram vehicles ²⁾;*
- *Part 8: Tram vehicle layout and access.*

EN 16186-3:2022 includes the following significant technical changes with respect to EN 16186-3:2016+A1:2018:

- consistency of display application;
- luminance;
- appearance of a flashing yellow frame;
- typography;

¹⁾ Under preparation. Stage at the time of publication: prEN 16186-6:2022.

²⁾ Under development.

- audible feedback;
- characterization of the pictograms according to the reversibility of the function by the driver (Table A.1);
- creation or modification of pictograms 18, 19b, 29, 39b, 46b, 95, 109.

This document has been prepared under a Standardization Request given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s) / Regulation(s).

For relationship with EU Directive(s) / Regulation(s), see informative Annex ZA, which is an integral part of this document.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

EN 16186-3:2022 (E)**Introduction**

The requirements of this document, which interface with vehicle functions, have been elaborated with the commitment to respect the standards specifying these functions and in addition to respect the state of the art of other rolling stock functions.

For the tracing of requirements, a link to CLC/TS 50459 series [2] or the ERA DMI document [3] serving as a source for the related requirements is added.

The reasons for defining the information are as follows:

- achieving harmonized and coherent presentation of information;
- defining Driver-Machine Interface ergonomics that is compatible with agreed interoperable specifications;
- reducing the risk of incorrect operation by a driver working with different trains fitted with displays;
- facilitating train operation with unified ergonomics, hence reducing the cost of driver training.

Information designed according to this document is deemed to fulfil the following basic principles:

- be clear, correct and necessary;
- indicate its priority, whether by positioning, size, colour, sounds, sound levels, etc.;
- minimize confusion of the driver;
- prevent unnecessary distraction of the drivers' attention while performing their normal duties.

If a requirement contains an option, the choice of this option is purely up to the applicant.

NOTE The term “option” is to be understood as a possibility that is usually expressed by the word “can”.

1 Scope

This document specifies all necessary design rules and associated assessment criteria as well as guidance concerning the design of information and the corresponding user interfaces of driver's cabs.

It considers the tasks the driver has to carry out and human factors. This document specifies how information is arranged and displayed. It is explicitly applicable to display applications like TRD, ETD, CCD and TDD and may be completed by the CLC/TS 50459 series.

This document is not applicable to legacy ATP systems. If requirements in this document are in conflict with the ERA DMI document (ERA_ERTMS_015560) the requirements of the ERA DMI document should prevail for the CCD ETCS application.

NOTE 1 For resolving any discrepancies (e.g. 5.4.2.3) ERA is expected to harmonize the usage philosophy of the ERA DMI with this document.

All assessments based on the normative requirements of this document are applicable mainly to

- symbols provided by Annex A;
- arrangement of screen areas conforms to Figure 1 (generic organization of information);
- colours, fonts;
- audible information.

This document is applicable to the following aspects:

- legibility and intelligibility of displayed information: general rules concerning the layout of information on the displays, including character size and spacing;
- definition of harmonized colours, symbols, etc.;
- definition of harmonized principles for the command interface (by physical or touchscreen buttons): size, symbols, reaction time, way to give feedback to the driver, etc.;
- general arrangements (dialogue structures, sequences, layout philosophy, colour philosophy), symbols, audible information, data entry arrangements.

NOTE 2 If this document deals with how information can be given for operation and in degraded situations, it does not define operating rules and degraded situations.

This document does not request any safety requirement related with displayed information.

This document specifies minimum requirements and does not prevent more complex solutions.

Requirements describing the functions using the display are out of scope of this document.

This document applies to driver's cabs of locomotives and driving vehicles of the heavy rail system.

EXAMPLES Locomotives, railcars, power heads, driving trailers.

This standard is not applicable for vehicles of urban rail systems.

EN 16186-3:2022 (E)**2 Normative references**

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

CLC/TS 50459-2:2021, *Railway applications — Communication, signalling and processing systems — European Rail Traffic Management System — Part 2: Ergonomic arrangements of GSM-R information*

CLC/TS 50459-3:2021, *Railway applications — Communication, signalling and processing systems — European Rail Traffic Management System — Part 3: Ergonomic arrangements of non ETCS information*

EN 894-2:1997+A1:2008, *Safety of machinery — Ergonomics requirements for the design of displays and control actuators — Part 2: Displays*

EN 14198:2016+A2:2021, *Railway applications — Braking — Requirements for the brake system of trains hauled by locomotives*

EN 16186-1:2014+A1:2018, *Railway applications — Driver's cab — Part 1: Anthropometric data and visibility*

EN 16186-2:2017, *Railway applications — Driver's cab — Part 2: Integration of displays, controls and indicators*

EN 16334:2014, *Railway applications — Passenger Alarm System — System requirements*

EN 16683:2015, *Railway applications — Call for aid and communication device — Requirements*

EN ISO 9241-307:2008, *Ergonomics of human-system interaction — Part 307: Analysis and compliance test methods for electronic visual displays (ISO 9241-307:2008)*

EN ISO 9241-303:2011, *Ergonomics of human-system interaction — Part 303: Requirements for electronic visual displays (ISO 9241-303:2011)*

ISO 2575:2021, *Road vehicles — Symbols for controls, indicators and tell-tales*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN