

STN	Všeobecné požiadavky na súčasti používané na kanalizačné potrubia a stoky	STN EN 476 73 6735
------------	--	--------------------------------------

General requirements for components used in drains and sewers

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 07/22

Obsahuje: EN 476:2022

Oznámením tejto normy sa ruší
STN EN 476 (73 6735) z júla 2011

135191

EUROPEAN STANDARD

EN 476

NORME EUROPÉENNE

EUROPÄISCHE NORM

April 2022

ICS 93.030; 23.040.05

Supersedes EN 476:2011

English Version

General requirements for components used in drains and sewers

Exigences générales pour les composants utilisés pour les branchements et les collecteurs d'assainissement

Allgemeine Anforderungen an Bauteile für Abwasserleitungen und -kanäle

This European Standard was approved by CEN on 20 March 2022.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN 476:2022 (E)

Contents	Page
European foreword.....	4
1 Scope	5
2 Normative references	6
3 Terms and definitions	6
4 Symbols and abbreviations	12
5 Dimensional requirements	13
5.1 General.....	13
5.2 Dimensions of pipes and fittings.....	13
5.2.1 Nominal sizes.....	13
5.2.2 Internal diameters and tolerances.....	13
5.2.3 Geometrical characteristics of pipes.....	13
5.2.4 Geometrical characteristics of fittings.....	14
5.3 Dimensions of manholes and inspection chambers.....	15
5.3.1 Manholes.....	15
5.3.2 Inspection chambers.....	16
5.3.3 Geometrical characteristics of manholes and inspection chambers.....	16
5.4 Covers and frames.....	16
5.5 Connection to the piping system and components.....	17
6 Performance requirements	17
6.1 General.....	17
6.2 Mechanical requirements of pipes and fittings.....	17
6.3 Mechanical requirements of shafts of manholes and inspection chambers.....	18
6.3.1 General.....	18
6.3.2 Circular sections.....	18
6.3.3 Other shapes.....	18
6.3.4 Tapers/cones, reducing and cover slabs.....	19
6.4 Tightness.....	19
6.4.1 Test pressure.....	19
6.4.2 Sealings for joints.....	20
6.4.3 Joint deflection.....	21
6.4.4 Joint shear load.....	21
6.4.5 Restrained joints.....	22
6.5 Continuity of invert.....	22
6.6 Temperature resistance.....	22
6.7 Dimensional stability.....	22
6.8 Smoothness of bore.....	23
6.9 Appearance.....	23
6.10 Chemical and corrosion resistance.....	23
6.11 Abrasion resistance.....	23
6.12 Coatings and linings.....	23
6.13 Durability.....	23
6.14 Resistance against cleaning operations.....	23
6.15 Handling.....	23
6.16 Reaction to fire.....	23
7 Test methods	23

7.1	Measurement of dimensions	23
7.1.1	Internal diameter	23
7.1.2	External diameter.....	24
7.1.3	Spigots and sockets.....	24
7.1.4	Wall thickness of pipes.....	24
7.1.5	Deviation from straightness of pipes	24
7.1.6	Deviation from squareness of the ends of the pipes	24
7.2	Load bearing capacity tests.....	24
7.2.1	Load bearing capacity tests for pipes	24
7.2.2	Load bearing capacity tests for sections of manholes and shafts.....	25
7.3	Longitudinal bending moment resistance test for pipes	25
7.4	Tightness tests	26
7.4.1	Tightness test of pipes, fittings, manholes and inspection chambers	26
7.4.2	Tightness test of joints.....	27
7.4.3	Test methods for drains and sewers components.....	28
8	Marking, labelling and packaging.....	28
	Annex A (informative) Preferred nominal sizes.....	29
	Bibliography	30

EN 476:2022 (E)

European foreword

This document (EN 476:2022) has been prepared by Technical Committee CEN/TC 165 “Waste water engineering”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2022, and conflicting national standards shall be withdrawn at the latest by October 2022.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 476:2011.

The specifications of this document are based on the requirements for wastewater systems specified in EN 752 and EN 12056 (all parts). Significant technical differences between this edition and EN 476:2011 are as follows:

- a) the Scope is clarified in the way that this document contains requirements for product standards;
- b) Table 1 (Preferred nominal sizes DN/ID) and Table 2 (Preferred nominal sizes DN/OD), paragraph 5.2.1, are moved to the new Annex A;
- c) the paragraphs under 5.3, Dimensions of manholes and inspection chambers, are completely rewritten, with minimum internal dimension for different cross sections (always in compliance with the national regulations in force at the place of installation);
- d) for reaction to fire, a new 6.16 is added.

This document provides a framework for the development of product standards to be used in drain and sewer systems inside and outside buildings. In Figure 1 the position of this document related to other standards on this subject is given.

This document describes the general requirements to be taken into account in product standards.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.




Figure 1 — Pyramid diagram

1 Scope

This document specifies general requirements to be respected in product standards for components such as pipes, fittings, inspection chambers and manholes with their respective joints intended for use in drains and sewers inside and outside buildings which operate as gravity systems allowing for a maximum pressure of 40 kPa.

It also specifies general requirements for components used in hydraulically and pneumatically pressurized pipes, drains and sewers.

NOTE 1 Where the term “inside buildings” is used in the context of components fixed inside buildings, it also includes pipes and fittings fixed on external surfaces of buildings.

NOTE 2 This document is not a product standard and therefore not intended for the direct evaluation of products.

This document covers components to be used in conveying in a satisfactory manner:

- domestic wastewater;
- rainwater and surface water;
- other wastewater acceptable for discharge into the system.

This document is applicable to components of circular and other cross sections.

This document is equally applicable to components which are factory-made and to those constructed on site, where applicable.

NOTE 3 This document does not apply to components used for trenchless construction according to EN 14457 and for components used for renovation of drains and sewers according to EN 13380.

This document does not supersede the functional requirements of a complete system as defined in EN 752.

EN 476:2022 (E)**2 Normative references**

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 124 (all parts), *Gully tops and manhole tops for vehicular and pedestrian areas*

EN 681-1, *Elastomeric seals - Materials requirements for pipe joint seals used in water and drainage applications - Part 1: Vulcanized rubber*

EN 681-2, *Elastomeric seals - Material requirements for pipe joint seals used in water and drainage applications - Part 2: Thermoplastic elastomers*

EN 681-3, *Elastomeric seals - Material requirements for pipe joint seals used in water and drainage applications - Part 3: Cellular materials of vulcanized rubber*

EN 681-4, *Elastomeric seals - Material requirements for pipe joint seals used in water and drainage applications - Part 4: Cast polyurethane sealing elements*

EN 13501-1, *Fire classification of construction products and building elements - Part 1: Classification using data from reaction to fire tests*

EN 13823, *Reaction to fire tests for building products - Building products excluding floorings exposed to the thermal attack by a single burning item*

EN 16000, *Plastics piping systems - Systems within the building structure - Mounting and fixing of components in the test apparatus to thermal attack by a single burning item*

EN ISO 9967, *Thermoplastics pipes - Determination of creep ratio (ISO 9967)*

EN ISO 9969, *Thermoplastics pipes - Determination of ring stiffness (ISO 9969)*

EN ISO 11925-2, *Reaction to fire tests - Ignitability of products subjected to direct impingement of flame - Part 2: Single-flame source test (ISO 11925-2)*

ISO 48-2, *Rubber, vulcanized or thermoplastic — Determination of hardness — Part 2: Hardness between 10 IRHD and 100 IRHD*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN