Obaly Požiadavky a skúšobné metódy pre kompostovateľné odnosné tašky v domácnostiach 77 3051

Packaging - Requirements and test scheme for carrier bags suitable for treatment in well-managed home composting installations

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 09/22

Rozpracované prekladom.

Obsahuje: EN 17427:2022

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM **EN 17427**

June 2022

ICS 55.080

English Version

Packaging - Requirements and test scheme for carrier bags suitable for treatment in well-managed home composting installations

Emballage - Exigences et programme d'essai pour les sacs de transport aptes au traitement dans des installations de compostage domestique bien gérées Verpackung - Anforderungen an und Prüfmethoden für heimkompostierbare Tragetaschen

This European Standard was approved by CEN on 20 April 2022.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

Europ	ean foreword	4
Introd	luction	5
1	Scope	6
2	Normative references	7
3	Terms and definitions	8
4	Principle	
5	General requirements	
5 5.1	Assessment	
5.1.1	General	
5.1.2	Characterization	11
5.1.3	Biodegradation	12
5.1.4	Disintegration	12
5.1.5	Compost quality	12
5.1.6	Labelling	
5.2	Equivalent form	12
5.3	Carrier bag consisting ofmultiple components	
5.4	Materials of natural origin	12
6	Detailed requirements	12
6.1	General	
6.2	Characterization	
6.2.1	Control of constituents	
6.2.2	Volatile solids	
6.2.3	Identifying characteristics	
6.3	Ultimate aerobic biodegradation	
6.3.1	General requirements	
6.3.2	Specific requirements	
6.3.3	Test duration	
6.3.4	Validity criteria	17
6.4	Disintegration	18
6.4.1	General	18
6.4.2	Weight evaluation method of disintegration/Requirements	18
6.4.3	Test duration	18
6.5	Effects on compost quality	18
6.5.1	Compost production	
6.5.2	Determination of negative effect to terrestrial organisms	
6.5.3	Requirements	21
7	Test report	22
Annex	A (normative) Determination of ecotoxic effects to higher plants	23
A.1	General	23
A.2	Properties of the reference substrate	23
A.3	Preparation of samples	23
A.4	Selection of plant species	23

A.5	Performing the tests	24
A.6	Validity of the tests	24
A.7	Evaluation of the results	24
Anne	ex B (normative) Determination of acute ecotoxic effects to earthworms	25
B.1	General	25
B.2	Selection of the reference substrate	25
B.3	Preparation of samples	25
B.4	Selection of earthworm species	25
B.5	Performing the tests	25
B.6	Validity of the tests	25
B.7	Evaluation of the results	25
Anne	Annex C (normative) Determination of chronic ecotoxic effects to earthworms	
C.1	General	26
C.2	Selection of the reference substrate	26
C.3	Preparation of samples	26
C.4	Selection of earthworm species	26
C.5	Performing the tests	26
C.6	Validity of the tests	26
C.7	Evaluation of the results	27
Anne	ex D (normative) Determination of nitrification activity of soil microorganisms	28
D.1	General	28
D.2	Selection of the reference substrate	28
D.3	Preparation of samples	28
D.4	Performing the tests	28
D.5	Validity of the tests	28
D.6	Evaluation of the results	28
Anne	ex E (informative) Features of well-managed home composting	29
Anne	ex F (informative) Information about home composting	31
Bibli	ography	33

European foreword

This document (EN 17427:2022) has been prepared by Technical Committee CEN/TC 261 "Packaging", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2022, and conflicting national standards shall be withdrawn at the latest by December 2022.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

EN 13432:2000 specifies the requirements relating to packaging (including carrier bags) recovered through organic recycling (e.g. aerobic composting) in municipal or industrial biological waste treatment facilities. Carrier bags compliant with EN 13432:2000 are thus called "compostable" to indicate that they are suitable for this recovery option. However, the term "composting" is also used to designate "home composting" and this can generate confusion for the citizen.

Home composting is a practice used by private individuals to treat garden and food waste generated at household level and produce compost for personal gardening use. Despite the common name, industrial and home composting are two very different activities, the former being a controlled waste treatment process and the latter being a gardening activity.

Home composting is affected by the feeding regime (usually discontinuous in quality, quantity, and intervals), by the composting style of the householder (accurate or careless), and by the local climatic conditions. The small dimensions of composting installations usually do not allow the generation of heat enough to sustain high temperatures.

As a result, conditions in home composting can be very different from conditions in industrial composting. As a result of this, a carrier bag recognized as "compostable" according to EN 13432:2000 cannot automatically be considered as suitable for treatment in a well-managed home composting installation (see 3.5 and Informative Annexes E and F).

This document has been prepared in order to define the necessary characteristics of carrier bags for displaying biodegradation and disintegration behaviour compatible with well-managed home composting installations.

1 Scope

This document specifies a testing scheme and requirements for the designation of carrier bags of any materials that are considered to be suitable for incorporation into well-managed home composting installations for non-commercial purposes with a home composting cycle of normally at least 12 months. Carrier bags are considered as home compostable in a well-managed system only if all the individual components meet the requirements.

The following four aspects are addressed:

- a) characterization;
- b) biodegradation in well managed home composting;
- c) disintegration in well managed home composting; and
- d) home compost quality.

The four aspects, a) to d), are assessing the effects on the biological treatment process and the compost made by it.

This document forms the basis for the labelling of carrier bags that are considered to be suitable for the incorporation into well-managed home composting installations.

NOTE 1 Compliance with the requirements of this document by the carrier bags entering the compost does not necessarily imply that a high-quality compost will be produced.

This document covers the suitability of carrier bags for the incorporation into well managed home composting installations but does not address regulations that may exist regarding the suitability of anything disposed together with the carrier bag to home composting.

This document provides a set of guidance on the parameters, boundaries and processes required to engage in well managed, aerobic, home composting. Alternative composting methods and systems may not provide the conditions necessary for the successful home composting of carrier bags which comply with the requirements of this document.

NOTE 2 Additional general information about home composting is provided in Annex F.

The testing scheme and the requirements specified by this document do not apply to worm composting, industrial composting nor community composting. It also does not provide information on the biodegradability of carrier bags ending up in the environment as litter.

This document includes a reference to features of well-managed home composting (Annex E).

The compost produced via home composting by a private individual is for private use only and not for provision to others, free of charge or in return for payment. Therefore, this document has no value as a marketing authorization or authorization of use of the final compost.

NOTE 3 The testing scheme and evaluation criteria could be the basis for the establishment of suitability to home composting of other products.

NOTE 4 The purpose of testing activity b) is to demonstrate the potential for ultimate biodegradation of the test material when exposed to microbes active under mesophilic conditions (between 15 °C and 45 °C).

NOTE 5 The purpose of testing activity c) is to verify the thickness and/or grammage that allows a full disintegration of the test product in a period consistent with a home composting cycle, under defined environmental conditions. To allow for the potential for variations of local climatic conditions and consumer application of well-managed home composting techniques, lower than optimal temperature profile has been adopted for this test.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

CEN/TR 13695-2, Packaging - Requirements for measuring and verifying the four heavy metals and other dangerous substances present in packaging, and their release into the environment - Part 2: Requirements for measuring and verifying dangerous substances present in packaging, and their release into the environment

EN 14582, Characterization of waste - Halogen and sulfur content - Oxygen combustion in closed systems and determination methods

EN 17428:2022¹, Packaging — Determination of the degree of disintegration under simulated home composting conditions

EN ISO 536, Paper and board - Determination of grammage (ISO 536)

EN ISO 11268-1, Soil quality - Effects of pollutants on earthworms - Part 1: Determination of acute toxicity to Eisenia fetida/Eisenia andrei (ISO 11268-1)

EN ISO 11268-2, Soil quality - Effects of pollutants on earthworms - Part 2: Determination of effects on reproduction of Eisenia fetida/Eisenia andrei (ISO 11268-2)

EN ISO 11269-2:2013, Soil quality - Determination of the effects of pollutants on soil flora - Part 2: Effects of contaminated soil on the emergence and early growth of higher plants (ISO 11269-2:2012)

EN ISO 12846, Water quality - Determination of mercury - Method using atomic absorption spectrometry (AAS) with and without enrichment (ISO 12846)

EN ISO 14851, Determination of the ultimate aerobic biodegradability of plastic materials in an aqueous medium - Method by measuring the oxygen demand in a closed respirometer (ISO 14851)

EN ISO 14852, Determination of the ultimate aerobic biodegradability of plastic materials in an aqueous medium - Method by analysis of evolved carbon dioxide (ISO 14852)

EN ISO 14855-1, Determination of the ultimate aerobic biodegradability of plastic materials under controlled composting conditions - Method by analysis of evolved carbon dioxide - Part 1: General method (ISO 14855-1)

EN ISO 14855-2, Determination of the ultimate aerobic biodegradability of plastic materials under controlled composting conditions - Method by analysis of evolved carbon dioxide - Part 2: Gravimetric measurement of carbon dioxide evolved in a laboratory-scale test (ISO 14855-2)

EN ISO 16929, Plastics - Determination of the degree of disintegration of plastic materials under defined composting conditions in a pilot-scale test (ISO 16929)

EN ISO 17294-2, Water quality - Application of inductively coupled plasma mass spectrometry (ICP-MS) - Part 2: Determination of selected elements including uranium isotopes (ISO 17294-2)

-

¹ Under preparation. Stage at the time of publication: FprEN 17428:2022.

EN ISO 17556, Plastics - Determination of the ultimate aerobic biodegradability of plastic materials in soil by measuring the oxygen demand in a respirometer or the amount of carbon dioxide evolved (ISO 17556)

ISO 4591, Plastics — Film and sheeting — Determination of average thickness of a sample, and average thickness and yield of a roll, by gravimetric techniques (gravimetric thickness)

ISO 4593, Plastics — Film and sheeting — Determination of thickness by mechanical scanning

ISO 15685, Soil quality — Determination of potential nitrification and inhibition of nitrification — Rapid test by ammonium oxidation

OECD 208, OECD Guidelines for the Testing of Chemicals, Section 2, Effects on Biotic Systems — Test No. 208: Terrestrial Plant Test: Seedling Emergence and Seedling Growth Test

koniec náhľadu – text ďalej pokračuje v platenej verzii STN