

<b>STN</b>	<p><b>Päťice a objímky pre zdroje svetla vrátane kalibrov na kontrolu zameniteľnosti a bezpečnosti Časť 2: Objímky Zmena A58</b></p>	<p><b>STN EN 60061-2/A58</b></p>
		36 0340

Lamp caps and holders together with gauges for the control of interchangeability and safety. Part 2: Lampholders

Táto norma obsahuje anglickú verziu európskej normy.  
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 09/22

STN EN 60061-2 z júna 2001 sa bez tejto zmeny A58 môže používať do 1. 7. 2025.

Obsahuje: EN 60061-2:1993/A58:2022, IEC 60061-2:1969/AMD58:2022

**135700**

EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM

**EN 60061-2:1993/A58**

July 2022

ICS 29.140.10

English Version

Lamp caps and holders together with gauges for the control of  
interchangeability and safety - Part 2: Lampholders  
(IEC 60061-2:1969/AMD58:2022)

Culots de lampes et douilles ainsi que calibres pour le  
contrôle de l'interchangeabilité et de la sécurité - Partie 2:  
Douilles  
(IEC 60061-2:1969/AMD58:2022)

Lampensockel und -fassungen sowie Lehren zur Kontrolle  
der Austauschbarkeit und Sicherheit - Teil 2:  
Lampenfassungen  
(IEC 60061-2:1969/AMD58:2022)

This amendment A58 modifies the European Standard EN 60061-2:1993; it was approved by CENELEC on 2022-07-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this amendment the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This amendment exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

**EN 60061-2:1993/A58:2022 (E)****European foreword**

The text of document 34B/2137/FDIS, future IEC 60061-2/AMD58, prepared by SC 34B "Lamp caps and holders" of IEC/TC 34 "Lighting" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60061-2:1993/A58:2022.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2023-04-01
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2025-07-01

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

**Endorsement notice**

The text of the International Standard IEC 60061-2:1969/AMD58:2022 was approved by CENELEC as a European Standard without any modification.



IEC 60061-2

Edition 3.0 2022-05

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

### AMENDMENT 58

*The sheets contained in this amendment are to be inserted in IEC 60061-2 (1969)*

### AMENDEMENT 58

*Les feuilles de cet amendement sont à insérer dans l'IEC 60061-2 (1969)*

**Lamp caps and holders together with gauges for the control of  
interchangeability and safety –  
Part 2: Lampholders**

**Culots de lampes et douilles ainsi que calibres pour le contrôle de  
l'interchangeabilité et de la sécurité –  
Partie 2: Douilles**





**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2022 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat  
 3, rue de Varembé  
 CH-1211 Geneva 20  
 Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

**IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)**  
 The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

**IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**  
 Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

**IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**  
 If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

#### IEC Products & Services Portal - [products.iec.ch](http://products.iec.ch)

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

#### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Recherche de publications IEC - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [sales@iec.ch](mailto:sales@iec.ch).

#### IEC Products & Services Portal - [products.iec.ch](http://products.iec.ch)

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.



# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

## AMENDMENT 58

*The sheets contained in this amendment are to be inserted in IEC 60061-2 (1969)*

## AMENDEMENT 58

*Les feuilles de cet amendement sont à insérer dans l'IEC 60061-2 (1969)*

---

**Lamp caps and holders together with gauges for the control of  
interchangeability and safety –  
Part 2: Lampholders**

**Culots de lampes et douilles ainsi que calibres pour le contrôle de  
l'interchangeabilité et de la sécurité –  
Partie 2: Douilles**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

**Warning! Make sure that you obtained this publication from an authorized distributor.**

**Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

### LAMPHOLDERS - CONTENTS BY DESIGNATION

	Sheet
Lampholders PX26, , PY26d-1 ... PY26d-7.....	7005-5-4
Lampholder E11 .....	7005-6-1
Lampholder EY10 .....	7005-7-1
Lampholders for bayonet caps BAX9s .....	7005-8-1
Lampholders for bayonet caps BAY9s .....	7005-9-1
Bayonet lampholders B22d.....	7005-10-8
Bayonet lampholders B22d-3(90°/135°).....	7005-10A-4
Lampholders for bayonet automobile caps BA7 .....	7005-11-3
Lampholders for bayonet automobile caps BA9 .....	7005-12-2
Lampholders BA15d, BA15s, BA15d-3(110°), BA15s-3(110°), BAU15d, BAU15s, BAU15d-3(110°), BAU15s-3(110°), BAW15d, BAW15s, BAW15d-3(110°), BAW15s-3(110°), BAY15d, BAY15s, BAY15d-3(100°), BAY15s-3(110°) BAZ15d, BAZ15s, BAZ15d-3(110°) & BAZ15d-3(110°)	7005-13-6
Lampholders for bayonet automobile caps BA20 .....	7005-14-2
Lampholders for bayonet caps BA21-3 .....	7005-15-2
Bayonet lampholders B15d.....	7005-16-4
Bayonet lampholders BY22d.....	7005-17-5
Position of holder thread in relation to central contact of the Edison lampholder .....	7005-20-6
Lampholders E26 .....	7005-21A-1
Lampholders E39 .....	7005-24A-3
Lampholder E12 .....	7005-28-1
Position of holder thread in relation to the central and intermediate contacts of the lampholder E26d ..	7005-29-2
Prefocus lampholder EP10 .....	7005-30-1
Lampholders P20, PX20, PY20 & PZ20 .....	7005-31-2
Lampholders P22 & PX22.....	7005-32-2
Lampholders 2G13 .....	7005-33-1
Lampholder PX43t .....	7005-34-1
Lampholder PX13.5s.....	7005-35-1
Lampholder P26s.....	7005-36-1
Lampholder PKX22s .....	7005-37-1
Lampholders P43t.....	7005-39-4
Prefocus lampholders P28s.....	7005-42-6
Prefocus lampholder P40 .....	7005-43-3
Precision holder P30s for prefocus cap P30s-10.3 .....	7005-44-2
Lampholders G17q, GX17q & GY17q.....	7005-45-2
Lampholder for automobile lamps P14.5s .....	7005-46-3
Lampholder PK22s.....	7005-47-2
Mounting of combined pair of inflexible lampholders G13 .....	7005-50-4
Mounting distance of a combined pair of inflexible lampholders G5 .....	7005-51-4
Mounting distance of a combined pair of lampholders GX5.....	7005-51A-1
Combined pairs of lampholders R7s & RX7s.....	7005-53-4
Lampholders R7s & RX7s.....	7005-53A-5
Lampholder Fa6 .....	7005-55-3

## SOMMAIRE

### DOUILLES - SOMMAIRE PAR DÉSIGNATION

	Feuilles
Douilles PX26, PY26d-1 ... PY26d-7 .....	7005-5-4
Douille E11 .....	7005-6-1
Douille EY10.....	7005-7-1
Douilles pour culots à baïonnette BAX9s.....	7005-8-1
Douilles pour culots à baïonnette BAY9s.....	7005-9-1
Douilles à baïonnette B22d.....	7005-10-8
Douilles à baïonnette B22d-3(90°/135°).....	7005-10A-4
Douilles pour culots à baïonnette pour automobiles BA7.....	7005-11-3
Douilles pour culots à baïonnette pour automobiles BA9.....	7005-12-2
Douilles BA15d, BA15s, BA15d-3(110°), BA15s-3(110°), BAU15d, BAU15s, BAU15d-3(110°), BAU15s-3(110°), BAW15d, BAW15s, BAW15d-3(110°), BAW15s-3(110°), BAY15d, BAY15s, BAY15d-3(100°), BAY15s-3(110°) BAZ15d, BAZ15s, BAZ15d-3(110°) & BAZ15d-3(110°)	7005-13-6
Douilles pour culots à baïonnette pour automobiles BA20.....	7005-14-2
Douilles pour culots à baïonnette BA21-3 .....	7005-15-2
Douilles à baïonnette B15d.....	7005-16-4
Douilles à baïonnette BY22d.....	7005-17-5
Position de la chemise filetée de la douille Edison par rapport au contact central .....	7005-20-6
Douilles E26.....	7005-21A-1
Douilles E39.....	7005-24A-3
Douille E12 .....	7005-28-1
Position de la chemise filetée par rapport aux contacts central et intermédiaire de la douille E26d.	7005-29-2
Douille préfocus EP10.....	7005-30-1
Douilles P20, PX20, PY20 & PZ20 .....	7005-31-2
Douilles P22 & PX22 .....	7005-32-2
Douilles 2G13 .....	7005-33-1
Douille PX43t.....	7005-34-1
Douille PX13.5s .....	7005-35-1
Douille P26s .....	7005-36-1
Douille PKX22s .....	7005-37-1
Douilles P43t.....	7005-39-4
Douilles préfocus P28s .....	7005-42-6
Douille préfocus P40 .....	7005-43-3
Douille de précision P30s pour culot préfocus P30s-10.3 .....	7005-44-2
Douilles G17q, GX17q & GY17q .....	7005-45-2
Douille pour automobiles P14.5s .....	7005-46-3
Douille PK22s .....	7005-47-2
Distance de montage pour ensemble de deux douilles non flexibles G13 .....	7005-50-4
Distance de montage pour ensemble de deux douilles non flexibles G5 .....	7005-51-4
Distance de montage pour ensemble de deux douilles GX5 .....	7005-51A-1
Combinaisons de deux douilles R7s & RX7s .....	7005-53-4
Douilles R7s & RX7s .....	7005-53A-5
Douille Fa6 .....	7005-55-3

	Sheet		Feuilles
Lampholder G10q .....	7005-56-2	Douille G10q.....	7005-56-2
Lampholder for recessed double-contact cap R17d .....	7005-57-1	Douille pour culot à deux contacts en retrait R17d.....	7005-57-1
Lampholders and connectors Fa8 .....	7005-58-1	Douilles et connecteurs Fa8 .....	7005-58-1
Lampholders G6.35, GX6.35 & GY6.35 .....	7005-59-2	Douilles G6.35, GX6.35 & GY6.35 .....	7005-59-2
Connector GZ6.35 .....	7005-59A-3	Connecteur GZ6.35 .....	7005-59A-3
Lampholder G12 .....	7005-63-3	Douille G12.....	7005-63-3
Lampholders PG12 & PGX12 .....	7005-64-4	Douilles PG12 & PGX12 .....	7005-64-4
Lampholder GX38q.....	7005-65-1	Douille GX38q.....	7005-65-1
Lampholder P29 .....	7005-66-1	Douille P29 .....	7005-66-1
Connector for bi-pin lamp base GZ4 .....	7005-67-1	Connecteur pour socle de lampe à deux broches GZ4	7005-67-1
Lampholder GR8 .....	7005-68-4	Douille GR8.....	7005-68-4
Lampholder G23 .....	7005-69-1	Douille G23.....	7005-69-1
Lampholder G9.5 .....	7005-70-2	Douille G9.5.....	7005-70-2
Lampholder GX9.5.....	7005-70A-3	Douille GX9.5.....	7005-70A-3
Lampholders GY9.5, GZ9.5, GZX9.5, GZY9.5 & GZZ9.5.....	7005-70B-2	Douilles GY9.5, GZ9.5, GZX9.5, GZY9.5 & GZZ9.5.....	7005-70B-2
Lampholder G4 .....	7005-72-2	Douille G4.....	7005-72-2
Lampholders G5.3 .....	7005-73-1	Douilles G5.3 .....	7005-73-1
Lampholders GX5.3 .....	7005-73A-5	Douilles GX5.3 .....	7005-73A-5
Lampholders GY5.3 .....	7005-73B-5	Douilles GY5.3 .....	7005-73B-5
Lampholder G22 .....	7005-75-4	Douille G22.....	7005-75-4
Lampholders G38 .....	7005-76-2	Douilles G38 .....	7005-76-2
Lampholder GR10q.....	7005-77-3	Douille GR10q.....	7005-77-3
Lampholders G24, GX24 & GY24 .....	7005-78-7	Douilles G24, GX24 & GY24 .....	7005-78-7
Lampholder P11.5d .....	7005-79-1	Douille P11.5d .....	7005-79-1
Principles for design of lampholders SV7, SV8.5 & SVX8.5 .....	7005-80-4	Principes pour la construction des douilles SV7, SV8.5 & SVX8.5 .....	7005-80-4
Lampholders 2G11 .....	7005-82-3	Douilles 2G11 .....	7005-82-3
Lampholders 2GX11 .....	7005-82A-1	Douilles 2GX11 .....	7005-82A-1
Mounting of a combined pair of lampholders for tubular infra-red lamps with caps SK15s .....	7005-83-1	Distance de montage pour ensemble de deux douilles pour lampes tubulaires à rayonnement infrarouge munies des culots SK15s .....	7005-83-1
Lampholders GX10q .....	7005-84-2	Douilles GX10q .....	7005-84-2
Lampholders GY10q .....	7005-85-2	Douilles GY10q .....	7005-85-2
Lampholder GX23 .....	7005-86-1	Douille GX23 .....	7005-86-1
Lampholders G32, GX32 & GY32 .....	7005-87-3	Douilles G32, GX32 & GY32 .....	7005-87-3
Lampholder PY43d .....	7005-88-1	Douille PY43d .....	7005-88-1
Lampholder PZ43t.....	7005-89-1	Douille PZ43t.....	7005-89-1
Lampholder for photo-flash lamps W10.6x8.5d .....	7005-90-2	Douille pour lampes flash W10.6x8.5d .....	7005-90-2
Lampholders (rigid) W2.1x9.5d & WX2.1 x 9.5d .....	7005-91-2	Douilles (rigides) W2.1x9.5d & WX2.1 x 9.5d .....	7005-91-2
Lampholder (rigid) W2x4.6d .....	7005-94-2	Douille (rigide) W2x4.6d .....	7005-94-2
Lampholder P45t .....	7005-95-2	Douille P45t .....	7005-95-2
Holders SX4s .....	7005-97-1	Douilles SX4s .....	7005-97-1
Lampholder for automobile lamps X511 .....	7005-99-2	Douille pour lampes pour automobiles X511 .....	7005-99-2
Lampholders GRX10q .....	7005-101-1	Douilles GRX10q .....	7005-101-1
Lampholder 2G7 .....	7005-102-1	Douille 2G7 .....	7005-102-1
Lampholder 2GX7 .....	7005-103-1	Douille 2GX7 .....	7005-103-1
Lampholders W2.5x16 .....	7005-104-1	Douilles W2.5x16 .....	7005-104-1
Lampholders WX2.5x16 .....	7005-104A-1	Douilles WX2.5x16 .....	7005-104A-1
Lampholders WY2.5x16 .....	7005-104B-1	Douilles WY2.5x16 .....	7005-104B-1
Lampholders WZ2.5x16 .....	7005-104C-1	Douilles WZ2.5x16 .....	7005-104C-1
Lampholders WU2.5x16 .....	7005-104D-1	Douilles WU2.5x16 .....	7005-104D-1
Lampholders W3x16d & WX3x16d .....	7005-105-2	Douilles W3x16d & WX3x16d .....	7005-105-2
Lampholders W3x16q, WX3x16q & WY3x16q .....	7005-106-3	Douilles W3x16q, WX3x16q & WY3x16q .....	7005-106-3
Connectors and mounting holes PGJ13 & PGJ13 .....	7005-107-2	Connecteurs et orifices de montage PGJ13 & PGJ13 .....	7005-107-2
Lampholder GU4 .....	7005-108-2	Douille GU4 .....	7005-108-2
Lampholder GU5.3 .....	7005-109-2	Douille GU5.3 .....	7005-109-2
Holders and connectors PGJ19 .....	7005-110-3	Douilles et connecteurs PGJ19 .....	7005-110-3
Prefocus Holder PGJX19 .....	7005-110A-1	Douille Préfocus PGJX19 .....	7005-110A-1

	Sheet		Feuilles
Lampholders P32 & PK32.....	7005-111-5	Douilles P32 & PK32 .....	7005-111-5
Lampholders S14.....	7005-112-1	Douilles S14 .....	7005-112-1
Lampholder GU7.....	7005-113-2	Douille GU7 .....	7005-113-2
Lampholder Fc 2 .....	7005-114-1	Douille Fc 2.....	7005-114-1
Lampholder W4.3x8.5d.....	7005-115-1	Douille W4.3x8.5d .....	7005-115-1
Lampholder EZ10.....	7005-116-1	Douille EZ10.....	7005-116-1
Lampholders 2G10.....	7005-118-1	Douilles 2G10 .....	7005-118-1
Lampholder GY22.....	7005-119-1	Douille GY22 .....	7005-119-1
Lampholder GZ10 .....	7005-120-2	Douille GZ10.....	7005-120-2
Lampholder GU10.....	7005-121-2	Douille GU10 .....	7005-121-2
Lampholder G8.5.....	7005-122-2	Douille G8.5.....	7005-122-2
Lampholder GU10q.....	7005-123-1	Douille GU10q .....	7005-123-1
Lampholder GZ10q .....	7005-124-1	Douille GZ10q.....	7005-124-1
Lampholder 2GX13.....	7005-125-2	Douille 2GX13 .....	7005-125-2
Connector G5.3-4.8 .....	7005-126-1	Connecteur G5.3-4.8 .....	7005-126-1
Lampholders and connectors PG20 & PGU20 .....	7005-127-2	Douilles et connecteurs PG20 & PGU20 .....	7005-127-2
Lampholders P(X)(Y)26.4t & PJ26.4t .....	7005-128-3	Douilles P(X)(Y)26.4t & PJ26.4t .....	7005-128-3
Lampholder G9.....	7005-129-2	Douille G9 .....	7005-129-2
Lampholder GRZ10d.....	7005-131-1	Douille GRZ10d .....	7005-131-1
Lampholder GRZ10t .....	7005-132-1	Douille GRZ10t.....	7005-132-1
Lampholders P38t.....	7005-133-1	Douilles P38t.....	7005-133-1
Lampholder GX12 .....	7005-135-1	Douille GX12 .....	7005-135-1
Printed circuit connectors GZX7d, GZY7d & GZZ7d.....	7005-136-1	Connecteurs pour circuit imprimé GZX7d, GZY7d & GZZ7d.....	7005-136-1
Printed circuit connectors GUX2.5d, GUY2.5d & GGUZ2.5d .....	7005-137-1	Connecteurs pour circuit imprimé GUX2.5d, GUY2.5d & GGUZ2.5d .....	7005-137-1
Holder P23t .....	7005-138-1	Douille P23t .....	7005-138-1
Holder PX23t.....	7005-138A-1	Douille PX23t.....	7005-138A-1
Lampholders G7.9 & GX7.9 .....	7005-139-1	Douilles G7.9 & GX7.9 .....	7005-139-1
Holders B8.4d & BX8.4d .....	7005-140-1	Douilles B8.4d & BX8.4d .....	7005-140-1
Lampholders 2G8 .....	7005-141-2	Douilles 2G8 .....	7005-141-2
Holders GX53 .....	7005-142-2	Douilles GX53.....	7005-142-2
Connector/Holder GX8.5.....	7005-143-1	Connecteur/Douille GX8.5 .....	7005-143-1
Lampholder GX10 .....	7005-144-3	Douille GX10 .....	7005-144-3
Holders PGJY19.....	7005-146-2	Douilles PGJY19 .....	7005-146-2
Lampholders and connectors PG18.5d .....	7005-147-1	Douilles et connecteurs PG18.5d .....	7005-147-1
Lampholders PGZ12 .....	7005-148-2	Douilles PGZ12 .....	7005-148-2
Holders BAW9s .....	7005-149-1	Douilles BAW9s.....	7005-149-1
Holders BAZ9s.....	7005-150-1	Douilles BAZ9s .....	7005-150-1
Holders BAU9s .....	7005-150A-1	Douilles BAU9s .....	7005-150A-1
Holders BAUZ9s .....	7005-150B-1	Douilles BAUZ9s .....	7005-150B-1
Lampholder WZ3x16q .....	7005-151-1	Douille WZ3x16q.....	7005-151-1
Lampholder GU6.5.....	7005-152-1	Douille GU6.5 .....	7005-152-1
Lampholder PGJ5.....	7005-153-1	Douille PGJ5 .....	7005-153-1
Connector GU16d/GX16d .....	7005-154-2	Connecteur GU16d/GX16d .....	7005-154-2
Holders PGJ23t.....	7005-155-1	Douilles PGJ23t .....	7005-155-1
Holders PGJ(X)50 .....	7005-156-1	Douilles PGJ(X)50 .....	7005-156-1
Holders GR14q.....	7005-157-1	Douilles GR14q .....	7005-157-1
Holders and connectors PU20d .....	7005-158-1	Douilles et connecteurs PU20 .....	7005-158-1
Holders G28d .....	7005-161-1	Douilles G28d .....	7005-161-1
Printed circuit connectors CH14.65d .....	7005-162-1	Douilles CH14.65d .....	7005-162-1
Lampholders PGZ(X)18 .....	7005-163-2	Douilles PGZ(X)18 .....	7005-163-2
Holders WP3.3x14.5 .....	7005-164-3	Douilles WP3.3x14.5 .....	7005-164-3
Holders PGJ21t.....	7005-165-1	Douilles PGJ21t .....	7005-165-1
Holders GU8.5.....	7005-166-2	Douilles GU8.5 .....	7005-166-2
Lampholders PGJX28.....	7005-169-1	Douilles PGJX28 .....	7005-169-1
Holders GUZ10 .....	7005-170-1	Douilles GUZ10 .....	7005-170-1
Lampholders PU43t.....	7005-171-2	Douilles PU43t .....	7005-171-2
Lampholders BA15d-3 (100°/130°).....	7005-173-1	Douilles BA15d-3 (100°/130 °).....	7005-173-1

	Sheet		Feuilles
Lampholders G14.5 & GX14.5.....	7005-174-1	Douilles G14.5 & GX14.5 .....	7005-174-1
Lampholders GUZ5.3 .....	7005-175-2	Douilles GUZ5.3 .....	7005-175-2
Lampholders WUX2.5x16d.....	7005-176-1	Douilles WUX2.5x16d.....	7005-176-1
Lampholders WUY2.5x16d.....	7005-177-1	Douilles WUY2.5x16d.....	7005-177-1
Lampholders WUZ2.5x16d .....	7005-178-1	Douilles WUZ2.5x16d .....	7005-178-1
Lampholders WUU2.5x16d.....	7005-179-1	Douilles WUU2.5x16d.....	7005-179-1
Lampholders WZX2.5x16q.....	7005-180-1	Douilles WZX2.5x16q .....	7005-180-1
Lampholders WZY2.5x16q .....	7005-181-1	Douilles WZY2.5x16q .....	7005-181-1
Lampholdesrs PGJY50 .....	7005-182-1	Douilles PGJY50.....	7005-182-1
Pair of combined lampholders GX16t-5 .....	7005-183-2	Pair des douilles combinées GX16t-5.....	7005-183-2
Holders PGJX36.....	7005-184-1	Douilles PGJX36.....	7005-184-1
Holders PGJ18.5d/t.....	7005-185-3	Douilles PGJ18.5d/t.....	7005-185-3
Holders GH36d.....	7005-186-1	Douilles GH36d.....	7005-186-1
Holders GR6d.....	7005-187-2	Douilles GR6d.....	7005-187-2
Holders GR6d – Mounting distance of a combined pair of holders .....	7005-187A-2	Douilles GR6d – Distance de montage pour ensemble de deux douilles.....	7005-187A-2
Holders GJ6.6 .....	7005-188-1	Douilles GJ6.6.....	7005-188-1

**LAMPHOLDERS****DOUILLES**

Page 1/3

BA7	7005-11-3
B8.4d & BX8.4d	7005-140-1
BA9	7005-12-2
BAX9s	7005-8-1
BAY9s	7005-9-1
BAU9s	7005-150A-1
BAUZ9s	7005-150B-1
BAW9s	7005-149-1
BAZ9s	7005-150-1
B15d	7005-16-4
BA15d/s	7005-13-6
BA15d/s-3(110°)	7005-13-6
BA15d-3 (100°/130°)	7005-173-1
BAU15d/s-3(110°)	7005-13-6
BAW15d/s	7005-13-6
BAW15d/s-3(110°)	7005-13-6
BAY15d/s	7005-13-6
BAY16d/s-3(110°)	7005-13-6
BAZ15d/s	7005-13-6
BAZd/s-3(110°)	7005-13-6
BA20	7005-14-2
BA21-3	7005-15-2
B22d	7005-10-8
B22d-3(90°/135°)	7005-10A-4
BY22d	7005-17-5
CH14.65d	7005-162-1
EP10	7005-30-1
EY10	7005-7-1
EZ10	7005-116-1
E11	7005-6-1
E12	7005-28-1
Edison thread/filetéé	7005-20-6
E26	7005-21A-1
E26d	7005-29-2
E39	7005-24A-3
Fc2	7005-114-1
Fa6	7005-55-3
Fa8	7005-58-1
GUX2.5d, GUY2.5d & GUZ2.5d	7005-137-1
G4	7005-72-2
GU4	7005-108-2
GZ4	7005-67-1
G5	7005-51-4
GX5	7005-51A-1
G5.3	7005-73-1
G5.3-4.8	7005-126-1
GU5.3	7005-109-2
GUZ5.3	7005-175-2
GX5.3	7005-73A-5
GY5.3	7005-73B-5
GR6d	7005-187-2
GR6d	7005-187A-2
G6.35, GX6.35 & GY6.35	7005-59-2
GZ6.35	7005-59A-3
GU6.5	7005-152-1
GJ6.6	7005-188-1

**LAMPHOLDERS****DOUILLES**

Page 2/3

2G7	7005-102-1
GU7	7005-113-2
2GX7	7005-103-1
GZX7d, GZY7d & GZZ7d	7005-136-1
G7.9 & GX7.9	7005-139-1
2G8	7005-141-2
GR8	7005-68-4
G8.5	7005-122-2
GU8.5	7005-166-2
GX8.5	7005-143-1
G9	7005-129-2
G9.5	7005-70-2
GX9.5	7005-70A-3
GY9.5, GZ9.5, GZX9.5, GZY9.5 & GZZ9.5	7005-70B-2
G10q	7005-56-2
GR10q	7005-77-3
GRX10q	7005-101-1
GRZ10d	7005-131-1
GRZ10t	7005-132-1
GU10	7005-121-2
GU10q	7005-123-1
GUZ10	7005-170-1
GX10	7005-144-3
GX10q	7005-84-2
GY10q	7005-85-2
GZ10	7005-120-2
GZ10q	7005-124-1
2G10	7005-118-1
2G11	7005-82-3
2GX11	7005-82A-1
G12	7005-63-3
GX12	7005-135-1
G13	7005-50-4
2G13	7005-33-1
2GX13	7005-125-2
G14.5 & GX14.5	7005-174-1
GR14q	7005-157-1
GX16t-5	7005-183-2
GU16d/GX16d	7005-154-2
G17q, GX17q & GY17q	7005-45-2
G17.5t-1	7005-117-1
G22	7005-75-4
GY22	7005-119-1
G23	7005-69-1
GX23	7005-86-1
G24, GX24 & GY24	7005-78-7
G28d	7005-161-1
G32, GX32 & GY32	7005-87-3
GH36d	7005-186-1
G38	7005-76-2
GX38q	7005-65-1
GX53	7005-142-2
PGJ5	7005-153-1
P11.5d	7005-79-1
PG12 & PGX12	7005-64-4
PGZ12	7005-148-2
PG13 & PGJ13	7005-107-2
PX13.5s	7005-35-1
P14.5s	7005-46-3
PGZ18 and PGZX18	7005-163-2
PG18.5d	7005-147-1
PGJ18.5d/t	7005-185-3
PGJ19	7005-110-3
PGJX19	7005-110A-1
PGJY19	7005-146-2

**LAMPHOLDERS****DOUILLES**

Page 3/3

P20, PX20, PY20 & PZ20	7005-31-2
PG20 & PGU20	7005-127-2
PU20d	7005-158-1
PGJ21t	7005-165-1
P22 & PX22	7005-32-2
PK22s	7005-47-2
PKX22s	7005-37-1
P23t	7005-138-1
PGJ23t	7005-155-1
PX23t	7005-138A-1
P26s	7005-36-1
PX26, PY26d-1 ... PY26d-7	7005-5-4
P(X)(Y)26.4t & PJ26.4t	7005-128-3
P28s	7005-42-6
PGJX28	7005-169-1
PGJX36	7005-184-1
P29	7005-66-1
P30s-10.3	7005-44-2
P32 & PK32	7005-111-5
P38t	7005-133-1
P40	7005-43-3
P43t	7005-39-4
PU43t	7005-171-2
PX43t	7005-34-1
PY43d	7005-88-1
PZ43t	7005-89-1
P45t	7005-95-2
PGJ(X)50	7005-156-1
R7s & RX7s	7005-53-4
R7s & RX7s	7005-53A-5
R17d	7005-57-1
SX4s	7005-97-1
SV7	7005-80-4
SV8.5	7005-80-4
SVX8.5	7005-80-4
S14	7005-112-1
SK15s	7005-83-1
W2.1x9.5d	7005-91-2
W2.5x16	7005-104-1
WU2.5x16	7005-104D-1
WUU2.5x16d	7005-179-1
WUX2.5x16d	7005-176-1
WUY2.5x16d	7005-177-1
WUZ2.5x16d	7005-178-1
WX2.1x9.5d	7005-91-2
WX2.5x16	7005-104A-1
WY2.5x16	7005-104B-1
WZ2.5x16	7005-104C-1
WZX2.5x16q	7005-180-1
WZY2.5x16q	7005-181-1
W3x16d & WX3x16d	7005-105-2
W3x16q, WX3x16q & WY3x16q	7005-106-3
WZ3x16q	7005-151-1
WP3.3x14.5	7005-164-3
W4.3x8.5d	7005-115-1
W10.6x8.5d	7005-90-2
X511	7005-99-2

INSTRUCTIONS FOR THE INSERTION OF NEW  
PAGES AND STANDARD SHEETS  
IN IEC 60061-2

1. Remove  
existing title pages (2 pages),  
existing contents (4 pages),  
existing contents by designation (3 pages) and  
existing foreword (1 page)

and insert in their place  
new title pages (4 pages),  
new contents (4 pages),  
new contents by designation (3 pages)  
and  
new foreword (2 pages).

2. Remove existing sheets
3. Remove existing sheets  
and replace them with sheets
4. Insert new sheets  
7005-188-1 (10 pages)

INSTRUCTIONS POUR L'INSERTION DES  
NOUVELLES PAGES ET FEUILLES DE NORMES  
DANS L'IEC 60061-2

1. Retirer  
les pages de titre existantes (2 pages),  
le sommaire existant (4 pages),  
le sommaire par désignation existant (3 pages) et  
l'avant-propos existant (1 page)

et insérer à la place  
les nouvelles pages de titre (4 pages),  
le nouveau sommaire (4 pages),  
le nouveau sommaire par désignation (3 pages) ainsi  
que  
le nouvel avant-propos (2 pages).

2. Retirer les feuilles existantes
3. Retirer les feuilles existantes  
et les remplacer par les feuilles
4. Insérer les nouvelles feuilles  
7005-188-1 (10 pages)

# INTERNATIONAL ELECTROTECHNICAL COMMISSION

## LAMP CAPS AND HOLDERS TOGETHER WITH GAUGES FOR THE CONTROL OF INTERCHANGEABILITY AND SAFETY –

### Part 2: Lampholders

### AMENDMENT 58

### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

Amendment 58 to IEC 60061-2:1969 has been prepared by subcommittee 34B: Lamp caps and holders, of IEC technical committee 34: Lightning.

The text of this Amendment is based on the following documents:

Draft	Report on voting
34B/2137/FDIS	34B/2141/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Amendment is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). The main document types developed by IEC are described in greater detail at [www.iec.ch/standardsdev/publications/](http://www.iec.ch/standardsdev/publications/).

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

koniec náhľadu – text ďalej pokračuje v platnej verzii STN