

STN	Rádiologická ochrana Monitorovanie a interná dozimetria pri špecifických materiáloch Časť 2: Požitie uránových zlúčenín (ISO 16638-2: 2019)	STN EN ISO 16638-2 40 1407
------------	--	--

Radiological protection - Monitoring and internal dosimetry for specific materials - Part 2: Ingestion of uranium compounds (ISO 16638-2:2019)

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 11/22

Obsahuje: EN ISO 16638-2:2022, ISO 16638-2:2019

135812

EUROPEAN STANDARD

EN ISO 16638-2

NORME EUROPÉENNE

EUROPÄISCHE NORM

August 2022

ICS 17.240

English Version

Radiological protection - Monitoring and internal dosimetry for specific materials - Part 2: Ingestion of uranium compounds (ISO 16638-2:2019)

Radioprotection - Contrôle et dosimétrie interne des éléments spécifiques - Partie 2: Ingestion de composés d'uranium (ISO 16638-2:2019)

Strahlenschutz - Überwachung und interne Dosimetrie für bestimmte Stoffe - Teil 2: Ingestion von Uranverbindungen (ISO 16638-2:2019)

This European Standard was approved by CEN on 24 July 2022.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN ISO 16638-2:2022 (E)

Contents	Page
European foreword.....	3
Annex G (informative) A-deviations.....	4

European foreword

The text of ISO 16638-2:2019 has been prepared by Technical Committee ISO/TC 85 "Nuclear energy, nuclear technologies, and radiological protection" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 16638-2:2022 by Technical Committee CEN/TC 430 "Nuclear energy, nuclear technologies, and radiological protection" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2023, and conflicting national standards shall be withdrawn at the latest by February 2023.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

Endorsement notice

The text of ISO 16638-2:2019 has been approved by CEN as EN ISO 16638-2:2022 without any modification.

Annex G (informative)

A-deviations

A-deviation: National deviation due to regulations, the alteration of which is for the time being outside the competence of the CEN-CENELEC national member.

This European Standard does not fall under any Directive/Regulation of the EU.

In the relevant CEN-CENELEC countries, these A-deviations are valid instead of the respective provisions of the European Standard until the national situation causing the A-deviation has changed.

Clause	Deviation
General	Germany Incorporation monitoring in Germany is legally regulated by the German Guidelines on physical radiation protection control for determination of the body dose part 2: Determination of the body dose of internal exposition (incorporation monitoring) of January 12, 2007 Regarding the measurements and the quality control described in this clauses shall comply with the guideline on physical radiation protection control for determination of the body dose part 2: Determination of the body dose of internal exposition (incorporation monitoring) of January 12, 2007
11.3	Germany Measurement uncertainties as described in this clause are legally not taken into account in Germany.

INTERNATIONAL STANDARD

ISO 16638-2

First edition
2019-11

Radiological protection — Monitoring and internal dosimetry for specific materials —

Part 2: Ingestion of uranium compounds

*Radioprotection — Contrôle et dosimétrie interne des éléments
spécifiques —*

Partie 2: Ingestion de composés d'uranium



Reference number
ISO 16638-2:2019(E)

© ISO 2019

ISO 16638-2:2019(E)**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	2
3 Terms and definitions	2
4 Symbols and abbreviated terms	4
4.1 Symbols.....	4
4.2 Abbreviated terms.....	5
5 Purpose and need for monitoring programmes	5
6 General aspects	7
7 Special monitoring programmes	8
8 Task-related monitoring programmes for individual monitoring	8
9 Reference values as performance criteria for laboratories	8
10 Quality assurance and quality control for bioassay laboratories	9
11 Procedure for the assessment of exposures	10
11.1 Assessment of individual monitoring data.....	10
11.2 Properties of a software tool.....	10
11.3 Uncertainties.....	11
11.4 Quality assurance of the assessment process.....	11
12 Reporting and documentation	12
12.1 Reporting results for in vitro measurements.....	12
12.2 Documentation of the dose assessment.....	12
Annex A (informative) Nuclear data of U-238 and U-235 decay	14
Annex B (informative) Default classification of uranium compounds	15
Annex C (informative) Measurement techniques for uranium in case of ingestion	16
Annex D (informative) Excretion rates for ingestion of uranium compounds	19
Annex E (informative) Committed effective dose per unit intake after ingestion of uranium compounds	21
Annex F (informative) Estimation of uncertainties for internal dose assessments after ingestion	22
Bibliography	25

ISO 16638-2:2019(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 85, *Nuclear energy, nuclear technologies, and radiological protection*, Subcommittee SC 2, *Radiological protection*.

A list of all the parts in the ISO 16638 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

In the course of employment, individuals may work with radioactive materials that, under certain circumstances, could be taken into the body. Protecting workers against the risks of incorporated radionuclides needs monitoring for potential intakes and/or quantifying actual intakes and exposures. Internal radiation exposure caused by the contamination of radioactive substances results in doses, which cannot be measured directly. Decisions should be made regarding which methods, techniques, frequencies, etc., to select in order to measure and assess these doses. The criteria for determining the design of a monitoring programme, i.e. its requirements, methods and schedule, usually depends on legislation, the purpose of the overall radiation protection programme, the probabilities of potential radionuclide intakes and the characteristics of the materials handled.

For these reasons, four International Standards addressing monitoring programmes (ISO 20553), laboratory requirements (ISO 28218), dose assessments (ISO 27048) and special cases of inhalation of uranium compounds (ISO 16638-1) have been developed and can be applied in a straightforward manner to many radionuclides for accreditation purposes.

This document has been developed to address the specific issue of monitoring and internal dosimetry for ingestion of uranium compounds. It contributes to harmonizing the practices in the monitoring of occupationally exposed persons while remaining complementary to ISO 16638-1. Occupational intakes solely by ingestion are rare however they may need to be considered in some circumstances, for example; external contamination of the mouth or lips; in cases of poor working practices such as food being eaten in contamination areas. Intakes by ingestion can also occur alongside inhalation depending on the circumstances of the event. Monitoring and dose assessment for intakes by inhalation (ISO 16638-1) are covered in a separate document and would take precedence over the requirements for assessing intakes by ingestion. However, the monitoring requirements are very similar. Uranium is both radiologically and chemically toxic. Hence, the scientific bases of current occupational exposure standards are reviewed in addition to radiation exposure limits.

This document describes the need for a monitoring and internal dosimetry programme for the different compounds of uranium in case of a risk of ingestion and offers guidance on its design. The design of the workplace, the work practices and hygiene practices followed and the protective equipment worn, may all be essential in controlling exposure to this risk. The development of this document has taken into account recommendations from international expert bodies and persons with international experience of the practical application of its recommendations in radiological protection programmes. Its application facilitates the exchanges of information between authorities, supervisory institutions and employers.

Radiological protection — Monitoring and internal dosimetry for specific materials —

Part 2: Ingestion of uranium compounds

1 Scope

This document specifies the minimum requirements for the design of professional programmes to monitor workers exposed to a risk of ingestion to uranium compounds. This document establishes principles for the development of compatible goals and requirements for monitoring programmes and dose assessment for workers occupationally exposed to internal contamination. It establishes procedures and assumptions for risk analysis, monitoring programmes and the standardized interpretation of monitoring data in order to achieve acceptable levels of reliability for uranium and its compounds. It sets limits for the applicability of the procedures in respect to dose levels above which more sophisticated methods need to be applied.

This document addresses those circumstances when exposure could be constrained by either radiological or chemical toxicity concerns.

This document addresses, for ingestion of uranium and its compounds, the following items:

- a) purposes of monitoring and monitoring programmes;
- b) description of the different categories of monitoring programmes;
- c) suitable methods for monitoring and criteria for their selection;
- d) information that is collected for the design of a monitoring programme;
- e) procedures for dose assessment based on reference levels for special monitoring programmes;
- f) criteria for determining the significance of monitoring results;
- g) uncertainties arising from dose assessment and interpretation of bioassays data;
- h) reporting/documentation;
- i) quality assurance;
- j) record keeping requirements.

It is not applicable to the following items:

- a) detailed descriptions of measuring methods and techniques for uranium;
- b) modelling for the improvement of internal dosimetry;
- c) potential influence of counter-measures (e.g. administration of chelating agents);
- d) investigation of the causes or implications of an exposure;
- e) dosimetry for inhalation exposures and for contaminated wounds.

ISO 16638-2:2019(E)

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 5725-1, *Accuracy (trueness and precision) of measurement methods and results — Part 1: General principles and definitions*

ISO 5725-2, *Accuracy (trueness and precision) of measurement methods and results — Part 2: Basic method for the determination of repeatability and reproducibility of a standard measurement method*

ISO 5725-3, *Accuracy (trueness and precision) of measurement methods and results — Part 3: Intermediate measures of the precision of a standard measurement method*

ISO 15189, *Medical laboratories — Requirements for quality and competence*

ISO/IEC Guide 99, *International vocabulary of metrology — Basic and general concepts and associated terms (VIM)*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN