

STN	Potrubné systémy z plastov na beztlakové kanalizačné potrubia a stoky uložené v zemi Polypropylén (PP) Časť 1: Špecifikácie rúr, tvaroviek a systému	STN EN 1852-1+A1 64 3044
------------	---	--

Plastics piping systems for non-pressure underground drainage and sewerage - Polypropylene (PP) - Part 1: Specifications for pipes, fittings and the system

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 12/22

Obsahuje: EN 1852-1:2018+A1:2022

Oznámením tejto normy sa ruší
STN EN 1852-1 (64 3044) z apríla 2018

135969

EUROPEAN STANDARD

EN 1852-1:2018+A1

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2022

ICS 23.040.05

Supersedes EN 1852-1:2018

English Version

Plastics piping systems for non-pressure underground drainage and sewerage - Polypropylene (PP) - Part 1: Specifications for pipes, fittings and the system

Systèmes de canalisations en plastique pour les branchements et les collecteurs d'assainissement enterrés sans pression - Polypropylène (PP) - Partie 1: Spécifications pour tubes, raccords et le système

Kunststoff-Rohrleitungssysteme für erdverlegte drucklose Abwasserkanäle und -leitungen - Polypropylen (PP) - Teil 1: Anforderungen an Rohre, Formstücke und das Rohrleitungssystem

This European Standard was approved by CEN on 20 November 2017 and includes Amendment 1 approved by CEN on 28 June 2022.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN 1852-1:2018+A1:2022 (E)

Contents	Page
European foreword.....	4
1 Scope	5
2 Normative references	5
3 Terms and definitions	7
4 Symbols and abbreviations	9
4.1 Symbols.....	9
4.2 Abbreviations.....	10
5 Material	10
5.1 PP final compound.....	10
5.2 Utilization of non-virgin material.....	10
5.3 Melt mass-flow rate.....	10
5.4 Resistance to internal pressure.....	11
5.5 Thermal stability (OIT).....	11
5.6 Sealing ring retaining means.....	11
6 General characteristics	12
6.1 Appearance.....	12
6.2 Colour.....	12
7 Geometrical characteristics	12
7.1 General.....	12
7.2 Dimensions of pipes.....	12
7.2.1 Outside diameters.....	12
7.2.2 Outside diameters with close tolerances (CT).....	13
7.2.3 Length of pipes.....	14
7.2.4 Chamfering.....	15
7.2.5 Wall thicknesses.....	15
7.3 Dimensions of fittings.....	16
7.3.1 Outside diameters.....	16
7.3.2 Design lengths.....	16
7.3.3 Wall thicknesses.....	17
7.4 Dimensions of sockets and spigots.....	18
7.4.1 Diameters and lengths of elastomeric ring seal sockets and spigots.....	18
7.4.2 Wall thicknesses of sockets.....	21
7.5 Types of fittings.....	22
8 Mechanical characteristics	25
8.1 Mechanical characteristics of pipes.....	25
8.1.1 General requirements.....	25
8.1.2 Additional mechanical requirements.....	26
8.2 Mechanical characteristics of fittings.....	27
9 Physical characteristics	28
9.1 Physical characteristics of pipes.....	28
9.2 Physical characteristics of fittings.....	29

10	Performance requirements	30
11	Sealing rings	31
12	Marking	31
12.1	General	31
12.2	Minimum required marking of pipes	31
12.3	Minimum required marking of fittings	32
12.4	Additional marking	33
Annex A (normative) Utilization of non-virgin PP material		34
A.1	Own reprocessed material from pipes and fittings	34
A.2	External reprocessed and recycled materials with an agreed specification	34
A.2.1	Material from PP pipes and fittings	34
A.2.2	Material from PP products other than pipes and fittings	35
Annex B (informative) General characteristics of PP pipes and fittings		36
B.1	General	36
B.2	Material characteristics	36
B.3	Ring stiffness	36
B.4	Chemical resistance	37
B.5	Abrasion resistance	37
B.6	Hydraulic roughness	37
B.7	Diametric deflection	37
Annex C (informative) Product standards of components that can be connected to components conforming to this standard		38
Bibliography		39

EN 1852-1:2018+A1:2022 (E)

European foreword

This document (EN 1852-1:2018+A1:2022) has been prepared by Technical Committee CEN/TC 155 “Plastics piping systems and ducting systems”, the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2023, and conflicting national standards shall be withdrawn at the latest by April 2023.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN not be held responsible for identifying any or all such patent rights.

This document includes Amendment 1 approved by CEN on 28 June 2022.

The start and finish of text introduced or altered by amendment is indicated in the text by tags **A1** **A1**.

A1 This document supersedes EN 1852-1:2018. **A1**

The System Standards are based on the results of the work undertaken in ISO/TC 138 “Plastics pipes, fittings and valves for the transport of fluids”, which is a Technical Committee of the International Organization for Standardization (ISO).

The System Standards are supported by separate standards on test methods to which references are made throughout the System Standard.

The System Standards are consistent with general standards on functional requirements and on recommended practice for installation.

EN 1852 consists of the following parts, under the general title *Plastics piping systems for non-pressure underground drainage and sewerage – Polypropylene (PP)*:

- *Part 1: Specifications for pipes, fittings and the system* (the present standard)
- *Part 2: Guidance for the assessment of conformity* (CEN Technical Specification)

This part of EN 1852 includes Annex A (normative) “Utilization of non-virgin PP materials”, Annex B (informative), “General characteristics of PP pipes and fittings” and Annex C (informative), “Product standards of components that can be connected to components conforming to this standard”.

Plastics piping systems made of PP with mineral modifiers (PP-MD) are covered by EN 14758-1 [1].

Any feedback and questions on this document should be directed to the users’ national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

1 Scope

This part of EN 1852 specifies the requirements for solid wall pipes with smooth internal and external surfaces extruded from the same compound/formulation throughout the wall, fittings and the system of polypropylene (PP) piping systems intended for use for:

- non-pressure underground drainage and sewerage outside the building structure (application area code “U”), and
- non-pressure underground drainage and sewerage for both buried in ground within the building structure (application area code “D”) and outside the building structure.

This is reflected in the marking of products by “U” and “UD”.

This standard covers PP materials without mineral modifiers.

It also specifies the test parameters for the test methods referred to in this standard.

NOTE 1 Solid wall multilayer pipes with different formulation throughout the wall and foamed core pipes are covered by EN 13476-2 [1] (see also CEN ISO/TR 27165 [2]).

This standard covers a range of nominal sizes, and pipe series and gives recommendations concerning colours.

NOTE 2 It is the responsibility of the purchaser or specifier to make the appropriate selection from these aspects, taking into account their particular requirements and any relevant national regulations and installation practices or codes.

In conjunction with CEN/TS 1852-2, it is applicable to PP pipes and fittings, their joints and to joints with components of other plastics and non-plastics materials intended to be used for buried piping systems for non-pressure underground drainage and sewerage.

The fittings can be manufactured by injection-moulding or be fabricated from pipes and/or mouldings.

NOTE 3 Pipes, fittings and other components conforming to any of the plastics product standards listed in Annex C can be connected to pipes and fittings conforming to this standard, when they conform to the requirements for joint dimensions given in Clause 6 and to the requirements of Table 14.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 681-1, *Elastomeric seals — Materials requirements for pipe joint seals used in water and drainage applications — Part 1: Vulcanized rubber*

EN 681-2, *Elastomeric Seals — Materials requirements for pipe joint seals used in water and drainage applications — Part 2: Thermoplastic elastomers*

EN 12099, *Plastics piping systems — Polyethylene piping materials and components — Determination of volatile content*

EN ISO 472, *Plastics — Vocabulary (ISO 472)*

EN ISO 580, *Plastics piping and ducting systems — Injection-moulded thermoplastics fittings — Methods for visually assessing the effects of heating (ISO 580)*

EN 1852-1:2018+A1:2022 (E)

EN ISO 1043-1, *Plastics — Symbols and abbreviated terms — Part 1: Basic polymers and their special characteristics (ISO 1043-1)*

EN ISO 1133-1, *Plastics — Determination of the melt mass-flow rate (MFR) and melt volume-flow rate (MVR) of thermoplastics — Part 1: Standard method (ISO 1133-1)*

EN ISO 1167-1, *Thermoplastics pipes, fittings and assemblies for the conveyance of fluids — Determination of the resistance to internal pressure — Part 1: General method (ISO 1167-1)*

EN ISO 1167-2, *Thermoplastics pipes, fittings and assemblies for the conveyance of fluids — Determination of the resistance to internal pressure — Part 2: Preparation of pipe test pieces (ISO 1167-2)*

EN ISO 1183-2, *Plastics — Methods for determining the density of non-cellular plastics — Part 2: Density gradient column method (ISO 1183-2)*

EN ISO 2505, *Thermoplastics pipes — Longitudinal reversion — Test method and parameters (ISO 2505)*

EN ISO 3126, *Plastics piping systems — Plastics components — Determination of dimensions (ISO 3126)*

EN ISO 3451-1, *Plastics — Determination of ash — Part 1: General methods (ISO 3451-1)*

EN ISO 9969:2016, *Thermoplastics pipes — Determination of ring stiffness (ISO 9969:2016)*

EN ISO 11357-6, *Plastics — Differential scanning calorimetry (DSC) — Part 6: Determination of oxidation induction time (isothermal OIT) and oxidation induction temperature (dynamic OIT) (ISO 11357-6)*

EN ISO 3127, *Thermoplastics pipes — Determination of resistance to external blows — Round-the-clock method (ISO 3127)*

EN ISO 11173, *Thermoplastics pipes — Determination of resistance to external blows — Staircase method (ISO 11173)*

EN ISO 13254, *Thermoplastics piping systems for non-pressure applications — Test method for watertightness (ISO 13254)*

EN ISO 13257:2017, *Thermoplastics piping systems for non-pressure applications — Test method for resistance to elevated temperature cycling (ISO 13257:2010)*

prEN ISO 13259, *Thermoplastics piping systems for underground non-pressure applications — Test method for leaktightness of elastomeric sealing ring type joints (ISO/DIS 13259)*

EN ISO 13263, *Thermoplastics piping systems for non-pressure underground drainage and sewerage — Thermoplastics fittings — Test method for impact strength (ISO 13263)*

EN ISO 13264, *Thermoplastics piping systems for non-pressure underground drainage and sewerage — Thermoplastics fittings — Test method for mechanical strength or flexibility of fabricated fittings (ISO 13264)*

ISO 4065:1996, *Thermoplastics pipes — Universal wall thickness table*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN