STN

Bezpečnostné a ovládacie zariadenia horákov a spotrebičov na plynné palivá Časť 1: Regulátory tlaku plynu na vstupný tlak do 50 kPa vrátane

STN EN 88-1

06 1021

Safety and control devices for gas burners and gas burning appliances - Part 1: Pressure regulators for inlet pressures up to and including 50 kPa

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 12/22

Obsahuje: EN 88-1:2022

Oznámením tejto normy sa od 31.10.2025 ruší STN EN 88-1+A1 (06 1021) z októbra 2016

136054

STN EN 88-1: 2023

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 88-1

October 2022

ICS 23.060.40

Supersedes EN 88-1:2011+A1:2016

English Version

Safety and control devices for gas burners and gas burning appliances - Part 1: Pressure regulators for inlet pressures up to and including 50 kPa

Dispositifs de sécurité et de contrôle pour les brûleurs à gaz et appareils utilisant des combustibles gazeux -Partie 1 : Régulateurs de pression pour pression amont inférieure ou égale à 50 kPa Sicherheits- und Regeleinrichtungen für Gasbrenner und Gasgeräte - Teil 1: Druckregler für Eingangsdrücke bis einschließlich 50 kPa

This European Standard was approved by CEN on 8 August 2022.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents		Page
European foreword4		
Introduction		6
1	Scope	8
2	Normative references	
3	Terms and definitions	
4	Classification	
4 4.1	Classes of control	
4.2	Groups of control	
4.3	Classes of control functions	
4.4	Types of <i>DC</i> supplied controls	
5	Test conditions and uncertainty of measurements	
6	Design and construction	14
6.1	General	
6.2	Mechanical parts of the control	
6.3	Materials	
6.4	Gas connections	16
6.5	Electrical parts of the control	16
6.6	Protection against internal faults for the purpose of functional safety	16
7	Performance	17
7.1	General	17
7.2	Leak-tightness	
7.3	Torsion and bending	
7.4	Rated flow rate	17
7.5	Durability	18
7.6	Performance tests for electronic controls	18
7.7	Long-term performance for electronic controls	
7.8	Data exchange	18
7.101	Pressure regulator performance	
7.102	Pneumatic gas/air ratio pressure regulator performance	25
8	Electrical requirements	
8.1	General	
8.2	Protection by enclosure	
8.101	Plug connections	
9	Electromagnetic compatibility (EMC)	
9.1	Protection against environmental influences	
9.2	Supply voltage variations below 85 % of rated voltage	
9.3	Voltage dips and interruptions	
9.4	Supply frequency variations	
9.5	Surge immunity tests	
9.6	Electrical fast transient/burst	
9.7	Immunity to conducted disturbances induced by radio frequency fields	
9.8	Immunity to radiated disturbances induced by radio frequency fields	
9.9 9.10	Electrostatic discharge testsPower frequency magnetic field immunity tests	
/. I \/		

9.11	frequency immunity testsfrequency immunity tests	30
10	Marking, instructions	
10.1 10.2	Marking	
10.2	InstructionsWarning notice	
	A (informative) Abbreviations and Symbols	
	B (informative) Leak-tightness test for gas controls - volumetric method	
	C (informative) Leak-tightness test for gas controls – pressure loss method	
Annex 1	D (normative) Calculation of pressure loss into leakage rate	36
Annex	E (normative) Electrical/electronic component fault modes	37
Annex 1	F (normative) Additional requirements for safety accessories and pressure accessories as defined in EU Directive 2014/68/EU	38
Annex	G (normative) Materials for pressurized parts	39
Annex 1	H (normative) Additional materials for pressurized parts	40
Annex 1	I (normative) Requirements for controls used in <i>DC</i> supplied burners and appliances burning gaseous or liquid fuels	41
Annex)	J (normative) Method for the determination of a Safety Integrity Level (SIL)	42
Annex 1	K (normative) Method for the determination of a Peformance Level (PL)	43
Annex 1	L (informative) Relationship between Safety Integrity Level (SIL) and Peformance Level (PL)	44
Annex	M (normative) Reset functions	45
Annex 1	N (informative) Guidance document on Environmental Aspects	46
Annex	O (normative) Seals of elastomer, cork and synthetic fibre mixtures	47
Annex	AA (informative) Typical pressure regulators and pressure regulator parts	48
Annex 1	BB (informative) Overview of requirements and test conditions (as given in 7.101), and examples of performance curves for pressure regulators	49
Annex 2	ZA (informative) Relationship between this European Standard and the essential requirements of Regulation (EU) 2016/426 aimed to be covered	56
Bibliog	raphy	59

European foreword

This document (EN 88-1:2022) has been prepared by Technical Committee CEN/TC 58 "Safety and control devices for burners and appliances burning gaseous or liquid fuels", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2023, and conflicting national standards shall be withdrawn at the latest by October 2025.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 88-1:2011+A1:2016.

The following significant changes compared to the previous edition have been incorporated in this document:

- a) title changed to be aligned with the title of CEN/TC 58;
- b) alignment with EN 13611:2019;
- c) requirements from EU Directive 2014/68/EU were not adopted;
- d) terms and definitions are aligned with EN 13611:2019;
- e) reference to EN 437 in the scope removed;
- f) EN 88-1, EN 88-2 and EN 88-3 aligned;
- g) 6.5.1 "Electronic parts of the control General" is applicable;
- h) 7.2.101 and 7.2.102 "External leak-tightness for signal carrying compartment" separation between air and gas signal;
- i) information on life time for safe function (designed lifetime) added to instructions.

This document has been prepared under a Standardization Request given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s) / Regulation(s).

For relationship with EU Directive(s) / Regulation(s), see informative Annex ZA, which is an integral part of this document.

The EN 88 series consists of the following parts:

- EN 88-1, Safety and control devices for gas burners and gas burning appliances Part 1: Pressure regulators for inlet pressures up to and including 50 kPa;
- EN 88-2, Safety and control devices for gas burners and gas burning appliances Part 2: Pressure regulators for inlet pressures above 50 kPa up to and including 500 kPa;
- EN 88-3, Safety and control devices for gas burners and gas burning appliances Part 3: Pressure and/or flow rate regulators for inlet pressures up to and including 500 kPa, electronic types.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

Introduction

This document is intended to be used in conjunction with EN 13611:2019.

EN 13611:2019 recognizes the safety level specified by CEN/TC 58 and is regarded as a horizontal standard dealing with the safety, construction, performance and testing of controls for burners and appliances burning gaseous and/or liquid fuels.

The general requirements for controls are given in EN 13611:2019, and methods for classification and assessment for new controls and control functions are given in EN 14459:2021 (see Figure 1). EN 126:2012 (see Figure 1) specifies multifunctional controls combining two or more controls and Application Control Functions, one of which is a mechanical control function. The requirements for controls and Application Control Functions are given in the specific control standard (see Figure 1, control functions).




Figure 1 — Interrelation of control standards

EN 13611:2019 should be used in conjunction with the specific standard for a specific type of control (e.g. EN 88-1:2022, EN 88-2:2022, EN 88-3:2022, EN 125:2022, EN 126:2012, EN 161:2022, EN 257:2022, EN 298:2022, EN 1106:2022, EN 1643:2022, EN 1854:— 1 , EN 12067-2:2022, EN 16304:2022, EN 16340:2014, EN 16678:2022 and EN 16898:2022), or for controls for specific applications.

EN 13611:2019 can also be applied, so far as reasonable, to controls not mentioned in a specific standard and to controls designed on new principles, in which case additional requirements can be necessary. EN 14459:2021 provides methods for classification and assessment of new control principles.

Primarily in industrial applications it is common practice to rate the safety of a plant based on values describing the likelihood of a dangerous failure. These values are being used to determine Safety Integrity Levels or Performance Levels when the system is being assessed in its entirety.

CEN/TC 58 standards for safety relevant controls do go beyond this approach, because for a certain life time for which the product is specified, designed and tested a dangerous failure is not allowed at all. Failure modes are described and assessed in greater detail.

_

¹ Under preparation. Stage at the time of publication: FprEN 1854:2022.

Measures to prevent from dangerous situations are defined. Field experience over many decades is reflected in the CEN/TC 58 standards. Requirements of EN 13611:2019 can be considered as proven in practice.

This document refers to clauses of EN 13611:2019 or adapts clauses by stating "with the following modification", "with the following addition", "is replaced by the following" or "is not applicable" in the corresponding clause.

This document adds clauses or subclauses to the structure of EN 13611:2019 which are particular to this document. Subclauses which are additional to those in EN 13611:2019 are numbered starting from 101. Additional Annexes are designated as Annex AA and Annex BB. It should be noted that these clauses, subclauses and Annexes are not indicated as an addition.

If by reference to EN 13611:2019 the term "control" is given, this term should be read as "pressure regulator".

1 Scope

EN 13611:2019, Clause 1 applies with the following modification and addition:

Modification:

The 1st paragraph of EN 13611:2019, Clause 1 is replaced by:

This document specifies the safety, design, construction, and performance requirements and testing for pressure regulators and pneumatic gas/air ratio pressure regulators (zero pressure regulators are included as a special type of pneumatic gas/air ratio pressure regulators) for burners and appliances burning one or more gaseous fuels, hereafter referred to as "pressure regulators".

This document is applicable to pressure regulators with declared maximum inlet pressures up to and including 50 kPa and of nominal connection sizes up to and including DN 250.

Addition:

This document is applicable to:

- pressure regulators which use auxiliary energy;
- pneumatic gas/air ratio pressure regulators, which function by controlling a gas outlet pressure in response to an air signal pressure, air signal differential pressure, and/or to a furnace pressure signal (zero pressure regulators are included as a special type of pneumatic gas/air ratio pressure regulators);
- pneumatic gas/air ratio pressure regulators, which change an air outlet pressure in response to a gas signal pressure or a gas signal differential pressure.

This document is not applicable to:

- pressure regulators connected directly to a gas distribution network or to a container that maintains a standard distribution pressure;
- pressure regulators intended for gas appliances to be installed in the open air and exposed to the environment;
- mechanically linked gas/air ratio controls;
- electronic gas/air ratio controls (EN 12067-2:2022).

The 4th paragraph of EN 13611:2019, Clause 1 is removed.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 161:2022, Automatic shut-off valves for gas burners and gas appliances

EN 437:2021, Test gases — Test pressures — Appliance categories

EN $13611:2019^2$, Safety and control devices for burners and appliances burning gaseous and/or liquid fuels — General requirements

EN 175301-803:2006, Detail Specification: Rectangular connectors — Flat contacts, 0,8 mm thickness, locking screw not detachable

koniec náhľadu – text ďalej pokračuje v platenej verzii STN

_

² As impacted by EN 13611:2019/AC:2021.