

STN	Vpusty v budovách Časť 8: Podlahové vpusty so zápachovou uzávierkou s kombinovaným mechanickým uzáverom a vodným uzáverom	STN EN 1253-8 73 6765
------------	--	---

Gullies for buildings - Part 8: Trapped floor gullies with combined mechanical closure and water seal

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 01/23

Obsahuje: EN 1253-8:2022

136169

EUROPEAN STANDARD

EN 1253-8

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2022

ICS 91.140.80

English Version

Gullies for buildings - Part 8: Trapped floor gullies with combined mechanical closure and water seal

Avaloirs et siphons pour bâtiments - Partie 8 : Siphons de sol combinant un obturateur mécanique et une garde d'eau

Abläufe für Gebäude - Teil 8: Bodenabläufe mit Geruchverschluss mit mechanischem Geruchverschluss und Wassergeruchverschluss

This European Standard was approved by CEN on 26 September 2022.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN 1253-8:2022 (E)

Contents	Page
European foreword	3
1 Scope	4
2 Normative references	4
3 Terms and definitions	4
4 Design and construction	8
4.1 General	8
4.2 Appearance	8
4.3 Apertures in gratings	8
4.4 Resistance of trap with mechanical closure and water seal to pressure	9
4.4.1 Requirements	9
4.4.2 Test method	9
4.5 Blockage prevention	10
4.5.1 Access for cleaning	10
4.5.2 Clogging test	11
4.6 Places of installation	13
4.7 Materials	13
4.8 Thermal behaviour of floor gullies	13
4.8.1 General	13
4.8.2 Requirements	13
4.8.3 Test method	13
4.8.4 Additional test for floor gullies for use with sheet floor coverings and liquid applied membranes	14
4.9 Tightness	15
4.9.1 Odour-tightness	15
4.9.2 Watertightness of bodies	16
4.9.3 Watertightness of extensions	16
4.10 Mechanical strength	17
4.10.1 Loading strength	17
4.10.2 Clamping ring strength	19
4.10.3 Additional mechanical strength according to the installation	20
4.10.4 Floor gullies for use with liquid applied membranes	23
4.11 Flow rates	23
4.11.1 Requirements	23
4.11.2 Test method	24
4.11.3 Test arrangement	24
5 Allocation and sequence of tests	25
6 Marking	27
7 Evaluation of conformity	27
Annex A (normative) Examples of top view of the positioning of shape of test blocks applied on the gratings	28
Annex B (normative) Test solutions	30
Bibliography	32

European foreword

This document (EN 1253-8:2022) has been prepared by Technical Committee CEN/TC 165 “Waste water engineering”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2023, and conflicting national standards shall be withdrawn at the latest by April 2023.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

Within its program of work, Technical Committee CEN/TC 165 requested CEN/TC 165/WG 11 “Gratings, covers and other ancillary components for use inside buildings” to prepare the following standard:

EN 1253-8, *Trapped floor gullies with combined mechanical closure and water seal.*

The EN 1253 series under the main title Gullies for buildings will actually consist of the following parts:

- *Part 1: Trapped floor gullies with a depth water seal of at least 50 mm;*
- *Part 2: Roof drains and floor gullies without trap;*
- *Part 3: Evaluation of conformity;*
- *Part 4: Access covers;*
- *Part 5: Gullies with light liquids closure;*
- *Part 6: Trapped floor gullies with a depth of water seal less than 50 mm;*
- *Part 7: Trapped floor gullies with mechanical closure;*
- *Part 8: Trapped floor gullies with combined mechanical closure and water seal.*

Any feedback and questions on this document should be directed to the users’ national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

EN 1253-8:2022 (E)**1 Scope**

This document classifies floor gullies for domestic wastewater for use inside buildings, gives guidance, gives guidance for places of installation and specifies requirements for the construction, design, performance and marking of factory made gullies for buildings, irrespective of the material, for use in drainage systems requiring a trap with combined mechanical closure and water seal (referred to as floor gullies).

NOTE Floor gullies with combined mechanical closure and water seal are not covered by EN 1253-1, EN 1253-6, EN 1253-7.

These products are intended to be installed where both condition below are fulfilled:

- the building does not exceed a ground-floor and three floors above;
- infrequent use could result in a water seal evaporating.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 476, *General requirements for components used in drains and sewers*

EN 1253-3, *Gullies for buildings — Part 3: Evaluation of conformity*

EN 16323, *Glossary of wastewater engineering terms*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN