Vodorúrkové kotly a pomocné zariadenia Časť 3: Navrhovanie a výpočet tlakových častí kotla STN EN 12952-3 07 7604

Water-tube boilers and auxiliary installations - Part 3: Design and calculation for pressure parts of the boiler

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 01/23

Obsahuje: EN 12952-3:2022

Oznámením tejto normy sa ruší STN EN 12952-3 (07 7604) z júla 2012

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 12952-3

November 2022

ICS 27.040

Supersedes EN 12952-3:2011

English Version

Water-tube boilers and auxiliary installations - Part 3: Design and calculation for pressure parts of the boiler

Chaudière à tubes d'eau et installations auxiliaires -Partie 3 : Conception et calcul des parties sous pression de la chaudière Wasserrohrkessel und Anlagenkomponenten - Teil 3: Konstruktion und Berechnung für drucktragende Kesselteile

This European Standard was approved by CEN on 26 September 2022.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents Page

Europe	ean foreword	8
1	Scope	10
2	Normative references	10
3	Terms and definitions	11
4	Symbols and abbreviations	11
5	General	11
5.1	Purpose	
5.2	Dimensions of pressure parts	
5.3	Strength of pressure parts	
5.4	Design by analysis	
5.5	Cyclic loading	
5.6	Other design requirements	
5.6.1	General	
5.6.2	Access	14
5.6.3	Drainage and venting	
5.7	Design, calculation and test pressures	
5.7.1	Design pressure	
5.7.2	Calculation pressure	
5.7.3	Calculation pressure for pressure differences	
5.7.4	Hydrostatic test	
5.8	Metal wastage	16
5.8.1	Internal wastage	16
5.8.2	External wastage	
5.8.3	Requirements	16
5.8.4	Stress corrosion	16
5.8.5	Mechanical requirements	17
5.9	Attachment on pressure parts	17
5.9.1	Load carrying attachments	17
5.9.2	Non load carrying attachments	17
6	Calculation temperature and nominal design stress	
6.1	Calculation temperature	
6.1.1	General	
6.1.2	Circulation boilers	
6.1.3	Once-through boilers, superheaters and reheaters	
6.1.4	Hot water generators	
6.1.5	Temperature allowances for unheated components	
6.1.6	Headers	
6.1.7	Unheated components	
6.1.8	Components protected against radiation	
6.1.9	Components heated by convection	
6.1.10	1	
6.2	Maximum through-the-wall temperature difference and maximum flue	
	temperature for heated drums and headers	21

6.2.1	Maximum through-the-wall temperature difference	
6.2.2	Headers exposed to flue gas	21
6.2.3	Allowable deviations	22
6.3	Design stress	
6.3.1	General	22
6.3.2	Rolled and forged steels	23
6.3.3	Austenitic steels	
6.3.4	Non-alloy and low-alloy cast steel	24
6.3.5	Nodular graphite cast iron	
6.3.6	Design stress for welded connections operating under creep condition	
6.3.7	Design stress for test pressure	25
7	Cylindrical shells of drums and headers under internal pressure	25
7.1	Shell thickness	
7.1.1	Requirements	25
7.1.2	Required wall thickness including allowances	26
7.2	Basic calculation	
7.2.1	Required wall thickness without allowances	26
7.2.2	Different thickness	26
7.2.3	Fabrication tolerances	26
7.3	Combined stress in drum or header shells	27
7.3.1	General	27
7.3.2	Stress from longitudinal loads	27
7.3.3	Longitudinal bending stress	28
7.3.4	Evaluation of ligament stress for inclined ligaments in drums	29
7.4	Boiler drum supports	30
7.5	Other stresses in cylindrical shells	31
8	Openings and branches in cylindrical shells of drums and headers and integrated	gral tubes
-	- F	,
8.1	General	
8.1.1	Requirements for the ligament efficiency of the main body with open	ings and
	branches	
8.1.2	Effective lengths for calculation of efficiencies of components	36
8.1.3	Conditions for isolated openings	
8.1.4	Requirements for design of branches	
8.1.5	Requirements for the design of reinforcing pads	38
8.2	Efficiency factor, calculation by way of approximation, and maximum dia	
	unreinforced openings	38
8.2.1	General	38
8.2.2	Allowable efficiency and maximum diameter of unreinforced opening	38
8.2.3	Isolated openings	
8.2.4	Adjacent openings	
8.3	Design of openings and branches in cylindrical shells (efficiency and reinfo	rcement)
8.3.1	Symbols and abbreviations	
8.3.2	Requirements for application	
8.3.3	Design of isolated openings and branch connections	
8.3.4	Design of adjacent openings and branch connections	
8.4	Bolted connections	
8.4.1	General	
8.4.2	Symbols and abbreviations	
8.4.3	Calculation of bolt diameter	
8.4.4	Calculation of bolt load	54

8.4.5	Calculation temperature t_c	
8.4.6	Design strength value K	
8.4.7	Safety factor S	
8.4.8	Quality factor q	
8.5	Screwed and socket welded connections	
8.5.1	Screwed connections into the belt	
8.5.2	Screwed socket connections	
8.5.3	Socket welded connections	59
9	Headers and plain tubes of rectangular section	60
9.1	General	
9.2	Symbols and abbreviations	
9.3	Required wall thickness	
9.3.1	General	
9.3.2	Minimum wall thickness at the centre of one side	
9.3.3	Minimum wall thickness at the corners	
9.3.4	Minimum thickness at a line of openings	
9.3.5	Minimum wall thickness at staggered opening arrangement (diagonal pitch)	
9.3.6	Minimum wall thickness at isolated openings	
10	Ends and spherical shells	
10.1	Symbols and abbreviations	
10.2	Spherical shells and dished heads	
	General	
	Calculation formula	
	Openings in dished ends and spherical ends	
10.3	Unstayed flat ends	
	General	
	Thickness of circular unstayed flat ends	
	Thickness of non-circular and rectangular unstayed flat ends	
10.4	Flat unstayed closures	81
11	Tubes	83
11.1	Symbols and abbreviations	
11.2	Thickness of straight boiler tubes	83
11.2.1	Required wall thickness with allowances	83
11.2.2	Required wall thickness without allowances	84
11.2.3	Minimum thickness	84
11.2.4	Circumferentially butt welded tubes	85
11.3	Thickness of tube bends and elbows	85
11.3.1	General	85
11.3.2	Required wall thickness with allowances	85
11.3.3	Required wall thickness without allowances	86
11.3.4	Departure from circularity of tube bends	86
11.4	Flexibility of integral tubing systems	87
11.4.1	General	87
11.4.2	Analysis	87
11.5	Structural attachments to tubes	87
	General	
11.5.2	Attachments welded on tube bends	89
	Length of attachments	
	Limit of intensity in the case of radial loading	
	Calculation of intensity in the case of radial loading	
	Strength of welds	
11.6	Fitting and joining of heated tubes	92

	Fitting of tubes	
11.6.2	Joining of heated tubes	92
	,	
	General	
	Flanges and bolting	
	Butt welded joints	
	Screwed or screwed and seal welded joints	
11.8	Standardized fittings	
12	Pressure parts of irregular shape	93
12.1	Hydrostatic test for determining the allowable internal pressure	
	General	
	Proof test to produce yielding	
	Proof test to destruction	
12.2	Numerical methods	
	General	
	Methods Evaluation of stress	
12.2.3		
13	Fatigue	
13.1	General	
_	Procedure	
	Fatigue loading	
	Calculation of fluctuating stress	
	Fatigue assessment	
13.2 13.3	Symbols and abbreviations	
	Exemption rule for fatigue analysisGeneral	
	Materials	
	Loadings	
	Temperature differences during transient operating conditions	
	Stress analysis for fatigue calculation	
	Principal and equivalent stresses	
	Temperature of a load cycle	
13.4.3	Protection of the magnetite layer	107
	Allowable circumferential stress range at the inside corner of a bore	
	Circumferential stress caused by pressure at the inside corner of a bore	
	Stresses on the branch caused by external forces and moments	
	Thermal stresses	
	Upper and lower limit of the circumferential stress at the inside corner of a bore	
	Admissible through-the-wall temperature differences	
13.4.10		
13.4.11 13.5	1 /	
	Example calculations	
Annex	A (normative) Calculation of tube bends and elbows	. 117
A.1	General	117
A.2	Symbols and abbreviations	117
A.3	Calculation	118
A.3.1	Required wall thickness	118
A.3.2	Calculation of the wall thickness	118
A.3.3	Calculation of stress	120

A.3.3.1	The strength conditions for the intrados of the bend shall be:	120
A.3.3.2	The strength conditions for the extrados of the bend shall be:	120
Annex	B (normative) Fatigue cracking - Design to allow for fluctuating stress	127
B.1	General	127
B.2	Conditions	127
B.3	Symbols and abbreviations	129
B.4	Cyclic stress range and mean cyclic stress in the case of uniaxial and multiafluctuating stress	
B.4.1	General	130
B.4.2	Uniaxial stress state	130
B.4.3	Multiaxial stress state with principal stress directions constant	130
B.5	Correction factors for taking into account the influences of surface finish weldments	
B.6	Controlling stress range	140
B.6.1	General	140
B.6.1.1	Controlling stress range	140
B.6.1.2	Elastic range	140
B.6.1. 3	Partly elastic range	140
B.6.1.4	Fully plastic range	140
B.6.2	Correction factor	141
B.7	Permissible stress range with a known number of load cycles	142
Annex	C (informative) Examples of calculating the effects of fatigue	143
C.1	General	143
C.2	Calculation of the admissible number of load cycles	143
C.3	Calculation of the admissible temperature gradient	146
Annex	D (informative) Physical properties of steels	150
D.1	General	150
D.2	Symbols and abbreviations	150
D.3	Physical properties	150
D.3.1	Density	150
D.3.2	Differential coefficient of linear thermal expansion	150
D.3.3	Heat capacity	151
D.3.4	Thermal diffusivity	151
D.3.5	Poisson's ratio	151
D.4	Physical properties of steels	151
D.4.1	Data sheet (tables)	151
D.4.2	Graphs	
D.4.3	Polynomials	

Annex	x E (informative) Consideration of external wastage due to flue gas exposure	160
E.1	General	160
E.2	Symbols and abbreviations	160
E.3	Wall thickness of straight tubes in accordance to Clause 11	160
E.3.1	Required wall thickness with allowance	160
E.3.2	Required wall thickness without allowances	160
E.3.3	Circumferentially butt welded tubes	160
E.4	Wall thickness of tube bends and elbows in accordance with Clause 11	161
E.4.1	Required wall thickness with allowance	161
E.4.2	Required wall thickness without allowances	161
E.5	Wall thickness of tube bends and elbows in accordance with Annex A	161
Annex	F (informative) Significant technical changes between this European Standar the previous edition	
Annex	ZA (informative) Clauses of this European Standard addressing essential requirements of the Pressure Equipment Directive 2014/68/EU	
Biblio	graphy	165

European foreword

This document (EN 12952-3:2022) has been prepared by Technical Committee CEN/TC 269 "Shell and water-tube boilers", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2023, and conflicting national standards shall be withdrawn at the latest by May 2023.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 12952-3:2011.

Annex F provides details of significant technical changes between this document and the previous edition.

The EN 12952 series, concerning water-tube boilers and auxiliary installations, consists of the following parts:

- Part 1: General
- Part 2: Materials for pressure parts of boilers and accessories
- Part 3: Design and calculation for pressure parts of the boiler
- Part 4: In-service boiler life expectancy calculations
- Part 5: Workmanship and construction of pressure parts of the boiler
- Part 6: Inspection during construction, documentation and marking of pressure parts of the boiler
- Part 7: Requirements for equipment for the boiler
- Part 8: Requirements for firing systems for liquid and gaseous fuels for the boiler
- Part 9: Requirements for firing systems for pulverized solid fuels for the boiler
- Part 10: Requirements for safety devices against excessive pressure
- Part 11: Requirements for limiting devices of the boiler and accessories
- Part 12: Requirements for boiler feedwater and boiler water quality
- Part 13: Requirements for flue gas cleaning systems
- Part 14: Requirements for flue gas DENOX-systems using liquified pressurized ammonia and ammonia water solution
- Part 15: Acceptance tests
- Part 16: Requirements for grate and fluidized-bed firing systems for solid fuels for the boiler
- CR 12952 Part 17: Guideline for the involvement of an inspection body independent of the manufacturer

— Part 18: Operating Instructions

Although these parts can be obtained separately, it should be recognized that the parts are interdependent. As such, the design and manufacture of water-tube boilers requires the application of more than one part in order for the requirements of this document to be satisfactorily fulfilled.

NOTE A "Boiler Helpdesk" has been established in CEN/TC 269 which may be contacted for any questions regarding the application of European Standards series EN 12952 and EN 12953, see the following website: http://www.boiler-helpdesk.din.de.

This document has been prepared under a Standardization Request given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s) / Regulation(s).

For relationship with EU Directive(s) / Regulation(s), see informative Annex ZA, which is an integral part of this document.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

1 Scope

This document specifies the requirements for the design and calculation of water-tube boilers as defined in EN 12952-1.

The purpose of this document is to ensure that the hazards associated with water-tube boilers are reduced to a minimum by the proper application of the design according to this part of EN 12952.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1092-1:2018, Flanges and their joints - Circular flanges for pipes, valves, fittings and accessories, PN designated - Part 1: Steel flanges

EN 1759-1:2004, Flanges and their joint - Circular flanges for pipes, valves, fittings and accessories, Class designated - Part 1: Steel flanges, NPS 1/2 to 24

EN 10028-1:2017, Flat products made of steels for pressure purposes - Part 1: General requirements

EN 10164:2018, Steel products with improved deformation properties perpendicular to the surface of the product - Technical delivery conditions

EN 10253-2:2021, Butt-welding pipe fittings — Part 2: Non alloy and ferritic alloy steels with specific inspection requirements

EN 10266:2003, Steel tubes, fittings and structural hollow sections - Symbols and definitions of terms for use in product standards

EN 12952-1:2015, Water-tube boilers and auxiliary installations - Part 1: General

EN 12952-2:2021, Water-tube boilers and auxiliary installations - Part 2: Materials for pressure parts of boilers and accessories

EN 12952-5:2021, Water-tube boilers and auxiliary installations - Part 5: Workmanship and construction of pressure parts of the boiler

EN 12952-6:2021, Water-tube boilers and auxiliary installations - Part 6: Inspection during construction, documentation and marking of pressure parts of the boiler

EN 12952-7:2012, Water-tube boilers and auxiliary installations - Part 7: Requirements for equipment for the boiler

EN 12952-12:2003, Water-tube boilers and auxiliary installations - Part 12: Requirements for boiler feedwater and boiler water quality

EN 12953-3:2016, Shell boilers - Part 3: Design and calculation for pressure parts

EN 13445-3:2021, Unfired pressure vessels — Part 3: Design

EN 13480-3:2017,¹ Metallic industrial piping — Part 3: Design and calculation

koniec náhľadu – text ďalej pokračuje v platenej verzii STN

 $^{\rm 1}$ As impacted by EN 13480-3:2017/A1:2021, EN 13480-3:2017/A2:2020, EN 13480-3:2017/A3:2020 and EN 13480-3:2017/A4:2021.