| STN | Zemný plyn Odber vzoriek plynu (ISO 10715: 2022) | STN EN ISO 10715 |
|-----|---|---------------------|
| DIM | | 38 5519 |

Natural gas - Gas sampling (ISO 10715:2022)

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 05/23

Obsahuje: EN ISO 10715:2022, ISO 10715:2022

Oznámením tejto normy sa ruší STN EN ISO 10715 (38 5519) z marca 2004



EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN ISO 10715

October 2022

ICS 75.060

Supersedes EN ISO 10715:2000

English Version

Natural gas - Gas sampling (ISO 10715:2022)

Gaz naturel - Échantillonnage de gaz (ISO 10715:2022)

Erdgas - Probenahme (ISO 10715:2022)

This European Standard was approved by CEN on 7 July 2022.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN ISO 10715:2022 (E)

| Contents | Page |
|-------------------|------|
| European foreword | 3 |

EN ISO 10715:2022 (E)

European foreword

This document (EN ISO 10715:2022) has been prepared by Technical Committee ISO/TC 193 "Natural gas" in collaboration with Technical Committee CEN/TC 238 "Test gases, test pressures, appliance categories and gas appliance types" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2023, and conflicting national standards shall be withdrawn at the latest by April 2023.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 10715:2000.

Any feedback and questions on this document should be directed to the users' national standards body/national committee. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

Endorsement notice

The text of ISO 10715:2022 has been approved by CEN as EN ISO 10715:2022 without any modification.

INTERNATIONAL STANDARD

ISO 10715

Second edition 2022-10

Natural gas — Gas sampling

Gaz naturel — Échantillonnage de gaz



Reference number ISO 10715:2022(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

| Co | nten | ts | | Page |
|------|--------------------|----------------|--|------|
| Fore | eword | | | vi |
| Intr | oduction | on | | vii |
| 1 | | | | |
| 2 | _ | | references | |
| _ | | | | |
| 3 | Teri | ns and o | definitions | 1 |
| 4 | Safe | ty consi | iderations | 4 |
| 5 | Prin | ciples o | of sampling | 4 |
| 6 | The | concept | t of representative sample | 4 |
| 7 | Types of sampling | | | |
| | 7.1 | Samp | oling method considerations | 5 |
| | 7.2 | | sampling | |
| | | 7.2.1 | General | |
| | | 7.2.2 | Fill-and-empty method | |
| | | 7.2.3 | Controlled-rate method | |
| | | 7.2.4 7.2.5 | Evacuated-cylinder method | |
| | | 7.2.6 | Floating-piston cylinder method | |
| | | 7.2.7 | Single cavity sample cylinder | |
| | | 7.2.8 | Sampling frequency | |
| | 7.3 | Incre | mental sampling (continuous or composite) | |
| | | 7.3.1 | General considerations | |
| | | 7.3.2 | Intervals | |
| | | 7.3.3 | System considerations | |
| | | 7.3.4 | Monitoring the filling process | |
| | | 7.3.5 | Cylinder tracking | |
| | 7.4 | 7.3.6 | Overpressure protection | |
| | 7.4 | 7.4.1 | e or direct samplingGeneral considerations | |
| | | 7.4.1 7.4.2 | Automatic drainage | |
| | | 7.4.2 | Reducing the pressure | |
| | | 7.4.4 | Inert-gas purging | |
| | | 7.4.5 | Safety/pressure relief valve | |
| | | 7.4.6 | Heating of sample line | |
| 8 | Sam | nling lo | cation | |
| Ü | 8.1 | | ral | |
| | 8.2 | | ling place | |
| | | 8.2.1 | | |
| | | 8.2.2 | Relevant gas | 14 |
| | | 8.2.3 | | |
| | | 8.2.4 | Access | |
| | 8.3 8.4 | | ling positionling point | |
| _ | | - | | |
| 9 | Idea 9.1 | | mentation of gas samplingral | |
| | 9.1 | | orption | |
| | 7.4 | 9.2.1 | | |
| | | 9.2.2 | Surface treatment | |
| | | 9.2.3 | Sorption considerations regarding sampling equipment | |
| | | 9.2.4 | Equilibrating of sampling equipment | |
| | 9.3 | | rials used in sampling | 18 |
| | | 9.3.1 | General considerations | 18 |

| | | 9.3.2 Steel grades | |
|-------|----------------|---|----|
| | | 9.3.3 Epoxy coatings | |
| | | 9.3.4 Other polymers | |
| | | 9.3.5 Rubbers | |
| | 0.4 | 9.3.6 Bimetallic corrosion | |
| | 9.4 | Sample contamination | |
| | | 9.4.1 Cleanliness | |
| | | 9.4.2 Cleaning sampling systems | |
| | 0.5 | 9.4.3 Pre-charging of sample cylinders Sample condensation | |
| | 9.5 | 9.5.1 Temperature | |
| | | 9.5.2 Pressure reduction and Joule Thomson cooling | |
| | | 9.5.3 Condensation and revaporization | |
| | 9.6 | Disturbance of the flow through the sampling system | |
| | 9.7 | Delay time | |
| | <i>7.17</i> | 9.7.1 Direct sampling method | |
| | | 9.7.2 Indirect sampling method | |
| 10 | Samn | ling equipment | |
| 10 | 3amp 10.1 | General | |
| | 10.1 | Probes | |
| | 10.2 | 10.2.1 General | |
| | | 10.2.2 Straight-tube probe | |
| | | 10.2.3 Probe regulator | |
| | | 10.2.4 Pitot probe | |
| | 10.3 | Tubings | |
| | | 10.3.1 Sampling and sample lines | 30 |
| | | 10.3.2 Bypass constructions | |
| | 10.4 | Filters, membranes and separators | |
| | 10.5 | Valves and safety valves | |
| | 10.6 | Fittings | |
| | 10.7 | Flow monitoring and control | |
| | 10.8 | Pressure reducers | |
| | 10.9 | Pressure sensor/manometers | |
| | 10.10 10.11 | Heating devices Seals and lubricants | |
| | | Sample containers or cylinders | |
| | 10.12 | 10.12.1 General | |
| | | 10.12.2 Standard or single cavity cylinder | |
| | | 10.12.3 Floating-piston cylinders or Constant Pressure cylinders | 35 |
| | 10.13 | Concentration devices | 36 |
| | 10.14 | Number and sequence of equipment | 37 |
| 11 | Verifi | cation of the system | 38 |
| 12 | | pleshooting | |
| | | 5 | 39 |
| Annex | | ormative) Purposes of sampling, panel of compounds and information in the | |
| | - | ling report | |
| Annex | B (inf | ormative) Procedures for sampling | 42 |
| Annex | c C (info | ormative) Gas sorption effect: adsorption/desorption | 49 |
| Annex | D (inf | ormative) Cleaning of steel sampling cylinders | 50 |
| Annex | E (inf | ormative) Joule-Thomson cooling and phase behaviour | 51 |
| Annex | F (info | ormative) Vortex shedding and associated problems | 54 |
| | | ormative) Guidelines for the calculation of the residence time | |
| | | ormative) Protocol for gas sampling system verification | |

| Annex I (informative) Number of samples | 68 |
|---|----|
| Bibliography | 70 |

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 193, *Natural Gas*, Subcommittee SC 1, *Natural gas analysis*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 238, *Test gases, test pressures and categories of appliances*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 10715:1997), which has been technically revised.

The main changes are as follows:

- This new edition has placed a significant relevance on regular service, maintenance and validation of installed sample systems which previously have not been given proper attention. Sample systems, or at least the fixed/installed portion of them, have all too often been installed and forgotten without realization that through use they become more and more contaminated leading to distortions of the composition of the gas being sampled.
- Introduction of new sampling devices.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

The composition, quality, and properties of natural gas vary according to amongst others its source, level of processing, natural mixing at interconnection points, storage facilities, blending stations, fluctuating demand for some of its derivatives such as LPG (Liquefied Petroleum Gases), and increasingly the need to transport unconventional and renewable gases in the same network etc.

The variations that occur are closely monitored and controlled to ensure safety of the general public as well as operational staff, plant, equipment and the gas infrastructures in general. Additionally and commercially critical the energy content of the gas differs with these variations and is very accurately monitored for billing and fiscal purposes because of the very large sums of money involved.

The variations that occur can be best collectively grouped under the generic term "Gas Quality" which is subsequently referred to as GQ in this document.

For monitoring and controlling GQ, samples are taken at many and various stages along the way and analysed. Such samples are taken under many different process parameters with a need to always ensure that any gas that is subsequently analysed for such monitoring purposes is truly representative of the bulk.

Methods of measuring GQ are well specified in numerous ISO standards as are the means of calibrating such measuring instruments, however all those measurements and calibrations are all but futile if the samples used for making such measurements are not representative.

This document provides means to ensure sampling systems and sampling processes are designed, located, installed, operated, and maintained such that samples obtained are representative of the bulk to which they are attributed. It also specifies comprehensive information on the way that samples can be contaminated, altered, modified or degraded and methods, means and procedures for ensuring that the sample remains representative from the start of the sampling process to the point where the sample is presented to the analytical device.

Natural gas — Gas sampling

WARNING — General quality aspects of natural gas are detailed in ISO 13686^[1]. However, it is possible that the standard does not cover all the trace constituents that are increasingly necessary to monitor for various reasons.

1 Scope

This document gives means for ensuring that samples of natural gas and natural gas substitutes that are conveyed into transmission and distribution grids are representative of the mass to which they are allocated.

NOTE To ensure that a particular gas is taken into account in the standard, please see Annex A.

This document is applicable for sampling at sites and locations where interchangeability criteria, energy content and network entry conditions are measured and monitored and is particularly relevant at cross border and fiscal measurement stations. It serves as an important source for control applications in natural gas processing and the measurement of trace components.

This document is applicable to natural dry gas (single phase - typically gas transiting through natural gas pipelines) sampling only. On occasion a natural gas flow can have entrained liquid hydrocarbons. Attempting to sample a wet natural gas flow introduces the possibility of extra unspecified uncertainties in the resulting flow composition analysis. Sampling a wet gas (two or three phases) flow is outside the scope of this document.

This document does not apply to the safety issues associated with gas sampling.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 14532, Natural gas — Vocabulary

koniec náhľadu – text ďalej pokračuje v platenej verzii STN