

| | | |
|------------|--|---|
| STN | Požiarnebezpečnostné inžinierstvo Požiadavky na algebraické vzorce Časť 7: Radiačný tepelný tok prijatý z požiaru otvorenej nádrže (kaluže) | STN ISO 24678-7 92 0113 |
|------------|--|---|

Fire safety engineering

Requirements governing algebraic formulae

Part 7: Radiation heat flux received from an open pool fire

Ingénierie de la sécurité incendie

Exigences régissant les formules algébriques

Partie 7: Flux de chaleur rayonné reçu d'un feu en nappe ouvert

Táto slovenská technická norma obsahuje anglickú verziu medzinárodnej normy ISO 24678-7: 2019 a má postavenie oficiálnej verzie.

This Slovak standard includes the English version of the International standard ISO 24678-7: 2019 and has the status of the official version.



136557

Úrad pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky, 2023

Slovenská technická norma a technická normalizačná informácia je chránená zákonom č. 60/2018 Z. z. o technickej normalizácii.

Anotácia

Požiadavky v tomto dokumente upravujú aplikáciu súboru podrobných (explicitných) algebraických vzorcov na výpočet špecifických charakteristík tepelného toku žiarenia z otvoreného požiaru v nádrži (kaluži).

Tento dokument je realizáciou (implementáciou) všeobecných požiadaviek uvedených v ISO 16730-1 pre prípad výpočtov dynamiky požiaru zahŕňajúcich súbor podrobných (explicitných) algebraických vzorcov.

Tento dokument je usporiadaný vo forme šablóny, kde sú poskytnuté určité (špecifické) informácie týkajúce sa algebraických vzorcov, aby sa splnili nasledujúce typy všeobecných požiadaviek:

- a) opis fyzikálnych javov riešených výpočtovou metódou;
- b) dokumentácia postupu výpočtu a jeho vedeckého základu;
- c) obmedzenia výpočtovej metódy;
- d) vstupné parametre pre výpočtovú metódu;
- e) oblasť použiteľnosti výpočtovej metódy.

Príklady súborov algebraických vzorcov, ktoré spĺňajú požiadavky tohto dokumentu, sú uvedené v prílohách A a B. Príloha A obsahuje súbor algebraických vzorcov pre radiálne tepelné toky z kruhovej alebo takmer kruhovej otvorenej nádrže (kaluže). Príloha B obsahuje vzorce pre konfiguračné činitele plameňa na cieľ sálania.

Národný predhovor

Dokumenty týkajúce sa požiarnebezpečnostného inžinierstva sú na medzinárodnej úrovni spracovávané v subkomisii ISO/TC 92/SC 4 Požiarnebezpečnostné inžinierstvo a v európskej pracovnej skupine CEN/TC 127 WG 8 Požiarnebezpečnostné inžinierstvo – angl. Fire safety engineering (ďalej len „FSE“).

Požiarnebezpečnostné inžinierstvo je určené pre nové inovatívne výrobky, návrhy a projekty a prevádzku, kde nie sú určené požiadavky požiarnej bezpečnosti stavieb.

Požiarnebezpečnostné inžinierstvo je alternatívou predpisových (právných a normatívnych) riešení. Je zapracované v mnohých európskych a medzinárodných normách a normatívnych dokumentoch, (napr. časti eurokódov, týkajúcich sa účinkov požiaru) prijatých do sústavy STN a pokynov EÚ na požiar.

Požiarnebezpečnostné inžinierstvo sa používa v súlade s zákonom č. 314/2000 Z. z. o ochrane pred požiarimi. Národné predpisy a normy umožňujú ich používanie za špecificky určených podmienok.

Požiarnebezpečnostné inžinierstvo ako podrobné alternatívne riešenie je možné používať na návrh komplexných alebo čiastkových problémov požiarnebezpečnostného inžinierstva.

Pre správne používanie je nevyhnutná znalosť najnovších základných dokumentov FSE a spracovanie požiarnymi inžiniermi – požiarnymi expertmi.

Tieto dokumenty FSE sú určené pre vedeckých pracovníkov, technické inžinierske vzdelávanie, architektov a stavebných inžinierov, účastníkov stavebného procesu, schvaľujúce orgány a manažment prevádzok budov a inžinierskych diel.

Normatívne referenčné dokumenty

Nasledujúce dokumenty, celé alebo ich časti, sú v tomto dokumente normatívnymi odkazmi a sú nevyhnutné pri jeho používaní. Pri datovaných odkazoch sa použije len citované vydanie. Pri nedatovaných odkazoch sa použije najnovšie vydanie citovaného dokumentu (vrátane všetkých zmien).

POZNÁMKA 1. – Ak bola medzinárodná publikácia zmenená spoločnými modifikáciami, čo je indikované označením (mod), použije sa príslušná EN/HD.

POZNÁMKA 2. – Aktuálne informácie o platných a zrušených STN a TNI možno získať na webovom sídle www.unms.sk.

Súbor ISO 5725 prijatý ako súbor STN ISO 5725 Presnosť (správnosť a zhodnosť) metód a výsledkov merania (01 0251)

ISO 13943 prijatá ako STN EN ISO 13943 Požiarna bezpečnosť. Slovník (ISO 13943) (92 0102)

ISO 16730-1 prijatá ako STN ISO 16730-1 Požiarnobezpečnostné inžinierstvo. Postupy a požiadavky na verifikáciu a validáciu výpočtových metód. Časť 1: Všeobecne (92 0109)

ISO 16733-1 prijatá ako STN ISO 16733-1 Požiarnobezpečnostné inžinierstvo. Výber návrhových požiarnych scenárov a požiarov. Časť 1: Výber návrhových požiarnych scenárov (92 0112)

Vypracovanie slovenskej technickej normy

Spracovateľ: Stavebná fakulta STU v Bratislave,
doc. Ing. Juraj Olbřímek, PhD., Ing. Zuzana Lacová, PhD.

Úrad pre normalizáciu, metrológiu a skúšobníctvo SR, Bratislava

Technická komisia: TK 119 Hodnotenie požiarnej bezpečnosti materiálov a výrobkov

Contents

Page

| | |
|---|-----------|
| Foreword | iv |
| Introduction | v |
| 1 Scope | 1 |
| 2 Normative references | 1 |
| 3 Terms and definitions | 1 |
| 4 Requirements governing the description of physical phenomena | 2 |
| 5 Requirements governing the documentation | 3 |
| 6 Requirements governing the limitations | 3 |
| 7 Requirements governing the input parameters | 3 |
| 8 Requirements governing the domain of applicability | 4 |
| Annex A (informative) Algebraic formulae for thermal radiation from a circular or near circular open pool fire | 5 |
| Annex B (informative) Configuration factors of a cylindrical flame to a target | 20 |
| Bibliography | 39 |

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 92, *Fire safety*, Subcommittee SC 4, *Fire safety engineering*.

A list of all parts in the ISO 24678 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

This corrected version of ISO 24678-7:2019 incorporates the following corrections:

Figure 1: "ISO 23932" has been corrected to "ISO 23932-1:2018". The box titled "selection of engineering methods" has been highlighted.

Figure A.2: The symbol $m\&$, estimation of mass burning rate, has been corrected to \dot{m} .

B.3.1.2, Formula B.2: first parenthesis, under the squared root, " $x+1/x-1$ " has been corrected to read " $x-1/x+1$ ".

B.3.1.2, Formula B.5: second denominator " r " has been corrected to " r^2 ".

B.3.3.2.1, Figure B.11 a): The black triangles have been removed.

B.3.3.3.1, Figure B.12: The black rectangle has been removed.

B.3.3.3.1, Figure B.13: "1" has been removed from inside the figure.

B.3.3.3.1, Figure B.14: The horizontal line has been removed.

Introduction

This document is intended to be used by fire safety practitioners involved with fire safety engineering calculation methods. It is expected that the users of this document are appropriately qualified and competent in the field of fire safety engineering. It is particularly important that the users understand the parameters within which particular methodologies can be used.

Algebraic formulae conforming to the requirements of this document are used with other engineering calculation methods during fire safety design. Such a design is preceded by the establishment of a context, including the fire safety goals and objectives to be met, as well as performance criteria when a trial fire safety design is subject to specified design fire scenarios. Engineering calculation methods are used to determine if these performance criteria are met by a particular design and if not, how the design needs to be modified.


The subjects of engineering calculations include the fire safety design of entirely new built environments, such as buildings, ships or vehicles as well as the assessment of the fire safety of existing built environments.

The algebraic formulae discussed in this document can be useful for estimating the consequences of design fire scenarios. Such formulae are valuable for allowing the practitioner to quickly determine how a proposed fire safety design needs to be modified to meet performance criteria and to compare among multiple trial designs. Detailed numerical calculations can be carried out until the final design documentation. Examples of areas where algebraic formulae have been applicable include determination of convective and radiative heat transfer from fire plumes, prediction of ceiling jet flow properties governing detector response times, calculation of smoke transport through vent openings, and analysis of compartment fire hazards such as smoke filling and flashover. However, the simple models often have stringent limitations and are less likely to include the effects of multiple phenomena occurring in the design fire scenarios.

The general principles are described in ISO 23932-1, which provides a performance-based methodology for engineers to assess the level of fire safety for new or existing built environments. Fire safety is evaluated through an engineered approach based on the quantification of the behaviour of fire and based on knowledge of the consequences of such behaviour on life safety, property and the environment. ISO 23932-1 provides the process (i.e. necessary steps) and essential elements to conduct a robust performance-based fire safety design.

ISO 23932-1 is supported by a set of available fire safety engineering International Standards on the methods and data needed for all the steps in a fire safety engineering design as summarized in Figure 1 (taken from ISO 23932-1:2018, Clause 4). The set includes ISO 16730-1, ISO 16733-1, ISO 16732, ISO 16734, ISO 16735, ISO 16736, ISO 16737, ISO/TR 16738, ISO 24678-6, ISO/TS 24679, ISO 23932-1, ISO/TS 29761 and other supporting technical reports that provide examples of and guidance on the application of these standards.

Each International Standard supporting the global fire safety engineering analysis and information system includes language in the introduction to tie the standard to the steps in the fire safety engineering design process outlined in ISO 23932-1. ISO 23932-1 requires that engineering methods be selected properly to predict the fire consequences of specific scenarios and scenario elements (ISO 23932-1:2018, Clause 10). Pursuant to the requirements of ISO 23932-1, this document provides the requirements governing algebraic formulae for fire safety engineering. This step in the fire safety engineering process is shown as a highlighted box in [Figure 1](#) and described in ISO 23932-1.



Key

- a See also ISO/TR 16576 (Examples).
- b See also ISO 16732-1, ISO 16733-1, ISO/TS 29761.
- c See also ISO 16732-1, ISO 16733-1, ISO/TS 29761.
- d See also ISO/TS 13447, ISO 16730-1, ISO/TR 16730-2 to 5 (Examples), ISO 16734, ISO 16735, ISO 16736, ISO 16737, ISO/TR 16738, ISO 24678-6.

e See also ISO/TR 16738, ISO 16733-1.

NOTE Documents linked to large parts of the FSE process: ISO 16732-1, ISO 16733-1, ISO/TS 24679, ISO/TS 29761, ISO/TR 16732-2 to 3 (Examples), ISO/TR 24679-2 to 4 and 6 (Examples).

Figure 1 — Flow chart illustrating the fire safety engineering design process (from ISO 23932-1:2018)

Fire safety engineering — Requirements governing algebraic formulae —

Part 7: Radiation heat flux received from an open pool fire

1 Scope

The requirements in this document govern the application of a set of explicit algebraic formulae for the calculation of specific characteristics of radiation heat flux from an open pool fire.

This document is an implementation of the general requirements provided in ISO 16730-1 for the case of fire dynamics calculations involving a set of explicit algebraic formulae.

This document is arranged in the form of a template, where specific information relevant to the algebraic formulae is provided to satisfy the following types of general requirements:

- a) description of physical phenomena addressed by the calculation method;
- b) documentation of the calculation procedure and its scientific basis;
- c) limitations of the calculation method;
- d) input parameters for the calculation method; and
- e) domain of applicability of the calculation method.

Examples of sets of algebraic formulae meeting the requirements of this document are provided in [Annexes A](#) and [B](#). [Annex A](#) contains a set of algebraic formulae for radiation heat fluxes from a circular or near-circular open pool fire. [Annex B](#) contains formulae for configuration factors of a flame to a target.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 5725 (all parts), *Precision of test methods — Determination of repeatability and reproducibility for a standard test method by inter-laboratory tests*

ISO 13943, *Fire safety — Vocabulary*

ISO 16730-1, *Fire safety engineering — Procedures and requirements for verification and validation of calculation methods — Part 1: General*

ISO 16733-1, *Fire safety engineering — Selection of design fire scenarios and design fires — Part 1: Selection of design fire scenarios*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN