

| | | |
|------------|---|--|
| STN | Inteligentné dopravné systémy Geografické dátové súbory (GDF) GDF5.1 Časť 2: Mapové dáta používané v automatizovaných systémoch riadenia vozidiel, kooperatívne IDS a multimodálna doprava (ISO 20524-2: 2020) | STN EN ISO 20524-2 01 8550 |
|------------|---|--|

Intelligent transport systems - Geographic Data Files (GDF) GDF5.1 - Part 2: Map data used in automated driving systems, Cooperative ITS, and multi-modal transport (ISO 20524-2:2020)

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 05/23

Obsahuje: EN ISO 20524-2:2022, ISO 20524-2:2020

Spolu s STN EN ISO 20524-1 ruší
STN EN ISO 14825 (01 8550) z januára 2012

136588



EUROPEAN STANDARD

EN ISO 20524-2

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2022

ICS 03.220.20; 35.240.60

Supersedes EN ISO 14825:2011

English Version

Intelligent transport systems - Geographic Data Files
(GDF) GDF5.1 - Part 2: Map data used in automated driving
systems, Cooperative ITS, and multi-modal transport (ISO
20524-2:2020)

Systèmes de transport intelligents - Fichiers de données géographiques (GDF) GDF5.1 - Partie 2 : Données cartographiques utilisées dans les systèmes de conduite automatisée, les ITS coopératifs et le transport multimodal (ISO 20524-2:2020)

Intelligente Transportsysteme - Geografische Dateien (GDF) - GDF5.1 - Teil 2: Kartendaten, die in automatisierten Fahrsystemen verwendet werden, kooperative ITS und multimodaler Transport (ISO 20524-2:2020)

This European Standard was approved by CEN on 20 December 2022.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN ISO 20524-2:2022 (E)

| Contents | Page |
|-------------------------------|-------------|
| European foreword..... | 3 |

European foreword

The text of ISO 20524-2:2020 has been prepared by Technical Committee ISO/TC 204 "Intelligent transport systems" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 20524-2:2022 by Technical Committee CEN/TC 278 "Intelligent transport systems" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2023, and conflicting national standards shall be withdrawn at the latest by June 2023.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 14825:2011.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

Endorsement notice

The text of ISO 20524-2:2020 has been approved by CEN as EN ISO 20524-2:2022 without any modification.

**INTERNATIONAL
STANDARD****ISO
20524-2**First edition
2020-11

**Intelligent transport systems —
Geographic Data Files (GDF) GDF5.1 —
Part 2:
Map data used in automated driving
systems, Cooperative ITS, and multi-
modal transport***Systèmes de transport intelligents — Fichiers de données
géographiques (GDF) GDF5.1 —**Partie 2: Partie 2 : Données cartographiques utilisées dans les
systèmes de conduite automatisée, les ITS coopératifs et le transport
multimodal*Reference number
ISO 20524-2:2020(E)

© ISO 2020

ISO 20524-2:2020(E)**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

| | |
|---|------------|
| Foreword | xi |
| Introduction | xii |
| 1 Scope | 1 |
| 2 Normative references | 1 |
| 3 Terms and definitions | 1 |
| 4 Abbreviated terms, symbols and notation elements | 2 |
| 4.1 Abbreviated terms..... | 2 |
| 4.2 Symbols and notation elements..... | 3 |
| 5 Overall conceptual data model | 3 |
| 5.1 Conceptual data models in GDF..... | 3 |
| 5.2 General data model of GDF..... | 4 |
| 5.2.1 Feature model..... | 4 |
| 5.2.2 Belt concept..... | 6 |
| 5.2.3 Graph topology..... | 7 |
| 5.2.4 Levels in GDF..... | 13 |
| 5.2.5 Height modelling and time modelling..... | 15 |
| 5.3 The Attribute model..... | 16 |
| 5.4 The Relationship model..... | 18 |
| 5.5 Linear referencing..... | 19 |
| 5.6 The Feature representation scheme..... | 19 |
| 5.7 Time modelling..... | 20 |
| 5.8 Data management: organization of Feature data into Layers and Sections..... | 21 |
| 6 Feature Catalogue | 24 |
| 6.1 Generic specifications..... | 24 |
| 6.1.1 Features and Feature Themes..... | 24 |
| 6.1.2 Feature Class Codes..... | 25 |
| 6.1.3 Simple and Complex Features..... | 25 |
| 6.1.4 Feature hierarchy..... | 25 |
| 6.1.5 Data model for the Feature Catalogue..... | 25 |
| 6.1.6 Shareable Feature..... | 26 |
| 6.2 Abstract Belt Feature..... | 30 |
| 6.2.1 General..... | 30 |
| 6.2.2 RoadBelt..... | 33 |
| 6.2.3 RoadBeltElement..... | 35 |
| 6.2.4 IntersectionBelt..... | 36 |
| 6.2.5 RoundaboutBelt..... | 38 |
| 6.2.6 LaneBeltElement..... | 38 |
| 6.2.7 LaneBeltJoint..... | 41 |
| 6.2.8 PotentialEvadingArea..... | 42 |
| 6.2.9 BeltRepresentativeLine (BRL)..... | 43 |
| 6.2.10 IntersectionConnectionPoint (ICP)..... | 45 |
| 6.2.11 LaneConnectionPoint (LCP)..... | 45 |
| 6.2.12 BeltOptionalPoint (BOP)..... | 45 |
| 6.2.13 BeltPartitionLine..... | 46 |
| 6.3 Road Furniture Feature..... | 47 |
| 6.3.1 General overview..... | 47 |
| 6.3.2 Road Structural Component (RSC)..... | 47 |
| 6.3.3 Road Marking-2..... | 48 |
| 6.3.4 Safety Fixture..... | 50 |
| 6.4 Public Transport Feature..... | 51 |
| 6.4.1 General overview..... | 51 |
| 6.4.2 Public Transport Feature..... | 53 |

ISO 20524-2:2020(E)

| | | |
|----------|---|-----------|
| 6.4.3 | Public Transport Point..... | 54 |
| 6.4.4 | Public Transport Point Sequence..... | 54 |
| 6.4.5 | Public Transport Point Sequence Part..... | 55 |
| 6.4.6 | Public Transport Point Set..... | 55 |
| 6.4.7 | Public Transport Point Set Part..... | 56 |
| 6.4.8 | Public Transport Representative Point..... | 56 |
| 6.4.9 | Public Transport Zone..... | 56 |
| 7 | Attribute Catalogue..... | 56 |
| 7.1 | Generic specifications..... | 56 |
| 7.1.1 | Attribute Types..... | 56 |
| 7.1.2 | Attribute Values..... | 57 |
| 7.1.3 | Attribute Type Name..... | 57 |
| 7.1.4 | Simple Attributes, Composite Attributes and Sub-Attributes..... | 57 |
| 7.1.5 | Names in combination with a Language Code..... | 58 |
| 7.1.6 | Default Attribute Values..... | 58 |
| 7.1.7 | Default Attribute units for measures..... | 58 |
| 7.1.8 | Attribute Type Codes..... | 58 |
| 7.1.9 | User Defined Attributes..... | 58 |
| 7.1.10 | Attribute mapping to Feature Themes and Relationships..... | 59 |
| 7.1.11 | The data model for Attributes..... | 64 |
| 7.2 | Attributes..... | 70 |
| 7.2.1 | Alignment Portion Type..... | 70 |
| 7.2.2 | Applied Direction..... | 71 |
| 7.2.3 | Applied Feature Type..... | 71 |
| 7.2.4 | Applied Side Line..... | 71 |
| 7.2.5 | Approximated Curve..... | 71 |
| 7.2.6 | Belt Overlapping..... | 72 |
| 7.2.7 | Belt Representative Line Segment Characteristic..... | 72 |
| 7.2.8 | Road Belt Element Segment Characteristic..... | 72 |
| 7.2.9 | Circular Curve Measure..... | 73 |
| 7.2.10 | Clothoid Curve Measure..... | 73 |
| 7.2.11 | Connection Type..... | 73 |
| 7.2.12 | Context Of Point..... | 73 |
| 7.2.13 | Context Of Point Set..... | 74 |
| 7.2.14 | Context Of Point Sequence..... | 74 |
| 7.2.15 | Cross-section..... | 74 |
| 7.2.16 | Design Reference..... | 74 |
| 7.2.17 | End Elevation Measure..... | 75 |
| 7.2.18 | Existence Position..... | 75 |
| 7.2.19 | Flexure Angle..... | 75 |
| 7.2.20 | Flexure Point..... | 75 |
| 7.2.21 | Gradient..... | 76 |
| 7.2.22 | Heading Angle..... | 76 |
| 7.2.23 | Height Block Characteristics..... | 76 |
| 7.2.24 | Height Block Information..... | 77 |
| 7.2.25 | Hierarchical Info..... | 77 |
| 7.2.26 | Identifier Number..... | 77 |
| 7.2.27 | Include Bicycle Lane..... | 77 |
| 7.2.28 | Intersection Category..... | 78 |
| 7.2.29 | Intersection Type..... | 78 |
| 7.2.30 | Lane Block ID..... | 78 |
| 7.2.31 | Lane Block Info..... | 78 |
| 7.2.32 | Lane Transfer Characteristic..... | 79 |
| 7.2.33 | Lane Transfer Characteristic Type..... | 79 |
| 7.2.34 | Lane Number..... | 80 |
| 7.2.35 | Lane Number Of Referencing..... | 80 |
| 7.2.36 | Lane Belt Element Segment Characteristic..... | 80 |
| 7.2.37 | Lane Width Change..... | 81 |

| | | |
|----------|--|-----------|
| 7.2.38 | Line Code | 81 |
| 7.2.39 | Line Name | 82 |
| 7.2.40 | Line Segment Information | 82 |
| 7.2.41 | Linear Portion Measure | 82 |
| 7.2.42 | Marking Type | 82 |
| 7.2.43 | Maximum Tolerance | 83 |
| 7.2.44 | Minimum Tolerance | 83 |
| 7.2.45 | Number Of Lanes in Lane Section | 83 |
| 7.2.46 | Number Of Lane Section Block Info | 83 |
| 7.2.47 | Number Of Slope Measure | 84 |
| 7.2.48 | PEA Limitation | 84 |
| 7.2.49 | Public Transport Operator | 84 |
| 7.2.50 | Road Alignment | 84 |
| 7.2.51 | Road-facing Side | 85 |
| 7.2.52 | Road Marking Common Attribute | 85 |
| 7.2.53 | Road Marking Individual Attribute | 85 |
| 7.2.54 | Road Marking Individual Characteristics | 86 |
| 7.2.55 | Road Structural Component Common Attribute | 86 |
| 7.2.56 | Road Structural Component Individual Attribute | 86 |
| 7.2.57 | Road Structural Component Individual Characteristics | 86 |
| 7.2.58 | Safety Fixture Common Attribute | 87 |
| 7.2.59 | Safety Fixture Individual Attribute | 87 |
| 7.2.60 | Safety Fixture Individual Characteristics | 87 |
| 7.2.61 | Segment Direction | 87 |
| 7.2.62 | Slope Measure | 88 |
| 7.2.63 | Sub Feature Class Code (Road Furniture) | 88 |
| 7.2.64 | Start Elevation Measure | 88 |
| 7.2.65 | Traffic Restriction | 88 |
| 7.2.66 | Traffic Restriction Item | 89 |
| 7.2.67 | Traffic Restriction Type Code | 89 |
| 7.2.68 | Traffic Restriction Value | 89 |
| 7.2.69 | Transport Mode | 89 |
| 7.2.70 | Traverse Point Location | 90 |
| 7.2.71 | Transverse Slope | 90 |
| 7.2.72 | Type Of BeltRepresentativeLine | 91 |
| 7.2.73 | Type Of Public Transport Point | 91 |
| 7.2.74 | Type Of Public Transport Point Sequence | 92 |
| 7.2.75 | Type Of Public Transport Point Set | 92 |
| 7.2.76 | Without Road shoulder | 93 |
| 7.2.77 | Zone Description | 93 |
| 7.2.78 | Zone Name | 93 |
| 8 | Relationship Catalogue | 93 |
| 8.1 | Generic specifications | 93 |
| 8.1.1 | Feature and their Relationships | 93 |
| 8.1.2 | Relationship Types | 108 |
| 8.1.3 | Relationship Type Codes | 108 |
| 8.1.4 | Arity of a Relationship | 109 |
| 8.1.5 | Roles and partners of a Relationship | 109 |
| 8.1.6 | Homogeneous Relationships and their constraints | 109 |
| 8.2 | Relationship Types | 110 |
| 8.2.1 | Belt Representative Line Associated With Intersection Connection Point | 110 |
| 8.2.2 | Belt Representative Line Associated With Lane Connection Point | 111 |
| 8.2.3 | Belt Representative Line Characteristic | 111 |
| 8.2.4 | Road Belt Element Associated With Intersection Belt | 112 |
| 8.2.5 | Road Belt Element Ownership Of Belt Representative Line | 112 |
| 8.2.6 | Road Belt Element Segment Characteristic | 113 |
| 8.2.7 | Intersection Belt Ownership Of Belt Representative Line | 114 |
| 8.2.8 | Lane Belt Element Associated With Lane Belt Joint | 114 |

ISO 20524-2:2020(E)

| | | |
|-----------|--|------------|
| 8.2.9 | Lane Belt Element Ownership Of Belt Representative Line..... | 115 |
| 8.2.10 | Lane Belt Element Segment Characteristic..... | 115 |
| 8.2.11 | Lane Belt Joint Associated With Intersection Belt..... | 116 |
| 8.2.12 | Lane Section..... | 116 |
| 8.2.13 | Multi Public Transport Point Assignment..... | 117 |
| 8.2.14 | PEA Ownership Of Belt Representative Line..... | 118 |
| 8.2.15 | Public Transport Point In Correspondence With Road Element..... | 118 |
| 8.2.16 | Road Belt Associated With Intersection Belt..... | 119 |
| 8.2.17 | Road Belt Ownership Of Belt Representative Line..... | 119 |
| 8.2.18 | Road Furniture Along Road Belt Element..... | 120 |
| 8.2.19 | Road Furniture Along Belt Representative Line..... | 121 |
| 8.2.20 | Road Furniture Along Intersection Belt..... | 121 |
| 8.2.21 | Road Furniture Along Lane Belt Element..... | 122 |
| 8.2.22 | Road Marking Along Road Belt Element..... | 123 |
| 8.2.23 | Road Marking Along Belt Representative Line..... | 124 |
| 8.2.24 | Road Marking Along Intersection Belt..... | 125 |
| 8.2.25 | Road Marking Along Lane Belt Element..... | 125 |
| 8.2.26 | Segmented Edge Of PEA Belt..... | 126 |
| 8.2.27 | Shareable Coverage Area Linked To Shareable Point..... | 127 |
| 8.2.28 | Shareable Coverage Area Linked To Shareable Point Sequence..... | 127 |
| 8.2.29 | Shareable Coverage Area Linked To Shareable Point Set..... | 128 |
| 8.2.30 | Shareable Representative Point Linked To Shareable Point Sequence..... | 128 |
| 8.2.31 | Shareable Representative Point Linked To Shareable Point Set..... | 129 |
| 8.2.32 | Structure Along Road Belt Element..... | 129 |
| 8.2.33 | Structure Along Belt Representative Line..... | 130 |
| 9 | Feature representation rules..... | 131 |
| 9.1 | General..... | 131 |
| 9.2 | Generic specifications..... | 131 |
| 9.2.1 | Overview..... | 131 |
| 9.2.2 | Feature Categories..... | 131 |
| 9.2.3 | Types of topology..... | 132 |
| 9.2.4 | Levels of representation..... | 132 |
| 9.2.5 | Layers on level 0..... | 134 |
| 9.2.6 | Rules for level 0 representation..... | 134 |
| 9.3 | Abstract Belt Feature..... | 134 |
| 9.3.1 | Introduction..... | 134 |
| 9.3.2 | Level 2 representation..... | 134 |
| 9.3.3 | Level 1 representation..... | 134 |
| 9.3.4 | Level 0 representation..... | 137 |
| 9.4 | Road Furniture..... | 137 |
| 9.4.1 | Level 2 representation..... | 137 |
| 9.4.2 | Level 1 representation..... | 137 |
| 9.4.3 | Level 0 representation..... | 137 |
| 9.5 | Shareable Feature..... | 137 |
| 9.5.1 | Level 2 representation..... | 137 |
| 9.5.2 | Level 1 representation..... | 138 |
| 9.5.3 | Level 0 representation..... | 138 |
| 9.6 | Public Transport Feature..... | 138 |
| 9.6.1 | Level 2 representation..... | 138 |
| 9.6.2 | Level 1 representation..... | 138 |
| 9.6.3 | Level 0 representation..... | 138 |
| 10 | Metadata Catalogue..... | 138 |
| 11 | Logical Data Structures..... | 138 |
| 11.1 | Introduction..... | 138 |
| 11.1.1 | Data description language: ESN..... | 138 |
| 11.1.2 | Sets, elements and ranges..... | 138 |
| 11.1.3 | Summary of the syntax notation..... | 138 |

| | | | |
|-----------|---------|--|------------|
| | 11.1.4 | Useful consequences of the syntax notation..... | 139 |
| | 11.1.5 | Diagrammatic overview of the overall structure..... | 139 |
| 11.2 | | Logical GDF Album..... | 140 |
| 11.3 | | Datasets..... | 141 |
| 11.4 | | Layers..... | 141 |
| 11.5 | | Sections..... | 141 |
| | 11.5.1 | Overview..... | 141 |
| | 11.5.2 | SECTION..... | 141 |
| | 11.5.3 | Section Metadata..... | 141 |
| | 11.5.4 | Section Data..... | 141 |
| 11.6 | | Time Domain Syntax..... | 157 |
| 11.7 | | Update Information..... | 157 |
| | 11.7.1 | Overview..... | 157 |
| | 11.7.2 | UPDATE INFORMATION..... | 157 |
| | 11.7.3 | GEO TOPO UPDATE INFORMATION..... | 157 |
| | 11.7.4 | OBJECT UPDATE INFORMATION..... | 157 |
| | 11.7.5 | Basic Data Types used by Update Information..... | 157 |
| 11.8 | | Common Data Types..... | 158 |
| | 11.8.1 | Overview..... | 158 |
| | 11.8.2 | Pre-defined code lists and value lists..... | 158 |
| | 11.8.3 | Geodeticals..... | 158 |
| | 11.8.4 | Units & measures..... | 158 |
| | 11.8.5 | Coordinates..... | 158 |
| | 11.8.6 | Geographics..... | 158 |
| | 11.8.7 | Identifier types..... | 158 |
| | 11.8.8 | Basic types..... | 164 |
| 12 | | Media Record Specifications..... | 164 |
| | 12.1 | General specifications..... | 164 |
| | 12.1.1 | Introduction..... | 164 |
| | 12.1.2 | Partitioning..... | 164 |
| | 12.1.3 | Logical Record..... | 164 |
| | 12.1.4 | Media Record..... | 164 |
| | 12.1.5 | Continuation Record..... | 164 |
| | 12.1.6 | Null Record..... | 164 |
| | 12.1.7 | Fields of variable and fixed length..... | 164 |
| | 12.1.8 | Repeating Fields..... | 164 |
| | 12.1.9 | Repeating Field Groups..... | 165 |
| | 12.1.10 | Nesting Of Repeating Fields..... | 165 |
| | 12.1.11 | Packing..... | 165 |
| | 12.1.12 | Data Types..... | 165 |
| | 12.1.13 | Character sets..... | 165 |
| | 12.1.14 | Justification..... | 165 |
| | 12.1.15 | Order of Records..... | 165 |
| | 12.1.16 | Order of subrecords..... | 165 |
| | 12.1.17 | Links between data records..... | 166 |
| 12.2 | | Field specifications..... | 173 |
| | 12.2.1 | Field Name..... | 173 |
| | 12.2.2 | Record Control Fields..... | 173 |
| | 12.2.3 | Common fields..... | 177 |
| | 12.2.4 | Fields in Global Records..... | 180 |
| | 12.2.5 | Fields in Data Records..... | 180 |
| | 12.2.6 | Fields in Update Information Records..... | 182 |
| | 12.2.7 | Fields Catalogue..... | 183 |
| 12.3 | | Additional Constraints for Topological Features..... | 197 |
| | 12.3.1 | Order of multiple Coordinate tuples in Coordinate Records..... | 197 |
| | 12.3.2 | Order of Edges in Line Features, Belt Features, Area Features and Faces..... | 198 |
| | 12.3.3 | Order of Features in Relationship Records..... | 198 |
| | 12.3.4 | Order of Features in Relationship Records..... | 198 |

ISO 20524-2:2020(E)

| | | |
|-----------|---|------------|
| 12.4 | Additional Constraints for Non-Explicit Topological Features: Order of Coordinate triplets in Feature Records | 198 |
| 12.5 | Mandatory Records | 198 |
| 12.6 | Record Format Specifications: Global Records | 198 |
| 12.6.1 | Album Header Record [ALHDREC] | 198 |
| 12.6.2 | Dataset Header Record [DSHDREC] | 198 |
| 12.6.3 | Field Definition Record [FIELDDEFREC] | 198 |
| 12.6.4 | Record Definition Record [RECDEFREC] | 198 |
| 12.6.5 | Feature Definition Record [FEATDEFREC] | 199 |
| 12.6.6 | Attribute Definition Record [ATDEFREC] | 199 |
| 12.6.7 | Attribute Value Definition Record [ATTVALREC] | 199 |
| 12.6.8 | Default Attribute Record [DATTVALREC] | 199 |
| 12.6.9 | Relationship Definition Record [RELDEFREC] | 199 |
| 12.6.10 | Geopolitical Structure Definition Record [GPLSTRDREC] | 199 |
| 12.6.11 | Geopolitical Structure Component Definition Record [GPLCOMDREC] | 199 |
| 12.6.12 | Spatial Domain Record [SPADOREC] | 199 |
| 12.6.13 | Directory Record [DIREC] | 199 |
| 12.6.14 | Abbreviation Record [ABBRREC] | 199 |
| 12.6.15 | Network Specification Record [NWSPECSREC] | 199 |
| 12.6.16 | Source Record [SRCEREC] | 199 |
| 12.6.17 | Geodetical Parameter Records | 201 |
| 12.6.18 | Layer Header Record [LAYHREC] | 201 |
| 12.6.19 | Section Header Record [SECHREC] | 201 |
| 12.6.20 | Comment Record [COMMENTREC] | 201 |
| 12.6.21 | Volume Termination Record [VOLTERMREC] | 201 |
| 12.7 | Record Format Specifications: Data Records | 201 |
| 12.7.1 | 2D Coordinate Record [XYREC] | 201 |
| 12.7.2 | 3D Coordinate Record [XYZREC] | 202 |
| 12.7.3 | Node Record [NODEREC] | 202 |
| 12.7.4 | Edge Record [EDGEREC] | 202 |
| 12.7.5 | Face Record [FACEREC] | 202 |
| 12.7.6 | Point Feature Record (Explicit Point Topology sub-record) [POFEREC.01] | 202 |
| 12.7.7 | Point Feature Record (Non-explicit Point Topology sub-record) [POFEREC.03] | 202 |
| 12.7.8 | Line Feature Record (Explicit Line Topology sub-record) [LIFEREC.01] | 202 |
| 12.7.9 | Line Feature Record (Non-Explicit Line Topology sub-record) [LIFEREC.03] | 202 |
| 12.7.10 | Belt Feature Record (Full Rendering Belt Topology sub-record) [BEFEREC.01] | 202 |
| 12.7.11 | Belt Feature (Connectivity Rendering Belt Topology sub-record) [BEFEREC.02] | 203 |
| 12.7.12 | Belt Feature (Non-explicit Belt Topology sub-record) [BEFEREC.03] | 205 |
| 13 | XML schema specifications | 207 |
| 13.1 | Introduction | 207 |
| 13.1.1 | Schema design principles | 208 |
| 13.2 | Data content | 208 |
| 13.3 | GDF Part2 XML schema | 208 |
| 13.4 | Schema GDF_Main_Part2.xsd | 208 |
| 13.4.1 | Header | 208 |
| 13.4.2 | GDF Main Part2 | 208 |
| 13.4.3 | Full Topology Belt Feature part2 | 210 |
| 13.4.4 | Connectivity Topology Belt Feature part2 | 211 |
| 13.4.5 | Non-explicit Topology Belt Feature part2 | 212 |
| 13.4.6 | Explicit Point Feature part2 | 213 |
| 13.4.7 | Non-explicit Point Feature part2 | 214 |
| 13.4.8 | Explicit Line Feature part2 | 214 |
| 13.4.9 | Non-explicit Line Feature part2 | 215 |
| 13.4.10 | Full Topology Area Feature part2 | 216 |
| 13.4.11 | Connectivity Topology Area Feature part2 | 216 |

| | | |
|---|--|------------|
| 13.4.12 | Non-explicit Topology Area Feature part2 | 216 |
| 13.4.13 | Explicit Topology Complex Feature part2 | 217 |
| 13.4.14 | Non-explicit Topology Complex Feature part2 | 218 |
| 13.4.15 | Attribute part2 | 219 |
| 13.4.16 | Relationship part2 | 219 |
| 13.5 | Schema GDF_data_dict_Part2.xsd | 220 |
| 13.5.1 | Header | 220 |
| 13.5.2 | Attribute Type code part2 | 220 |
| 13.5.3 | Belt element pointer | 220 |
| 13.5.4 | Belt element type | 220 |
| 13.5.5 | Belt Feature ID | 220 |
| 13.5.6 | Defined Attribute Type code D part2 | 221 |
| 13.5.7 | Defined Attribute Type code D Name part2 | 221 |
| 13.5.8 | Defined Attribute Type code D Value part2 | 222 |
| 13.5.9 | Defined Attribute Type code Data Type Code part2 | 223 |
| 13.5.10 | Defined Attribute Type code Definition part2 | 224 |
| 13.5.11 | Defined Attribute Type code Definition Reference part2 | 225 |
| 13.5.12 | Defined Attribute Code List Part2 | 226 |
| 13.5.13 | Defined Feature Category Name part2 | 234 |
| 13.5.14 | Defined Feature Category Value part2 | 234 |
| 13.5.15 | Defined Feature Code part2 | 234 |
| 13.5.16 | Defined Feature Code Name part2 | 234 |
| 13.5.17 | Defined Feature Code Value part2 | 235 |
| 13.5.18 | Feature Category part2 | 235 |
| 13.5.19 | Feature Code part2 | 235 |
| 13.5.20 | Record Type part2 | 236 |
| 13.5.21 | Record Type Name part2 | 236 |
| 13.5.22 | Record Type Value part2 | 236 |
| 13.5.23 | Record Type part2 (simple) | 236 |
| 13.5.24 | Record Subtype part2 (simple) | 236 |
| 13.5.25 | Relationship Code part2 | 236 |
| 13.5.26 | Relationship Code D part2 | 236 |
| 13.5.27 | Relationship Code Name part2 | 237 |
| 13.5.28 | Relationship Code Value part2 | 237 |
| 13.5.29 | Relationship Code Roles Definition part2 | 238 |
| 13.5.30 | Relationship Code Roles Definition part2 Declination | 238 |
| 13.5.31 | Relationship Feature part2 | 239 |
| 13.5.32 | Relationship Role Code Lists part2 | 239 |
| 13.6 | Schema GDF_userDefined_Part2.xsd | 254 |
| 13.6.1 | Header | 254 |
| 13.6.2 | Attribute Descriptor part2 | 254 |
| 13.6.3 | Attribute Content part2 | 255 |
| 13.6.4 | User-defined Attribute Type code part2 | 255 |
| 13.6.5 | User-defined Attribute Type code Name part2 | 255 |
| 13.6.6 | User-defined Attribute Type code Value part2 | 255 |
| 13.6.7 | User-defined Feature Codes part2 | 255 |
| 13.6.8 | User-defined Feature Code Name part2 | 255 |
| 13.6.9 | User-defined Feature Code Value part2 | 255 |
| 13.6.10 | User-defined Relationship Code part2 | 255 |
| 13.6.11 | User-defined Relationship Code Name part2 | 256 |
| 13.6.12 | User-defined Relationship Code Value part2 | 256 |
| Annex A (normative) Semantic codes for GDF5.1 Part 2 | | 257 |
| Annex B (normative) Syntax for Time Domains of GDF5.1 Part 2 | | 263 |
| Annex C (normative) Sectioning GDF Datasets | | 287 |
| Annex D (normative) Definition and description of the subtypes of Road Furniture | | 290 |

ISO 20524-2:2020(E)

| | |
|--|------------|
| Annex E (normative) Definition and description of the subtypes of Public Transport Point Features | 307 |
| Annex F (normative) XML schema specification file for GDF5.1 Part1 and Part2 | 317 |
| Annex G (informative) Examples of XML representation of GDF5.1 Part 2 (this document) in Japan | 544 |
| Annex H (informative) UML notation | 580 |
| Annex I (informative) Examples of BeltProperty concepts | 586 |
| Bibliography | 589 |

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 204, *Intelligent transport systems*.

This first edition cancels and replaces ISO 14825:2011, which has been technically revised.

The main changes compared to the previous edition are as follows:

- this document is newly dedicated to automated driving systems, Cooperative ITS and multi-modal transport.

A list of all parts in the ISO 20524 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

ISO 20524-2:2020(E)

Introduction

GDF5.0 (ISO 14825) defines the map database exchange format for ITS. Its primary application is in car navigation systems and it assumes the provision of the map database by a single provider. However, ITS applications have been expanding to Cooperative ITS and automated driving systems through the recent progress of technology. In addition, there is demand for capabilities such as the accommodation of map databases from multiple providers and cooperation with externally connecting databases, such as Transmodel (EN 12896-1 and EN 12896-2).

Given this environment, ISO 14296 was published in February 2016 as an extension of map database specifications for applications of Cooperative ITS. However, GDF5.0 (ISO 14825) does not define some elements used in this document and automated driving systems require additional elements based on their unique application requirements. Furthermore, because GDF5.0 (ISO 14825) does not define a method to connect with external databases, the formulation of GDF5.1 (the ISO 20524 series) has become indispensable.

On revising GDF, the changes of conventional GDF are applied in GDF5.1 Part 1 (ISO 20524-1). The addition of a concept, a data model and specifications to satisfy new requirements applies to GDF5.1 Part 2 (this document). The new GDF document (the ISO 20524 series) is accordingly composed of two separate volumes: Part 1 (ISO 20524-1) and Part 2 (this document).

Intelligent transport systems — Geographic Data Files (GDF) GDF5.1 —

Part 2:

Map data used in automated driving systems, Cooperative ITS, and multi-modal transport

1 Scope

This document specifies the conceptual and logical data model in addition to the physical encoding formats for geographic databases for Intelligent Transport Systems (ITS) applications and services. This document includes a specification of potential contents of such databases (data dictionaries for Features, Attributes and Relationships), a specification of how these contents are to be represented, and how relevant information about the database itself can be specified (metadata). This document further defines map data used in automated driving systems, Cooperative-ITS, and Multi-modal transport.

The focus of this document is firstly on emerging ITS applications and services, such as Cooperative-ITS and automated driving systems, and it emphasizes road, lane and relevant information on road and lane. However, ITS applications and services also require other information in addition to road and road-related information, which are provided as external databases to connect with GDF and to complement each other. Highly defined public transport databases, for instance, are indispensable in multi-modal transport applications and services in particular. Thus, this document focuses secondly on an expansion of the specification to connect with externally existing databases. It is particularly designed to connect a Transmodel (EN 12896-1 and EN 12896-2) conformant public transport database.

Typical ITS applications and services targeted by this document are in-vehicle or portable navigation systems, traffic management centres, or services linked with road management systems, including public transport systems.

The conceptual data model specified here has a broader focus than ITS applications and services. It is application independent, allowing for future harmonization of this model with other geographic database standards.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 20524-1:2020, *Intelligent Transport Systems — Geographic Data Files (GDF) GDF5.1 — Part 1: Application independent map data shared between multiple sources*

ISO 639-2, *Codes for the representation of names of languages — Part 2: Alpha-3 code*

NOTE Codes are available at <http://www.loc.gov/standards/iso639-2/>.

koniec náhľadu – text ďalej pokračuje v platenej verzii STN