

STN	Letectvo a kozmonautika Elektrické kruhové konektory spojené spojkou so závitom, ohňovzdorné alebo neohňovzdorné, pre trvalú prevádzkovú teplotu od -65 °C do 175 °C, 200 °C a špičkovú teplotu 260 °C Časť 002: Zhotovenie a usporiadanie kontaktov	STN EN 2997-002 31 1751
------------	---	---

Aerospace series - Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures - 65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak - Part 002: Specification of performance and contact arrangements

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 04/23

Obsahuje: EN 2997-002:2022

Oznámením tejto normy sa ruší
STN EN 2997-002 (31 1751) z marca 2017

136609

EUROPEAN STANDARD

EN 2997-002

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2022

ICS 49.060

Supersedes EN 2997-002:2016

English Version

**Aerospace series - Connectors, electrical, circular, coupled
by threaded ring, fire-resistant or non fire-resistant,
operating temperatures - 65 °C to 175 °C continuous, 200
°C continuous, 260 °C peak - Part 002: Specification of
performance and contact arrangements**

Série aérospatiale - Connecteurs électriques circulaires
à accouplement par bague fileté, résistant au feu ou
non, températures d'utilisation - 65 °C à 175 °C
continu, 200 °C continu, 260 °C en pointe - Partie 002 :
Spécification de performances et d'arrangements des
contacts

Luft- und Raumfahrt - Elektrische Rundsteckverbinder
mit Schraubkupplung, feuerbeständig oder nicht
feuerbeständig, Betriebstemperaturen -65 °C bis 175
°C konstant, 200 °C konstant, 260 °C Spitze - Teil 002:
Leistungsdaten und Kontaktanordnungen

This European Standard was approved by CEN on 24 February 2020.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN 2997-002:2022 (E)

Contents		Page
European foreword		3
1	Scope.....	5
2	Normative references.....	5
3	Terms and definitions	7
4	Model description and codification of models	7
5	Operating conditions	8
5.1	General.....	8
5.2	Combinations of plugs and receptacles	8
5.3	Combinations of protective covers and connectors	9
5.4	Permissible cables.....	9
5.5	Operating characteristics.....	10
5.5.1	Electrical conditions	10
5.5.2	Climatic conditions.....	10
5.5.3	Mechanical conditions.....	10
6	Connector type codes.....	10
7	Polarization.....	12
8	Housing sizes and contact arrangements.....	13
9	Contacts	29
10	Sealing plugs	29
11	Cable outlets	30
12	Tooling	30
13	Assembly and wiring instruction	30
Bibliography.....		31

European foreword

This document (EN 2997-002:2022) has been prepared by the Aerospace and Defence Industries Association of Europe - Standardization (ASD-STAN).

After enquiries and votes carried out in accordance with the rules of this Association, this document has received the approval of the National Associations and the Official Services of the member countries of ASD, prior to its presentation to CEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2023, and conflicting national standards shall be withdrawn at the latest by Jun 2023.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document will supersede EN 2997-002:2016.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

EN 2997-002:2022 (E)**Introduction**

This family of connectors is derived from MIL-DTL-83723 series III, type T with which it is intermateable.

1 Scope

This document specifies the performance and contact arrangements of circular electrical connectors, coupled by threaded ring. It also lists the product standards and models available for selection in this series.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 2591-202, *Aerospace series — Elements of electrical and optical connection — Test methods — Part 202: Contact resistance at rated current*

EN 2591-209, *Aerospace series — Elements of electrical and optical connection — Test methods — Part 209: Current temperature derating*

EN 2997-001, *Aerospace series — Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures –65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak — Part 001: Technical specification*

EN 2997-003, *Aerospace series — Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures –65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak — Part 003: Square flange receptacle — Product standard*

EN 2997-004, *Aerospace series — Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures –65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak — Part 004: Jam-nut mounted receptacle — Product standard*

EN 2997-005, *Aerospace series — Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures –65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak — Part 005: Hermetic square flange receptacle — Product standard*

EN 2997-006, *Aerospace series — Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures –65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak — Part 006: Hermetic jam-nut mounted receptacle — Product standard*

EN 2997-007, *Aerospace series — Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures –65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak — Part 007: Hermetic receptacle with round flange attached by welding or brazing — Product standard*

EN 2997-008, *Aerospace series — Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures –65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak — Part 008: Plug — Product standard*

EN 2997-009, *Aerospace series — Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures –65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak — Part 009: Protective cover for receptacle — Product standard*

EN 2997-010, *Aerospace series — Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures –65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak — Part 010: Protective cover for plug — Product standard*

EN 2997-002:2022 (E)

EN 2997-011, *Aerospace series — Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures -65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak — Part 011: Dummy receptacle — Product standard*

EN 2997-012, *Aerospace series — Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures -65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak — Part 012: Jam-nut for jam-nut receptacles — Product standard*

EN 2997-013, *Aerospace series — Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures -65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak — Part 013: O-ring seal for jam-nut receptacles — Product standard*

EN 2997-014, *Aerospace series — Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures -65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak — Part 014: Square flange receptacle with integrated accessory — Product standard*

EN 2997-015, *Aerospace series — Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures -65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak — Part 015: Jam-nut mounted receptacle with integrated accessory — Product standard*

EN 2997-016, *Aerospace series — Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures -65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak — Part 016: Plug with integrated accessory — Product standard*

EN 3155-002, *Aerospace series — Electrical contacts used in elements of connection — Part 002: List and utilization of contacts*

EN 3155-004, *Aerospace series — Electrical contacts used in elements of connection — Part 004: Contacts, electrical, male, type A, crimp, class T — Product standard*

EN 3155-005, *Aerospace series — Electrical contacts used in elements of connection — Part 005: Contacts, electrical, female, type A, crimp, class T — Product standard*

EN 3155-018, *Aerospace series — Electrical contacts used in elements of connection — Part 018: Contacts, electrical, male, type A, crimp, class S — Product standard*

EN 3155-019, *Aerospace series — Electrical contacts used in elements of connection — Part 019: Contacts, electrical, female, type A, crimp, class S — Product standard*

EN 3155-080, *Aerospace series — Electrical contacts used in elements of connection — Part 080: Contacts size 22 for EN 2997, electrical, male, type A, crimp, class T — Product standard*

EN 3155-081, *Aerospace series — Electrical contacts used in elements of connection — Part 081: Contacts size 22 for EN 2997, electrical, female, type A, crimp, class T — Product standard*

EN 3197, *Aerospace series — Design and installation of aircraft electrical and optical interconnection systems*

EN 3660-002, *Aerospace series — Cable outlet accessories for circular and rectangular electrical and optical connectors — Part 002: Index of product standards*

EN 4529-002, *Aerospace series — Elements of electrical and optical connection — Sealing plugs — Part 002: Index of product standards*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN