

STN	Geosyntetické ílové zábrany Stanovenie prietoku Metóda merania v prieľatomere s konštantným hydraulickým spádom	STN EN 16416
		80 6158

Geosynthetic clay barriers - Determination of water flux index - Flexible wall permeameter method at constant head

Táto norma obsahuje anglickú verziu európskej normy.

This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 05/23

Obsahuje: EN 16416:2023

Oznámením tejto normy sa ruší

STN EN 16416 (80 6158) z januára 2014

136780

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 16416

February 2023

ICS 59.080.70; 91.100.50

Supersedes EN 16416:2013

English Version

Geosynthetic clay barriers - Determination of water flux index - Flexible wall permeameter method at constant head

Barrières géosynthétiques argileuses - Détermination de l'indice eau par analyse en flux - Méthode au perméamètre à paroi flexible de charge constante

Geosynthetische Tondichtungsbahnen - Bestimmung der Durchflussrate - Triaxialzellen-Methode mit konstanter Druckhöhe

This European Standard was approved by CEN on 25 December 2022.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN 16416:2023 (E)**Contents**

	Page
European foreword	3
1 Scope.....	4
2 Normative references.....	4
3 Terms and definitions.....	4
4 Apparatus	4
5 Permeant water.....	9
6 Specimen sampling and preparation.....	9
7 Procedure	9
8 Calculation.....	11
9 Test report.....	11
Annex A (informative) Hydraulic conductivity calculation	12
Annex B (informative) Permittivity calculation	13
Bibliography	14

European foreword

This document (EN 16416:2023) has been prepared by Technical Committee CEN/TC 189 "Geosynthetics", the secretariat of which is held by NBN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2023, and conflicting national standards shall be withdrawn at the latest by August 2023.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 16416:2013.

In comparison with the previous edition, the following technical modifications have been made:

- Addition of details in Figure 1;
- Addition of details in 7.5 on the compressive stress.

This document has been prepared under a Standardization Request given to CEN by the European Commission and the European Free Trade Association.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

EN 16416:2023 (E)**1 Scope**

This document specifies an index test method that covers laboratory measurement of water flux through saturated clay geosynthetic barrier (GBR-C) specimens using a flexible wall permeameter at constant head.

This test method is applicable to GBR-C products with no additional sealing layers attached (e.g. polymeric or bituminous).

This test method specifies a measurement of flux under a prescribed set of conditions that can be used for manufacturing quality control. The test method can also be used to check conformance.

The flux value determined using this test method is not considered to be representative of the in-service flux of a GBR-C.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN ISO 9862, *Geosynthetics — Sampling and preparation of test specimens (ISO 9862)*

ISO 554, *Standard atmospheres for conditioning and/or testing — Specifications*

ISO 11465, *Soil quality — Determination of dry matter and water content on a mass basis — Gravimetric method*

koniec náhľadu – text d'alej pokračuje v platenej verzii STN