STN

# Aditívna výroba Návrh Časť 3: Zváranie vrstiev prášku kovového materiálu elektrónovým lúčom (ISO/ASTM 52911-3: 2023)

STN EN ISO/ASTM 52911-3

18 8503

Additive Manufacturing - Design - Part 3: PBF-EB of metallic materials (ISO/ASTM 52911-3:2023)

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 05/23

Obsahuje: EN ISO/ASTM 52911-3:2023, ISO/ASTM 52911-3:2023

# EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

**EN ISO/ASTM 52911-3** 

March 2023

ICS 25.030

#### **English Version**

# Additive Manufacturing - Design - Part 3: PBF-EB of metallic materials (ISO/ASTM 52911-3:2023)

Fabrication additive - Conception - Partie 3: BF-EB de matériaux métalliques (ISO/ASTM 52911-3:2023)

Additive Fertigung - Konstruktion - Teil 3: Pulverbettbasiertes Schmelzen von Metallen mittels Elektronenstrahl (ISO/ASTM 52911-3:2023)

This European Standard was approved by CEN on 17 February 2023.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword	9
EUFOPEAN 10FeWOFU	

# **European foreword**

This document (EN ISO/ASTM 52911-3:2023) has been prepared by Technical Committee ISO/TC 261 "Additive manufacturing" in collaboration with Technical Committee CEN/TC 438 "Additive Manufacturing" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2023, and conflicting national standards shall be withdrawn at the latest by September 2023.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national standards body/national committee. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

#### **Endorsement notice**

The text of ISO/ASTM 52911-3:2023 has been approved by CEN as EN ISO/ASTM 52911-3:2023 without any modification.

# INTERNATIONAL IS STANDARD

ISO/ASTM 52911-3

First edition 2023-02

# Additive manufacturing — Design —

Part 3: **PBF-EB of metallic materials** 

Fabrication additive — Conception — Partie 3: PBF-EB de matériaux métalliques





### **COPYRIGHT PROTECTED DOCUMENT**

© ISO/ASTM International 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester. In the United States, such requests should be sent to ASTM International.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11

Email: copyright@iso.org Website: www.iso.org Published in Switzerland ASTM International 100 Barr Harbor Drive, PO Box C700 West Conshohocken, PA 19428-2959, USA Phone: +610 832 9634

Fax: +610 832 9635 Email: khooper@astm.org Website: www.astm.org

Co	<b>Contents</b> Pa						
For	eword		<b>v</b>				
Intr	oductio	on	vi				
1		ne					
	-						
2	Normative references						
3	Terms and definitions						
4	Sym	bols and abbreviated terms	2				
	4.1	Symbols					
	4.2	Abbreviated terms	3				
5	Characteristics of powder bed fusion (PBF) processes						
	5.1	General	3				
	5.2	Part size and cost considerations					
	5.3	Benefits to be considered in regard to the PBF process					
	5.4	Limitations to be considered in regard to the PBF process					
	5.5	Build layout, part orientation, and cost considerations					
	5.6	Feature constraints (islands, overhang, stair-step effect)					
		5.6.1 General					
		5.6.2 Islands					
		5.6.4 Stair-step effect					
	5.7	Dimensional, form and positional accuracy					
	5.8	Data quality, resolution, representation					
6	6.1	gn guidelines for electron beam powder bed fusion of metals (PBF-EB/M) General					
	0.1	6.1.1 Selecting PBF-EB/M					
		6.1.2 Design and test cycles					
	6.2	Material and structural characteristics					
	6.3	Build orientation, positioning and arrangement					
		6.3.1 General					
		6.3.2 Powder spreading	9				
		6.3.3 Support structures design					
		6.3.4 Part nesting					
		6.3.5 Build plate part design considerations					
		6.3.6 Curl effect					
	<i>C</i> 1	6.3.7 Melt parameters					
	6.4	Anisotropy/heterogeneity of the material and part characteristics					
		6.4.2 Grain morphology					
		6.4.3 Porosity					
		6.4.4 Intermetallic diffusion layer					
		6.4.5 Chemistry heterogeneity					
		6.4.6 Thermal history					
	6.5	Surfaces	17				
	6.6	Post-processing					
		6.6.1 General					
		6.6.2 Surface finishing					
		6.6.3 Removal of powder residue					
		6.6.4 Removal of support structures					
		6.6.5 Geometric tolerances					
	6.7	Design considerations					
	0.7	6.7.1 General					
		6.7.2 Cavities					
			-				

	6.7.3	Gaps	19
	6.7.4	Wall thicknesses	19
	6.7.5	Holes and channels	19
		Integrated markings	20
6.8		ple applications	
	6.8.1	Topology optimized bracket printed using stacking build layout (provided	
		by GE Arcam)	20
	6.8.2	Acetabular cup stacking design (provided by LimaCorporate Spa)	21
		Optimized elbow implant design (provided by LimaCorporate Spa)	
		Lightweight pipe design (provided by JEOL)	
Bibliograph	<b>y</b>		25

#### **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>.

This document was prepared by Technical Committee ISO/TC 261, *Additive manufacturing*, in cooperation with ASTM Committee F42, *Additive Manufacturing Technologies*, on the basis of a partnership agreement between ISO and ASTM International with the aim to create a common set of ISO/ASTM standards on additive manufacturing, and in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 438, *Additive manufacturing*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

A list of all parts in the ISO 52911 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <a href="https://www.iso.org/members.html">www.iso.org/members.html</a>.

### Introduction

Powder bed fusion of metals (PBF/M) is an additive manufacturing (AM) process that offers additional manufacturing options alongside other established AM processes. PBF/M has the potential to reduce manufacturing time and costs, and increase part functionality. Practitioners are aware of the strengths and weaknesses of conventional, long-established manufacturing processes, such as cutting, joining and shaping processes (e.g. by machining, welding or injection moulding), and of giving them appropriate consideration at the design stage and when selecting the manufacturing process. In the case of PBF/M and AM in general, design and manufacturing engineers only have a limited pool of experience. Without the limitations associated with conventional processes, the use of PBF/M offers designers and manufacturers a high degree of freedom and this requires an understanding about the possibilities and limitations of the process.

The ISO 52911 series provides guidance for different powder bed fusion (PBF) technologies. In addition to this document on PBF-EB/M, the series is made up of ISO 52911-1 on laser-based powder bed fusion of metals (PBF-LB/M) and ISO 52911-2 on laser-based powder bed fusion of polymers (PBF-LB/P). Each document in the series shares <u>Clauses 1</u> to <u>5</u>, where general information including terminology and the PBF process is provided. The subsequent clauses focus on the specific technology.

This document provides support to technology users, such as design and production engineers, when designing parts that need to be manufactured by means of PBF-EB/M. It will help practitioners to explore the benefits of PBF-EB/M and to recognize the process-related limitations when designing parts. It also builds on ISO/ASTM 52910 to extend the requirements, guidelines and recommendations for AM design to include the PBF-EB/M process.

# Additive manufacturing — Design —

# Part 3:

# **PBF-EB of metallic materials**

## 1 Scope

This document specifies the features of electron beam powder bed fusion of metals (PBF-EB/M) and provides detailed design recommendations.

Some of the fundamental principles are also applicable to other additive manufacturing (AM) processes, provided that due consideration is given to process-specific features.

This document also provides a state of the art review of design guidelines associated with the use of powder bed fusion (PBF) by bringing together relevant knowledge about this process and by extending the scope of ISO/ASTM 52910.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/ASTM 52900, Additive manufacturing — General principles — Fundamentals and vocabulary

koniec náhľadu – text ďalej pokračuje v platenej verzii STN