STN

Akustika Meranie vplyvu povrchu vozoviek od dopravy Časť 1: Štatistická metóda pri prejazde (ISO 11819-1: 2023)

STN EN ISO 11819-1

73 6040

Acoustics - Measurement of the influence of road surfaces on traffic noise - Part 1: Statistical Pass-By method (ISO 11819-1:2023)

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 05/23

Obsahuje: EN ISO 11819-1:2023, ISO 11819-1:2023

Oznámením tejto normy sa ruší STN EN ISO 11819-1 (73 6040) z decembra 2002



EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN ISO 11819-1

March 2023

ICS 17.140.30

Supersedes EN ISO 11819-1:2001

English Version

Acoustics - Measurement of the influence of road surfaces on traffic noise - Part 1: Statistical Pass-By method (ISO 11819-1:2023)

Acoustique - Mesurage de l'influence des revêtements de chaussées sur le bruit émis par la circulation - Partie 1: Méthode statistique au passage (ISO 11819-1:2023)

Akustik - Messung des Einflusses von Straßenoberflächen auf Verkehrsgeräusche - Teil 1: Statistisches Vorbeifahrtverfahren (ISO 11819-1:2023)

This European Standard was approved by CEN on 21 February 2023.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword	3

European foreword

This document (EN ISO 11819-1:2023) has been prepared by Technical Committee ISO/TC 43 "Acoustics" in collaboration with Technical Committee CEN/TC 227 "Road materials" the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2023, and conflicting national standards shall be withdrawn at the latest by September 2023.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 11819-1:2001.

Any feedback and questions on this document should be directed to the users' national standards body/national committee. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

Endorsement notice

The text of ISO 11819-1:2023 has been approved by CEN as EN ISO 11819-1:2023 without any modification.

INTERNATIONAL STANDARD

ISO 11819-1

Second edition 2023-02

Acoustics — Measurement of the influence of road surfaces on traffic noise —

Part 1: **Statistical pass-by method**

Acoustique — Mesurage de l'influence des revêtements de chaussées sur le bruit émis par la circulation —

Partie 1: Méthode statistique au passage





COPYRIGHT PROTECTED DOCUMENT

© ISO 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Cor	Contents				
Fore	word		.		
Intro	ductio	n	vi		
1	Scop	е	1		
2	-	1ative references			
3		is and definitions			
3	3.1	Types of noise			
	3.2	Measurement method			
	3.3	Road speed categories			
	3.4	Vehicle categories			
	3.5	Measured noise quantities			
	3.6 3.7	Road surface terms applicable in this method			
4	-	ools and abbreviated terms			
5	Meas	suring principle	5		
6	Instr	umentation			
	6.1	Instruments for acoustical measurements			
		6.1.1 General 6.1.2 Verification			
	6.2	6.1.2 Verification Instruments for vehicle speed measurements			
	0.2	6.2.1 General			
		6.2.2 Verification			
	6.3	Instruments for temperature measurements	<i>(</i>		
		6.3.1 General			
		6.3.2 Verification	6		
7		sites			
	7.1	Selection of measuring site			
	7.2 7.3	Deviations from free-field conditionsConsiderations of guard rails and other barriers which can reflect or screen the			
	7.3	sound	7		
	7.4	Surface between the tested road surface and microphone			
	7.5	Backing board	10		
8	Traff	fic conditions	10		
	8.1	Vehicle classification			
	8.2	Selection of vehicles for measurement			
	8.3	Minimum number of vehicles			
	8.4	Road speed categories			
9		suring procedure			
	9.1	Microphone position			
	9.2 9.3	Calibrations			
	9.3 9.4	Frequency spectrum measurement			
	9.5	Speed measurement			
	9.6	Temperature measurement			
10	Mete	orological conditions	1 4		
	10.1	Wind			
	10.2	Temperature			
	10.3	Recommendations on road surface moisture	14		
11	Back	ground noise	15		
12	Norn	nalization of data	15		

	12.1 12.2	Compensating for the effect of the additional (higher) microphone position	
	12.3	Noise versus speed - regression analysis (for passenger cars)	
	12.4	Noise versus speed – normalization to reference speed (for heavy vehicles)	16
	12.5	Noise versus speed – normalization of frequency spectra for vehicles in categories	
	40.6	P and H	
	12.6	Determination of SPB sound level at reference speeds	
	12.7	Useful speed range for the speed normalization	
	12.8	Correction of sound levels according to temperature	
13	Measi	urement uncertainty	19
14	Repoi	rted data	20
	14.1	General information	
	14.2	Information relating to the location and appearance of the test site	21
	14.3	Information relating to the type and construction of the tested road surface	
	14.4	Information relating to the condition of the tested surface and environmental	
		factors	
	14.5	Road speed category and vehicle information	
	14.6	Measured and calculated sound level and speed data	
	14.7	Others	22
Annex	A (nor	mative) Vehicle categories	23
Annex	B (inf	ormative) Determination of the statistical pass-by index (SPBI)	27
Annex	c C (info	ormative) The backing board variant	29
Annex	k D (inf	ormative) Adding 95 % confidence intervals	34
Annex	E (info	ormative) Validity and stability of the method	35
Annex	F (info	ormative) Reference road surface	36
Annex	G (inf	ormative) Monitoring the stability of sound levels of vehicle fleets	38
Annex	H (inf	ormative) Uncertainty	40
Annex	k I (info	rmative) Example of test report	43
Biblio	graphy	V	47

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 43, *Acoustics*, Subcommittee SC 1, *Noise*, in collaboration with ISO Technical Committee TC 227, *Road materials*, in accordance with the agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition of ISO 11819-1:1997 and ISO/PAS 11819-4:2013, which have been technically revised.

The main changes are as follows:

- ISO/PAS 11819-4 has now been integrated as Annex C;
- the backing board method makes possible a wider application of the method, where the old version would not meet the acoustical free field conditions;
- changes to nomenclature for vehicle categories in <u>3.1</u>, including the introduction of a 'generic' vehicle category and the introduction of a minimum gross vehicle weight (8 t) for dual-axle heavy vehicles;
- changes to some key symbols and abbreviations in Clause 4;
- using a generic speed exponent for heavy vehicles instead of calculating a speed exponent from each measurement;
- using a correction to 2-axle medium vehicles for correcting them to a level typical of 3-axle heavy vehicles;
- more liberal requirement regarding the number of heavy vehicles to measure;
- an additional microphone position (at the height of 3,0 m) can be used in cases where reflecting objects could influence the results.

The objective of the changes and supplements is to make SPB measurements more practical while maintaining or reducing uncertainties.

A list of all parts in the ISO 11819 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

The emission of road traffic noise greatly depends on road surface characteristics, notably on texture and porosity; the latter due to the flow resistivity of the air voids. Both these characteristics influence the generation of tyre/road noise and, in addition, the porosity can influence the emission of sound, particularly when the emission takes place close to the surface. Power unit noise, which is usually generated at a greater height above the road surface than tyre/road noise, can also be affected during emission by the porosity characteristics of the road surface. These effects lead to differences in sound levels, associated with a given traffic flow and composition, from different road surfaces of up to 15 dB, which can have a substantial impact on the environmental acoustic quality alongside a road.

It is therefore important to be able to measure this influence by a standardized method and to arrive at a quantitative ranking of road surfaces with respect to traffic noise. This document offers such a method, the objective of which is to satisfy a need expressed by road planners, road administrators, contractors, manufacturers of so-called "low-noise surfaces" and by other parties concerned with the prediction and control of road traffic noise.

Acoustics — Measurement of the influence of road surfaces on traffic noise —

Part 1:

Statistical pass-by method

1 Scope

This document specifies a method of comparing traffic noise on different road surfaces for various compositions of road traffic for the purpose of evaluating different road surface types. Sound levels representing either light or heavy vehicles at selected speeds are assigned to a certain road surface. The method is applicable to traffic travelling at constant speed, i.e. free-flowing conditions at posted speeds of 50 km/h and upwards. For conditions where traffic is not free flowing, such as at junctions and where the traffic is congested, the method is not applicable.

A standard method for comparing the noise characteristics of road surfaces gives road and environment authorities a tool for establishing common practices or limits regarding the use of road surfaces meeting certain noise criteria. However, it is not within the scope of ISO 11819 (all parts) to suggest such criteria.

The statistical pass-by (SPB) method is suitable for use for the following main purposes:

- to classify road surfaces according to their influence on traffic noise (surface classification);
- to assist in verifying conformity of production of road surfaces;
- to evaluate acoustic performance of road surfaces throughout operation relative to new condition;
- to evaluate the influence of different road surfaces on traffic noise at sites irrespective of condition and service time;
- to evaluate acoustic performance of a road surface relative to a reference surface.

Due to practical restrictions, the method cannot be applied at all possible locations. However, the backing board method can allow some locations to be tested that were not previously acceptable.

<u>Clause 5</u> gives a general description of the SPB method.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1996-2, Acoustics — Description, measurement and assessment of environmental noise — Part 2: Determination of sound pressure levels

ISO/IEC 17025, General requirements for the competence of testing and calibration laboratories

ISO/IEC Guide 98-3, *Uncertainty of measurement — Part 3: Guide to the expression of uncertainty in measurement (GUM:1995)*

IEC 60942:2017, *Electroacoustics* — *Sound calibrators*

IEC 61183, Electroacoustics - Random-incidence and diffuse-field calibration of sound level meters

IEC 61260-1, Electroacoustics — Octave-band and fractional-octave-band filters — Part 1: Specifications
IEC 61672-1, Electroacoustics — Sound level meters — Part 1: Specifications

koniec náhľadu – text ďalej pokračuje v platenej verzii STN