

| | | |
|------------|---|--|
| STN | Priemyselné komunikačné siete Špecifikácie prevádzkových zberníc Časť 6-2: Špecifikácia protokolu aplikačnej vrstvy Prvky typu 2 | STN EN IEC 61158-6-2 18 4020 |
|------------|---|--|

Industrial communication networks - Fieldbus specifications - Part 6-2: Application layer protocol specification - Type 2 elements

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 06/23

Obsahuje: EN IEC 61158-6-2:2023, IEC 61158-6-2:2023

Oznámením tejto normy sa od 28.04.2026 ruší
STN EN IEC 61158-6-2 (18 4020) z januára 2020

137048

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN IEC 61158-6-2

May 2023

ICS 25.040.40; 35.100.70; 35.110

Supersedes EN IEC 61158-6-2:2019

English Version

Industrial communication networks - Fieldbus specifications -
Part 6-2: Application layer protocol specification - Type 2
elements
(IEC 61158-6-2:2023)

Réseaux de communication industriels - Spécifications des
bus de terrain - Partie 6-2: Spécification du protocole de la
couche liaison de données - Eléments de type 2
(IEC 61158-6-2:2023)

Industrielle Kommunikationsnetze - Feldbusse - Teil 6-2:
Protokollspezifikation des Application Layer
(Anwendungsschicht) - Typ 2-Elemente
(IEC 61158-6-2:2023)

This European Standard was approved by CENELEC on 2023-04-28. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN IEC 61158-6-2:2023 (E)**European foreword**

The text of document 65C/1204/FDIS, future edition 5 of IEC 61158-6-2, prepared by SC 65C "Industrial networks" of IEC/TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61158-6-2:2023.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2024-01-28
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2026-04-28

This document supersedes EN IEC 61158-6-2:2019 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice

The text of the International Standard IEC 61158-6-2:2023 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated:

| | | |
|----------------------|------|-------------------------------------|
| IEC 61131-3 | NOTE | Approved as EN 61131-3 |
| IEC 61131-9 | NOTE | Approved as EN IEC 61131-9 |
| IEC 61784-1 (series) | NOTE | Approved as EN IEC 61784-1 (series) |
| IEC 61784-2 (series) | NOTE | Approved as EN IEC 61784-2 (series) |

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cencenelec.eu.

| <u>Publication</u> | <u>Year</u> | <u>Title</u> | <u>EN/HD</u> | <u>Year</u> |
|---------------------|-------------|--|------------------|-------------|
| IEC 61158-1 | 2023 | Industrial communication networks - Fieldbus specifications - Part 1: Overview and guidance for the IEC 61158 and IEC 61784 series | - | - |
| IEC 61158-3-2 | 2023 | Industrial communication networks - Fieldbus specifications - Part 3-2: Data-link layer service definition - Type 2 elements | - | - |
| IEC 61158-4-2 | 2023 | Industrial communication networks - Fieldbus specifications - Part 4-2: Data-link layer protocol specification - Type 2 elements | EN IEC 61158-4-2 | 2023 |
| IEC 61158-5-2 | 2023 | Industrial communication networks - Fieldbus specifications - Part 5-2: Application layer service definition - Type 2 elements | - | - |
| IEC 61588 | 2021 | Precision Clock Synchronization Protocol for Networked Measurement and Control Systems | - | - |
| IEC 61784-3-2 | - | Industrial communication networks - Profiles - Part 3-2: Functional safety fieldbuses - Additional specifications for CPF 2 | EN IEC 61784-3-2 | - |
| IEC 61800-7-202 | - | Adjustable speed electrical power drive systems - Part 7-202: Generic interface and use of profiles for power drive systems - Profile type 2 specification | EN 61800-7-202 | - |
| IEC 62026-3 | 2014 | Low-voltage switchgear and controlgear - Controller-device interfaces (CDIs) - Part 3: DeviceNet | - | - |
| ISO/IEC 7498-1 | - | Information technology - Open Systems Interconnection - Basic reference model: The basic model | - | - |
| ISO/IEC/IEEE 8802-3 | - | Telecommunications and exchange between information technology systems - Requirements for local and metropolitan area networks - Part 3: Standard for Ethernet | - | - |

EN IEC 61158-6-2:2023 (E)

| <u>Publication</u> | <u>Year</u> | <u>Title</u> | <u>EN/HD</u> | <u>Year</u> |
|--------------------|-------------|---|--------------|-------------|
| ISO/IEC 8824-1 | - | Information technology_ - Abstract Syntax Notation One (ASN.1): Specification of basic notation | - | - |
| ISO/IEC 8825-1 | - | Information technology - ASN.1 encoding rules: Specification of Basic Encoding Rules (BER), Canonical Encoding Rules (CER) and Distinguished Encoding Rules (DER) | - | - |
| ISO/IEC 9545 | - | Information technology - Open Systems Interconnection - Application layer structure | - | - |
| ISO/IEC 10646 | - | Information technology_ - Universal coded character set (UCS) | - | - |
| ISO/IEC 10731 | - | Information technology - Open Systems Interconnection - Basic Reference Model - Conventions for the definition of OSI services | - | - |
| ISO 639-2 | - | Codes for the representation of names of languages - Part-2: Alpha-3 code | - | - |
| ISO 11898-1 | 2015 | Road vehicles - Controller area network (CAN) - Part 1: Data link layer and physical signalling | - | - |
| IEEE 802.1Q | 2018 | IEEE Standard for Local and Metropolitan Area Networks; Bridges and Bridged Networks | - | - |
| IEEE 802.3 | 2018 | IEEE Standard for Ethernet | - | - |
| IETF RFC 791 | - | Internet Protocol | - | - |
| IETF RFC 1035 | - | Domain Names - Implementation and Specification | - | - |
| IETF RFC 1112 | - | Host Extensions for IP multicasting | - | - |
| IETF RFC 1117 | - | Internet Numbers | - | - |
| IETF RFC 1122 | - | Requirements for Internet Hosts – Communication Layers | - | - |
| IETF RFC 1759 | - | Printer MIB | - | - |
| IETF RFC 2236 | - | Internet Group Management Protocol, Version 2 | - | - |
| IETF RFC 2474 | - | Definition of the Differentiated Services Field (DS Field) in the IPv4 and IPv6 Headers | - | - |
| IETF RFC 2475 | - | An Architecture for Differentiated Services | - | - |
| IETF RFC 2597 | - | Assured Forwarding PHB Group | - | - |
| IETF RFC 2873 | - | TCP Processing of the IPv4 Precedence Field | - | - |
| IETF RFC 3140 | - | Per Hop Behavior Identification Codes | - | - |
| IETF RFC 3246 | - | An Expedited Forwarding PHB (Per-Hop Behavior) | - | - |
| IETF RFC 3376 | - | Internet Group Management Protocol, Version 3 | - | - |
| IETF RFC 4594 | - | Configuration Guidelines for DiffServ Service Classes | - | - |



IEC 61158-6-2

Edition 5.0 2023-03

INTERNATIONAL STANDARD

**Industrial communication networks – Fieldbus specifications –
Part 6-2: Application layer protocol specification – Type 2 elements**



**THIS PUBLICATION IS COPYRIGHT PROTECTED****Copyright © 2023 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.



IEC 61158-6-2

Edition 5.0 2023-03

INTERNATIONAL STANDARD

**Industrial communication networks – Fieldbus specifications –
Part 6-2: Application layer protocol specification – Type 2 elements**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 25.040.40; 35.100.70; 35.110

ISBN 978-2-8322-6631-1

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

| | |
|--|-----|
| FOREWORD..... | 14 |
| INTRODUCTION..... | 17 |
| 1 Scope..... | 18 |
| 1.1 General..... | 18 |
| 1.2 Specifications | 18 |
| 1.3 Conformance | 19 |
| 2 Normative references | 19 |
| 3 Terms, definitions, symbols, abbreviated terms and conventions | 21 |
| 3.1 Terms and definitions from other ISO/IEC standards..... | 21 |
| 3.1.1 Terms and definitions from ISO/IEC 7498-1 | 21 |
| 3.1.2 Terms and definitions from ISO/IEC 9545 | 21 |
| 3.1.3 Terms and definitions from ISO/IEC 8824-1 | 22 |
| 3.1.4 Terms and definitions from ISO/IEC 8825-1 | 22 |
| 3.2 Terms and definitions from IEC 61158-5-2 | 22 |
| 3.3 Additional terms and definitions | 22 |
| 3.4 Abbreviated terms and symbols | 30 |
| 3.5 Conventions..... | 30 |
| 3.5.1 General concept | 30 |
| 3.5.2 Attribute specification | 31 |
| 3.5.3 Common services | 31 |
| 3.5.4 State machine conventions | 34 |
| 4 Abstract syntax..... | 36 |
| 4.1 FAL PDU abstract syntax | 36 |
| 4.1.1 General | 36 |
| 4.1.2 PDU structure..... | 36 |
| 4.1.3 UCMM_PDUs | 39 |
| 4.1.4 Transport_Headers..... | 40 |
| 4.1.5 CM_PDUs..... | 43 |
| 4.1.6 CM PDU components | 56 |
| 4.1.7 MR headers | 65 |
| 4.1.8 OM_Service_PDU..... | 66 |
| 4.1.9 Message and connection paths..... | 130 |
| 4.1.10 Class, attribute and service codes | 146 |
| 4.1.11 Error codes..... | 154 |
| 4.2 Data abstract syntax specification..... | 169 |
| 4.2.1 Transport format specification..... | 169 |
| 4.2.2 Abstract syntax notation | 170 |
| 4.2.3 Control network data specification | 170 |
| 4.2.4 Data type specification / dictionaries..... | 172 |
| 4.3 Encapsulation abstract syntax..... | 174 |
| 4.3.1 Encapsulation protocol | 174 |
| 4.3.2 Encapsulation messages | 175 |
| 4.3.3 Command descriptions | 178 |
| 4.3.4 Common packet format..... | 190 |
| 5 Transfer syntax..... | 194 |
| 5.1 Compact encoding | 194 |

| | | |
|--------|--|-----|
| 5.1.1 | Encoding rules..... | 194 |
| 5.1.2 | Encoding constraints | 195 |
| 5.1.3 | Examples..... | 195 |
| 5.2 | Data type reporting | 202 |
| 5.2.1 | Object data representation..... | 202 |
| 5.2.2 | Elementary data type reporting | 202 |
| 5.2.3 | Constructed data type reporting..... | 203 |
| 6 | Structure of FAL protocol state machines | 209 |
| 7 | AP-Context state machine | 210 |
| 7.1 | Overview..... | 210 |
| 7.2 | Connection object state machine | 210 |
| 7.2.1 | I/O Connection instance behavior | 210 |
| 7.2.2 | Bridged Connection instance behavior | 215 |
| 7.2.3 | Explicit Messaging Connection instance behavior | 217 |
| 8 | FAL service protocol machine (FSPM)..... | 219 |
| 8.1 | General..... | 219 |
| 8.2 | Primitive definitions..... | 219 |
| 8.3 | Parameters of primitives | 224 |
| 8.4 | FSPM state machines | 225 |
| 9 | Application relationship protocol machines (ARPMs) | 225 |
| 9.1 | General..... | 225 |
| 9.2 | Connection-less ARPM (UCMM) | 226 |
| 9.2.1 | General | 226 |
| 9.2.2 | Primitive definitions | 226 |
| 9.2.3 | Parameters of primitives | 227 |
| 9.2.4 | UCMM state machines..... | 228 |
| 9.2.5 | Examples of UCMM sequences | 233 |
| 9.2.6 | Management UCMM | 235 |
| 9.3 | Connection-oriented ARPMs (transports) | 236 |
| 9.3.1 | Transport PDU buffer..... | 236 |
| 9.3.2 | Transport classes | 237 |
| 9.3.3 | Common primitive definitions..... | 237 |
| 9.3.4 | Parameters of common primitives | 238 |
| 9.3.5 | Transport state machines – class 0..... | 238 |
| 9.3.6 | Transport state machines – class 1..... | 242 |
| 9.3.7 | Transport state machines – class 2..... | 247 |
| 9.3.8 | Transport state machines – class 3..... | 255 |
| 10 | DLL mapping protocol machine 1 (DMPM 1)..... | 265 |
| 10.1 | General..... | 265 |
| 10.2 | Link producer | 265 |
| 10.3 | Link consumer | 266 |
| 10.4 | Primitive definitions..... | 266 |
| 10.4.1 | Primitives exchanged between DMPM and ARPM..... | 266 |
| 10.4.2 | Parameters of ARPM/DMPM primitives | 266 |
| 10.4.3 | Primitives exchanged between data-link layer and DMPM..... | 266 |
| 10.4.4 | Parameters of DMPM/Data-link Layer primitives | 267 |
| 10.4.5 | Network connection ID..... | 268 |
| 10.5 | DMPM state machine | 268 |

| | | |
|--------|--|-----|
| 10.5.1 | DMPM states | 268 |
| 10.5.2 | Functions used by DMPM | 270 |
| 10.6 | Data-link Layer service selection..... | 270 |
| 11 | DLL mapping protocol machine 2 (DMPM 2) | 270 |
| 11.1 | General..... | 270 |
| 11.2 | Mapping of UCMM PDUs | 270 |
| 11.2.1 | General | 270 |
| 11.2.2 | Common requirements for Connection Manager PDU's..... | 272 |
| 11.2.3 | Forward_Open PDU for class 2 and class 3 connections | 274 |
| 11.2.4 | Forward_Open for class 0 and class 1 connections..... | 274 |
| 11.2.5 | Forward_close | 279 |
| 11.3 | Mapping of transport class 0 and class 1 PDUs..... | 279 |
| 11.3.1 | Class 0 and class 1 PDUs..... | 279 |
| 11.3.2 | No dependency on TCP connections | 279 |
| 11.3.3 | Class 0 and class 1 packet ordering | 280 |
| 11.3.4 | Screening incoming connected data | 280 |
| 11.4 | Mapping of transport class 2 and class 3 PDU's..... | 280 |
| 11.5 | IGMP Usage | 281 |
| 11.5.1 | Background (informative)..... | 281 |
| 11.5.2 | IGMP Membership Report messages | 282 |
| 11.5.3 | IGMP Leave Group messages | 282 |
| 11.6 | Quality of Service (QoS) for Type 2 Ethernet messages..... | 282 |
| 11.6.1 | Overview | 282 |
| 11.6.2 | DSCP format | 283 |
| 11.6.3 | IEEE Std 802.1Q-2018 format..... | 284 |
| 11.6.4 | Mapping Type 2 traffic to DSCP and IEEE Std 802.1Q-2018..... | 284 |
| 11.6.5 | Usage of DSCP for Type 2 Ethernet | 285 |
| 11.6.6 | Usage of IEEE Std 802.1Q-2018 for Type 2 Ethernet..... | 285 |
| 11.6.7 | User considerations with IEEE Std 802.1Q-2018 | 286 |
| 11.7 | Encapsulation using TCP | 286 |
| 11.7.1 | General | 286 |
| 11.7.2 | Management of a TCP encapsulation session..... | 286 |
| 11.7.3 | TCP connection management | 287 |
| 11.8 | Encapsulation using UDP..... | 288 |
| 12 | DLL mapping protocol machine 3 (DMPM 3) | 288 |
| | Bibliography..... | 289 |
| | Figure 1 – Attribute table format and terms | 31 |
| | Figure 2 – Service request/response parameter..... | 31 |
| | Figure 3 – Example of an STD | 34 |
| | Figure 4 – Network connection parameters | 56 |
| | Figure 5 – Priority/Tick_time bit definition | 59 |
| | Figure 6 – Member ID/EX description (WORD)..... | 74 |
| | Figure 7 – Transport Class Trigger attribute..... | 118 |
| | Figure 8 – DN_initial_comm_characteristics attribute format..... | 122 |
| | Figure 9 – Segment type..... | 131 |
| | Figure 10 – Port segment..... | 132 |

| | |
|--|-----|
| Figure 11 – Logical segment encoding | 134 |
| Figure 12 – Extended network segment | 141 |
| Figure 13 – Symbolic segment encoding | 142 |
| Figure 14 – Encapsulation message | 175 |
| Figure 15 – FixedLengthBitString compact encoding bit placement rules | 199 |
| Figure 16 – Example compact encoding of a SWORD FixedLengthBitString | 199 |
| Figure 17 – Example compact encoding of a WORD FixedLengthBitString | 199 |
| Figure 18 – Example compact encoding of a DWORD FixedLengthBitString | 200 |
| Figure 19 – Example compact encoding of a LWORD FixedLengthBitString | 200 |
| Figure 20 – Example 1 of formal encoding of a structure type specification | 205 |
| Figure 21 – Example 2 of formal encoding of a structure type specification | 205 |
| Figure 22 – Example 3 of formal encoding of a handle structure type specification | 206 |
| Figure 23 – Example 4 of formal encoding of a handle structure type specification | 206 |
| Figure 24 – Example 5 of abbreviated encoding of a structure type specification | 207 |
| Figure 25 – Example 1 of formal encoding of an array type specification | 207 |
| Figure 26 – Example 2 of formal encoding of an array type specification | 208 |
| Figure 27 – Example 1 of abbreviated encoding of an array type specification | 209 |
| Figure 28 – Example 2 of abbreviated encoding of an array type specification | 209 |
| Figure 29 – I/O Connection object state transition diagram | 210 |
| Figure 30 – Bridged Connection object state transition diagram | 215 |
| Figure 31 – Explicit Messaging Connection object state transition diagram | 217 |
| Figure 32 – State transition diagram of UCMM client9 | 229 |
| Figure 33 – State transition diagram of high–end UCMM server | 231 |
| Figure 34 – State transition diagram of low–end UCMM server | 233 |
| Figure 35 – Sequence diagram for a UCMM with one outstanding message | 234 |
| Figure 36 – Sequence diagram for a UCMM with multiple outstanding messages | 235 |
| Figure 37 – TPDU buffer | 236 |
| Figure 38 – Data flow diagram using a client transport class 0 and server transport class 0 | 239 |
| Figure 39 – Sequence diagram of data transfer using transport class 0 | 239 |
| Figure 40 – Class 0 client STD | 240 |
| Figure 41 – Class 0 server STD | 241 |
| Figure 42 – Data flow diagram using client transport class 1 and server transport class 1 | 242 |
| Figure 43 – Sequence diagram of data transfer using client transport class 1 and server transport class 1 | 243 |
| Figure 44 – Class 1 client STD | 245 |
| Figure 45 – Class 1 server STD | 246 |
| Figure 46 – Data flow diagram using client transport class 2 and server transport class 2 | 248 |
| Figure 47 – Diagram of data transfer using client transport class 2 and server transport class 2 without returned data | 249 |
| Figure 48 – Sequence diagram of data transfer using client transport class 2 and server transport class 2 with returned data | 250 |
| Figure 49 – Class 2 client STD | 251 |

| | |
|---|-----|
| Figure 50 – Class 2 server STD | 253 |
| Figure 51 – Data flow diagram using client transport class 3 and server transport class 3 | 256 |
| Figure 52 – Sequence diagram of data transfer using client transport class 3 and server transport class 3 without returned data | 257 |
| Figure 53 – Sequence diagram of data transfer using client transport class 3 and server transport class 3 with returned data | 258 |
| Figure 54 – Class 3 client STD | 260 |
| Figure 55 – Class 3 server STD | 263 |
| Figure 56 – Data flow diagram for a link producer and consumer | 265 |
| Figure 57 – State transition diagram for a link producer | 269 |
| Figure 58 – State transition diagram for a link consumer | 270 |
| Figure 59 – DS field in the IP header | 284 |
| Figure 60 – IEEE Std 802.1Q-2018 tagged frame | 284 |
| | |
| Table 1 – Get_Attributes_All response service rules | 32 |
| Table 2 – Example class level object/service specific response data of Get_Attributes_All | 32 |
| Table 3 – Set_Attributes_All request service rules | 33 |
| Table 4 – Example request data of Set_Attributes_All | 33 |
| Table 5 – State event matrix format | 35 |
| Table 6 – Example state event matrix | 35 |
| Table 7 – UCMM_PDU header format | 39 |
| Table 8 – UCMM command codes | 39 |
| Table 9 – Transport class 0 header | 40 |
| Table 10 – Transport class 1 header | 40 |
| Table 11 – Transport class 2 header | 40 |
| Table 12 – Transport class 3 header | 41 |
| Table 13 – Real-time data header – exclusive owner | 41 |
| Table 14 – Real-time data header– redundant owner | 41 |
| Table 15 – Forward_Open request format | 46 |
| Table 16 – Forward_Open_Good response format | 47 |
| Table 17 – Forward_Open_Bad response format | 47 |
| Table 18 – Large_Forward_Open request format | 48 |
| Table 19 – Large_Forward_Open_Good response format | 49 |
| Table 20 – Large_Forward_Open_Bad response format | 49 |
| Table 21 – Forward_Close request format | 50 |
| Table 22 – Forward_Close_Good response format | 50 |
| Table 23 – Forward_Close_Bad response format | 51 |
| Table 24 – Unconnected_Send request format | 52 |
| Table 25 – Unconnected_Send_Good response format | 52 |
| Table 26 – Unconnected_Send_Bad response format | 53 |
| Table 27 – Get_Connection_Data request format | 54 |
| Table 28 – Get_Connection_Data response format | 54 |

| | |
|--|----|
| Table 29 – Search_Connection_Data request format | 55 |
| Table 30 – Get_Connection_Owner request format | 55 |
| Table 31 – Get_Connection_Owner response format | 56 |
| Table 32 – Time-out multiplier..... | 59 |
| Table 33 – Tick time units | 60 |
| Table 34 – Encoded application path ordering..... | 64 |
| Table 35 – Transport class, trigger and Is_Server format | 65 |
| Table 36 – MR_Request_Header format | 65 |
| Table 37 – MR_Response_Header format..... | 66 |
| Table 38 – Structure of Get_Attributes_All_ResponsePDU body | 66 |
| Table 39 – Structure of Set_Attributes_All_RequestPDU body | 67 |
| Table 40 – Structure of Get_Attribute_List_RequestPDU body | 67 |
| Table 41 – Structure of Get_Attribute_List_ResponsePDU body | 67 |
| Table 42 – Structure of Set_Attribute_List_RequestPDU body | 67 |
| Table 43 – Structure of Set_Attribute_List_ResponsePDU body..... | 68 |
| Table 44 – Structure of Reset_RequestPDU body | 68 |
| Table 45 – Structure of Reset_ResponsePDU body | 68 |
| Table 46 – Structure of Start_RequestPDU body | 68 |
| Table 47 – Structure of Start_ResponsePDU body | 68 |
| Table 48 – Structure of Stop_RequestPDU body | 69 |
| Table 49 – Structure of Stop_ResponsePDU body | 69 |
| Table 50 – Structure of Create_RequestPDU body | 69 |
| Table 51 – Structure of Create_ResponsePDU body | 69 |
| Table 52 – Structure of Delete_RequestPDU body | 69 |
| Table 53 – Structure of Delete_ResponsePDU body | 70 |
| Table 54 – Structure of Get_Attribute_Single_ResponsePDU body | 70 |
| Table 55 – Structure of Set_Attribute_Single_RequestPDU body | 70 |
| Table 56 – Structure of Set_Attribute_Single_ResponsePDU body | 70 |
| Table 57 – Structure of Find_Next_Object_Instance_RequestPDU body | 71 |
| Table 58 – Structure of Find_Next_Object_Instance_ResponsePDU body | 71 |
| Table 59 – Structure of Apply_Attributes_RequestPDU body | 71 |
| Table 60 – Structure of Apply_Attributes_ResponsePDU body | 71 |
| Table 61 – Structure of Save_RequestPDU body | 71 |
| Table 62 – Structure of Save_ResponsePDU body | 72 |
| Table 63 – Structure of Restore_RequestPDU body..... | 72 |
| Table 64 – Structure of Restore_ResponsePDU body | 72 |
| Table 65 – Structure of Get_Member_ResponsePDU body | 72 |
| Table 66 – Structure of Set_Member_RequestPDU body | 72 |
| Table 67 – Structure of Set_Member_ResponsePDU body..... | 73 |
| Table 68 – Structure of Insert_Member_RequestPDU body..... | 73 |
| Table 69 – Structure of Insert_Member_ResponsePDU body | 73 |
| Table 70 – Structure of Remove_Member_ResponsePDU body | 73 |
| Table 71 – Common structure of _Member_RequestPDU body (basic format)..... | 74 |

| | |
|--|----|
| Table 72 – Common structure of _Member_ResponsePDU body (basic format) | 75 |
| Table 73 – Common structure of _Member_RequestPDU body (extended format)..... | 75 |
| Table 74 – Common structure of _Member_ResponsePDU body (extended format) | 75 |
| Table 75 – Extended Protocol ID..... | 76 |
| Table 76 – Structure of _Member_RequestPDU body (Multiple Sequential Members) | 76 |
| Table 77 – Structure of _Member_ResponsePDU body (Multiple Sequential Members)..... | 76 |
| Table 78 – Structure of _Member_RequestPDU body (International String Selection) | 77 |
| Table 79 – Structure of _Member_ResponsePDU body (International String Selection)..... | 77 |
| Table 80 – Structure of Group_Sync_RequestPDU body..... | 77 |
| Table 81 – Structure of Group_Sync_ResponsePDU body | 78 |
| Table 82 – Structure of Multiple_Service_Packet_RequestPDU body..... | 78 |
| Table 83 – Structure of Multiple_Service_Packet_ResponsePDU body | 78 |
| Table 84 – Structure of Get_Connection_Point_Member_List_ResponsePDU body..... | 79 |
| Table 85 – Identity object class attributes | 80 |
| Table 86 – Identity object instance attributes | 80 |
| Table 87 – Identity object Vendor ID ranges | 83 |
| Table 88 – Identity object bit definitions for status instance attribute | 83 |
| Table 89 – Default values for extended device status field (bits 4 to 7) of status instance attribute | 83 |
| Table 90 – Identity object bit definitions for protection mode instance attribute | 84 |
| Table 91 – Identity object bit definitions for features supported attribute | 84 |
| Table 92 – Class level object/service specific response data of Get_Attributes_All | 84 |
| Table 93 – Instance level object/service specific response data of Get_Attributes_All..... | 85 |
| Table 94 – Object-specific request parameter for Reset | 86 |
| Table 95 – Reset service parameter values | 86 |
| Table 96 – Communication link attributes that shall be preserved | 86 |
| Table 97 – Structure of Flash_LEDs_RequestPDU body | 87 |
| Table 98 – Message Router object class attributes | 87 |
| Table 99 – Message Router object instance attributes | 87 |
| Table 100 – Class level object/service specific response data of Get_Attributes_All | 88 |
| Table 101 – Instance level object/service specific response data of Get_Attributes_All..... | 88 |
| Table 102 – Structure of Symbolic_Translation_RequestPDU body..... | 88 |
| Table 103 – Structure of Symbolic_Translation_ResponsePDU body | 88 |
| Table 104 – Object specific status for Symbolic_Translation service | 89 |
| Table 105 – Structure of Send_Receive_Fragment_RequestPDU body – Phase 1 | 89 |
| Table 106 – Structure of Send_Receive_Fragment_RequestPDU body – Phase 2 | 89 |
| Table 107 – Structure of Send_Receive_Fragment_ResponsePDU body – Phase 2..... | 90 |
| Table 108 – Request/Response Fragmentation Flags | 90 |
| Table 109 – Fragmentation Flags Usage..... | 90 |
| Table 110 – Object specific status for Send_Receive_Fragment service | 91 |
| Table 111 – Assembly object class attributes..... | 92 |
| Table 112 – Assembly object instance attributes..... | 92 |
| Table 113 – Assembly Instance ID ranges | 93 |

| | |
|---|-----|
| Table 114 – Standard Network Diagnostic assembly content and ordering | 94 |
| Table 115 – Object-specific request parameter for Create..... | 94 |
| Table 116 – Object-specific response parameter for Create | 95 |
| Table 117 – Acknowledge Handler object class attributes | 95 |
| Table 118 – Acknowledge Handler object instance attributes | 95 |
| Table 119 – Structure of Add_AckData_Path_RequestPDU body | 96 |
| Table 120 – Structure of Remove_AckData_Path_RequestPDU body | 96 |
| Table 121 – Time Sync object class attributes | 96 |
| Table 122 – Time Sync object instance attributes | 97 |
| Table 123 – ClockIdentity encoding for different network implementations | 101 |
| Table 124 – ClockClass values | 101 |
| Table 125 – TimeAccuracy values..... | 102 |
| Table 126 – TimePropertyFlags bit values | 102 |
| Table 127 – TimeSource values..... | 103 |
| Table 128 – Types of Clock | 103 |
| Table 129 – Network protocol to PortPhysicalAddressInfo mapping | 103 |
| Table 130 – Time Sync connection point 1, Standard Network Diagnostics | 104 |
| Table 131 – Class level object/service specific response data of Get_Attributes_All | 104 |
| Table 132 – Parameter object class attributes..... | 105 |
| Table 133 – Parameter Class Descriptor bit values | 105 |
| Table 134 – Parameter object instance attributes..... | 106 |
| Table 135 – Semantics of Descriptor Instance attribute..... | 107 |
| Table 136 – Descriptor Scaling bits usage | 107 |
| Table 137 – Minimum and Maximum Value semantics..... | 108 |
| Table 138 – Scaling Formula attributes | 109 |
| Table 139 – Scaling links | 109 |
| Table 140 – Class level object/service specific response data of Get_Attributes_All | 110 |
| Table 141 – Instance level object/service specific response data of Get_Attributes_All (Parameter object stub) | 110 |
| Table 142 – Instance level object/service specific response data of Get_Attributes_All (full Parameter object) | 111 |
| Table 143 – Structure of Get_Enum_String_RequestPDU body..... | 112 |
| Table 144 – Structure of Get_Enum_String_ResponsePDU body | 112 |
| Table 145 – Enumerated strings Type versus Parameter data type | 112 |
| Table 146 – Connection Manager object class attributes..... | 113 |
| Table 147 – Connection Manager object instance attributes..... | 113 |
| Table 148 – Connection Manager connection point 1, Standard Network Diagnostics | 114 |
| Table 149 – Class level object/service specific response data of Get_Attributes_All | 114 |
| Table 150 – Instance level object/service specific response data of Get_Attributes_All..... | 115 |
| Table 151 – Instance level object/service specific request data of Set_Attributes_All..... | 115 |
| Table 152 – Connection object class attributes | 116 |
| Table 153 – Connection object instance attributes | 116 |
| Table 154 – Values assigned to the state attribute | 117 |
| Table 155 – Values assigned to the instance_type attribute | 118 |

| | |
|---|-----|
| Table 156 – Possible values within Direction Bit | 119 |
| Table 157 – Possible values within Production Trigger Bits | 119 |
| Table 158 – Possible values within Transport Class Bits | 120 |
| Table 159 – TransportClass_Trigger attribute values summary | 120 |
| Table 160 – Transport Class 0 client behavior summary | 121 |
| Table 161 – Transport Class 1, 2 and 3 client behavior summary | 121 |
| Table 162 – Values defined for the DN_produced_connection_id attribute | 121 |
| Table 163 – Values defined for the DN_consumed_connection_id attribute | 122 |
| Table 164 – Values for the Initial Production Characteristics nibble | 123 |
| Table 165 – Values for the Initial Consumption Characteristics nibble | 124 |
| Table 166 – Values for the watchdog_timeout_action | 127 |
| Table 167 – Object-specific response parameters for Apply_Attributes | 129 |
| Table 168 – Object-specific response parameter for Set_Attribute_Single | 129 |
| Table 169 – Structure of Connection_Bind_RequestPDU body | 129 |
| Table 170 – Object specific status for Connection_Bind service | 129 |
| Table 171 – Structure of Producing_Application_Lookup_RequestPDU body | 130 |
| Table 172 – Structure of Producing_Application_Lookup_ResponsePDU body | 130 |
| Table 173 – Producing_Application_Lookup Service status codes | 130 |
| Table 174 – Possible port segment examples | 133 |
| Table 175 – TCP/IP link address examples | 134 |
| Table 176 – Extended Logical Type | 135 |
| Table 177 – Electronic key segment format | 136 |
| Table 178 – Key Format Table (key type 4) | 137 |
| Table 179 – Serial Number Key Format Table (key type 5) | 137 |
| Table 180 – Logical segments examples | 138 |
| Table 181 – Network segments | 139 |
| Table 182 – Extended network segment subtype definitions | 141 |
| Table 183 – Symbolic segment examples | 143 |
| Table 184 – Data segment | 143 |
| Table 185 – ANSI_Extended_Symbol segment | 144 |
| Table 186 – Addressing categories | 146 |
| Table 187 – Class code ID ranges | 147 |
| Table 188 – Class Attribute ID ranges | 147 |
| Table 189 – Instance Attribute ID ranges | 147 |
| Table 190 – Connection Point ranges | 148 |
| Table 191 – Service code ranges | 148 |
| Table 192 – Class codes | 149 |
| Table 193 – Reserved class attributes for all object class definitions | 150 |
| Table 194 – Common services list | 151 |
| Table 195 – Identity object specific services list | 151 |
| Table 196 – Message Router object specific services list | 152 |
| Table 197 – Acknowledge Handler object specific services list | 152 |
| Table 198 – Parameter object specific services list | 152 |

| | |
|--|-----|
| Table 199 – Services specific to Connection Manager | 152 |
| Table 200 – Services specific to Connection object..... | 153 |
| Table 201 – Device type numbering | 153 |
| Table 202 – Implementation profile numbering..... | 154 |
| Table 203 – Connection Manager service request error codes | 155 |
| Table 204 – General status codes..... | 165 |
| Table 205 – Extended status code for a general status of "Key Failure in path..... | 167 |
| Table 206 – Identity object status codes | 168 |
| Table 207 – TCP port numbers | 174 |
| Table 208 – UDP port numbers..... | 175 |
| Table 209 – Encapsulation header | 175 |
| Table 210 – Encapsulation command codes | 176 |
| Table 211 – Encapsulation status codes | 177 |
| Table 212 – Nop request encapsulation header | 178 |
| Table 213 – RegisterSession request encapsulation header | 179 |
| Table 214 – RegisterSession request data portion | 179 |
| Table 215 – RegisterSession reply encapsulation header | 180 |
| Table 216 – RegisterSession reply data portion (successful) | 180 |
| Table 217 – UnRegisterSession request encapsulation header | 181 |
| Table 218 – ListServices request encapsulation header..... | 182 |
| Table 219 – ListServices reply encapsulation header..... | 182 |
| Table 220 – ListServices reply data portion (successful)..... | 182 |
| Table 221 – Communications capability flags..... | 183 |
| Table 222 – ListIdentity request encapsulation header..... | 184 |
| Table 223 – ListIdentity reply encapsulation header..... | 185 |
| Table 224 – ListIdentity reply data portion (successful)..... | 185 |
| Table 225 – Type 2 identity item | 186 |
| Table 226 – Type 2 Ethernet Capability item..... | 186 |
| Table 227 – ListInterfaces request encapsulation header..... | 187 |
| Table 228 – ListInterfaces reply encapsulation header..... | 187 |
| Table 229 – SendRRData request encapsulation header | 188 |
| Table 230 – SendRRData request data portion | 188 |
| Table 231 – SendRRData reply encapsulation header | 189 |
| Table 232 – SendUnitData request encapsulation header | 189 |
| Table 233 – SendUnitData request data portion..... | 190 |
| Table 234 – Common packet format..... | 190 |
| Table 235 – CPF item format | 190 |
| Table 236 – Item Type ID numbers | 191 |
| Table 237 – Null address item..... | 191 |
| Table 238 – Connected address item..... | 192 |
| Table 239 – Sequenced address item | 192 |
| Table 240 – Unconnected data item..... | 192 |
| Table 241 – Connected data item | 193 |

| | |
|---|-----|
| Table 242 – Sockaddr info items | 193 |
| Table 243 – Usage of CPF items | 194 |
| Table 244 – BOOLEAN encoding | 195 |
| Table 245 – Example compact encoding of a BOOL value | 195 |
| Table 246 – Encoding of SignedInteger values | 196 |
| Table 247 – Example compact encoding of a SignedInteger value | 196 |
| Table 248 – UnsignedInteger values | 196 |
| Table 249 – Example compact encoding of an UnsignedInteger | 196 |
| Table 250 – FixedLengthReal values | 196 |
| Table 251 – Example compact encoding of a REAL value | 197 |
| Table 252 – Example compact encoding of a LREAL value | 197 |
| Table 253 – FixedLengthReal values | 197 |
| Table 254 – STRING value | 198 |
| Table 255 – STRING2 value | 198 |
| Table 256 – STRINGN value | 198 |
| Table 257 – SHORT_STRING value | 198 |
| Table 258 – Example compact encoding of a STRING value | 198 |
| Table 259 – Example compact encoding of STRING2 value | 199 |
| Table 260 – SHORT_STRING type | 199 |
| Table 261 – Example compact encoding of a single dimensional ARRAY | 200 |
| Table 262 – Example compact encoding of a multi-dimensional ARRAY | 201 |
| Table 263 – Example compact encoding of a STRUCTURE | 201 |
| Table 264 – Identification codes and descriptions of elementary data types | 203 |
| Table 265 – Identification codes and descriptions of constructed data types | 204 |
| Table 266 – Formal structure encoding definition | 204 |
| Table 267 – Formal structure with handles encoding definition | 205 |
| Table 268 – Abbreviated structure encoding definition | 206 |
| Table 269 – Formal array encoding definition | 207 |
| Table 270 – Abbreviated array encoding definition | 208 |
| Table 271 – I/O Connection state event matrix | 211 |
| Table 272 – Bridged Connection state event matrix | 216 |
| Table 273 – Explicit Messaging Connection state event matrix | 217 |
| Table 274 – Primitives issued by FAL user to FSPM | 220 |
| Table 275 – Primitives issued by FAL user to FSPM | 221 |
| Table 276 – Primitives issued by FSPM to FAL user | 223 |
| Table 277 – Parameters used with primitives exchanged between FAL user and FSPM | 225 |
| Table 278 – Primitives issued by FSPM to ARPM | 227 |
| Table 279 – Primitives issued by ARPM to FSPM | 227 |
| Table 280 – Parameters used with primitives exchanged between FSPM and ARPM | 228 |
| Table 281 – UCMM client states | 228 |
| Table 282 – State event matrix of UCMM client | 229 |
| Table 283 – High-end UCMM server states | 230 |
| Table 284 – State event matrix of high-end UCMM server | 231 |

| | |
|--|-----|
| Table 285 – Low-end UCMM server states..... | 232 |
| Table 286 – State event matrix of low–end UCMM server | 233 |
| Table 287 – Notification | 236 |
| Table 288 – Transport classes | 237 |
| Table 289 – Primitives issued by FSPM to ARPM | 237 |
| Table 290 – Primitives issued by ARPM to FSPM | 238 |
| Table 291 – Parameters used with primitives exchanged between FSPM and ARPM | 238 |
| Table 292 – Class 0 transport client states | 240 |
| Table 293 – Class 0 client SEM | 240 |
| Table 294 – Class 0 transport server states | 241 |
| Table 295 – Class 0 server SEM | 241 |
| Table 296 – Class 1 transport client states | 244 |
| Table 297 – Class 1 client SEM | 245 |
| Table 298 – Class 1 transport server states | 246 |
| Table 299 – Class 1 server SEM | 247 |
| Table 300 – Class 2 transport client states | 251 |
| Table 301 – Class 2 client SEM | 252 |
| Table 302 – Class 2 transport server states | 253 |
| Table 303 – Class 2 server SEM | 254 |
| Table 304 – Class 3 transport client states | 259 |
| Table 305 – Class 3 client SEM | 260 |
| Table 306 – Class 3 transport server states | 262 |
| Table 307 – Class 3 server SEM | 264 |
| Table 308 – Primitives issued by ARPM to DMPM..... | 266 |
| Table 309 – Primitives issued by DMPM to ARPM..... | 266 |
| Table 310 – Parameters used with primitives exchanged between ARPM and DMPM | 266 |
| Table 311 – Primitives exchanged between data-link layer and DMPM | 267 |
| Table 312 – Parameters used with primitives exchanged between DMPM and Data-link | 267 |
| Table 313 – Selection of connection ID | 268 |
| Table 314 – Link producer states | 268 |
| Table 315 – State event matrix of link producer | 269 |
| Table 316 – Link consumer states..... | 269 |
| Table 317 – State event matrix of link consumer | 270 |
| Table 318 – UCMM request | 271 |
| Table 319 – UCMM reply | 272 |
| Table 320 – Network Connection ID selection | 273 |
| Table 321 – Sockaddr Info usage..... | 275 |
| Table 322 – Example multicast assignments..... | 278 |
| Table 323 – UDP data format for class 0 and class 1 | 279 |
| Table 324 – Transport class 2 and class 3 connected data | 281 |
| Table 325 – Default DSCP and IEEE Std 802.1Q-2018 mapping..... | 285 |

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**INDUSTRIAL COMMUNICATION NETWORKS –
FIELD BUS SPECIFICATIONS –****Part 6-2: Application layer protocol specification –
Type 2 elements**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

Attention is drawn to the fact that the use of the associated protocol type is restricted by its intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a layer protocol type to be used with other layer protocols of the same type, or in other type combinations explicitly authorized by its intellectual-property-right holders.

NOTE Combinations of protocol types are specified in the IEC 61784-1 series and the IEC 61784-2 series.

IEC 61158-6-2 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation. It is an International Standard.

This fifth edition cancels and replaces the fourth edition published in 2019. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) update of normative and bibliographic references;
- b) review of Get/Set_Attributes_All parameter format in 3.5.3;
- c) new services in 4.1.2.1, 4.1.8.1 and 8.2, 8.3;
- d) clarifications of services in 4.1.5;
- e) definition of specific connection path in 4.1.6.12;
- f) clarifications and updates of Get/Set_attribute_list services in 4.1.8.1;
- g) clarifications, new attributes for the Identity object in 4.1.8.2;
- h) new attributes, service parameters and service for the Message Router object in 4.1.8.3;
- i) clarifications, new attribute and other extensions for the Assembly object in 4.1.8.4;
- j) clarifications, new attributes, service parameters, services and diagnostics connection points for the Time Sync object in 4.1.8.6;
- k) clarifications, new services and addition of diagnostics connection points for the Connection Manager object in 4.1.8.9;
- l) clarifications and extensions of Path Segments in 4.1.9;
- m) updates and extensions of class, attribute and service codes in 4.1.10;
- n) clarifications and additions of error codes in 4.1.11;
- o) update of STIME, UTIME and NTIME data types in 4.2.3 and 5.1.3.5;
- p) updates of encapsulation protocol in 4.3.1;
- q) addition of internal services in 7.1;
- r) removal of obsoleted transport options and related services in Clause 9 and Clause 11;
- s) updates of DMPM2 in Clause 11;
- t) removal of all references to CPF and CPs (material moved to profile documents);
- u) miscellaneous editorial corrections.

The text of this International Standard is based on the following documents:

| | |
|---------------|------------------|
| Draft | Report on voting |
| 65C/1204/FDIS | 65C/1245/RVD |

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts of the IEC 61158 series, published under the general title *Industrial communication networks – Fieldbus specifications*, can be found on the IEC web site.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the "three-layer" fieldbus reference model described in IEC 61158-1.

The application protocol provides the application service by making use of the services available from the data-link or other immediately lower layer. The primary aim of this document is to provide a set of rules for communication expressed in terms of the procedures to be carried out by peer application entities (AEs) at the time of communication. These rules for communication are intended to provide a sound basis for development in order to serve a variety of purposes:

- as a guide for implementers and designers;
- for use in the testing and procurement of equipment;
- as part of an agreement for the admittance of systems into the open systems environment;
- as a refinement to the understanding of time-critical communications within OSI.

This document is concerned, in particular, with the communication and interworking of sensors, effectors and other automation devices. By using this document together with other standards positioned within the OSI or fieldbus reference models, otherwise incompatible systems can work together in any combination.

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 6-2: Application layer protocol specification – Type 2 elements

1 Scope

1.1 General

The Fieldbus Application Layer (FAL) provides user programs with a means to access the fieldbus communication environment. In this respect, the FAL can be viewed as a "window between corresponding application programs."

This part of IEC 61158 provides common elements for basic time-critical and non-time-critical messaging communications between application programs in an automation environment and material specific to Type 2 fieldbus. The term "time-critical" is used to represent the presence of a time-window, within which one or more specified actions are required to be completed with some defined level of certainty. Failure to complete specified actions within the time window risks failure of the applications requesting the actions, with attendant risk to equipment, plant and possibly human life.

This document specifies interactions between remote applications and defines the externally visible behavior provided by the Type 2 fieldbus application layer in terms of

- the formal abstract syntax defining the application layer protocol data units conveyed between communicating application entities;
- the transfer syntax defining encoding rules that are applied to the application layer protocol data units;
- the application context state machine defining the application service behavior visible between communicating application entities;
- the application relationship state machines defining the communication behavior visible between communicating application entities.

The purpose of this document is to define the protocol provided to

- define the wire-representation of the service primitives defined in IEC 61158-5-2, and
- define the externally visible behavior associated with their transfer.

This document specifies the protocol of the Type 2 fieldbus application layer, in conformance with the OSI Basic Reference Model (ISO/IEC 7498-1) and the OSI application layer structure (ISO/IEC 9545).

1.2 Specifications

The principal objective of this document is to specify the syntax and behavior of the application layer protocol that conveys the application layer services defined in IEC 61158-5-2.

A secondary objective is to provide migration paths from previously-existing industrial communications protocols.

1.3 Conformance

This document does not specify individual implementations or products, nor does it constrain the implementations of application layer entities within industrial automation systems. Conformance is achieved through implementation of this application layer protocol specification.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE All parts of the IEC 61158 series, as well as the IEC 61784-1 series and the IEC 61784-2 series are maintained simultaneously. Cross-references to these documents within the text therefore refer to the editions as dated in this list of normative references.

IEC 61158-1:2023, *Industrial communication networks – Fieldbus specifications – Part 1: Overview and guidance for the IEC 61158 and IEC 61784 series*

IEC 61158-3-2:2023, *Industrial communication networks – Fieldbus specifications – Part 3-2: Data-link layer service definition – Type 2 elements*

IEC 61158-4-2:2023, *Industrial communication networks – Fieldbus specifications – Part 4-2: Data-link layer protocol specification – Type 2 elements*

IEC 61158-5-2:2023, *Industrial communication networks – Fieldbus specifications – Part 5-2: Application layer service definition – Type 2 elements*

IEC 61588:2021, *Precision clock synchronization protocol for networked measurement and control systems*

IEC 61784-3-2, *Industrial communication networks – Profiles – Part 3-2: Functional safety fieldbuses – Additional specifications for CPF 2*

IEC 61800-7-202, *Adjustable speed electrical power drive systems – Part 7-202: Generic interface and use of profiles for power drive systems – Profile type 2 specification*

IEC 62026-3:2014, *Low-voltage switchgear and controlgear – Controller-device interfaces (CDIs) – Part 3: DeviceNet*

ISO/IEC 7498-1, *Information technology – Open Systems Interconnection – Basic Reference Model: The Basic Model*

ISO/IEC/IEEE 8802-3, *Telecommunications and exchange between information technology systems – Requirements for local and metropolitan area networks – Part 3: Standard for Ethernet*

ISO/IEC 8824-1, *Information technology – Abstract Syntax Notation One (ASN.1) – Part 1: Specification of basic notation*

ISO/IEC 8825-1, *Information technology – ASN.1 encoding rules – Part 1: Specification of Basic Encoding Rules (BER), Canonical Encoding Rules (CER) and Distinguished Encoding Rules (DER)*

ISO/IEC 9545, *Information technology – Open Systems Interconnection – Application Layer structure*

ISO/IEC 10646, *Information technology – Universal Coded Character Set (UCS)*

ISO/IEC 10731, *Information technology – Open Systems Interconnection – Basic Reference Model – Conventions for the definition of OSI services*

ISO 639-2, *Codes for the representation of names of languages – Part 2: Alpha-3 code*

ISO 11898-1:2015, *Road vehicles – Controller area network (CAN) – Part 1: Data link layer and physical signalling*

IEEE Std 802.1Q-2018, *IEEE standard for local and metropolitan area networks – Bridges and bridged networks*

IEEE Std 802.3-2018, *IEEE Standard for Ethernet*

IETF RFC 791, J. Postel, *Internet Protocol*, September 1981, available at <https://www.rfc-editor.org/info/rfc791> [viewed 2022-02-18]

IETF RFC 1035, P.V. Mockapetris, *Domain Names – Implementation and Specification*, November 1987, available at <https://www.rfc-editor.org/info/rfc1035> [viewed 2022-02-18]

IETF RFC 1112, S.E. Deering, *Host Extensions for IP Multicasting*, August 1989, available at <https://www.rfc-editor.org/info/rfc1112> [viewed 2022-02-18]

IETF RFC 1117, S. Romano, M.K. Stahl, M. Recker, *Internet Numbers*, August 1989, available at <https://www.rfc-editor.org/info/rfc1117> [viewed 2022-02-18]

IETF RFC 1122, R. Braden, *Requirements for Internet Hosts – Communication Layers*, October 1989, available at <https://www.rfc-editor.org/info/rfc1122> [viewed 2022-02-18]

IETF RFC 1759, R. Smith, F. Wright, T. Hastings, S. Zilles, J. Gyllenskog, *Printer MIB*, March 1995, available at <https://www.rfc-editor.org/info/rfc1759> [viewed 2022-02-18]

IETF RFC 2236, W. Fenner, *Internet Group Management Protocol, Version 2*, November 1997, available at <https://www.rfc-editor.org/info/rfc2236> [viewed 2022-02-18]

IETF RFC 2474, K. Nichols, S. Blake, F. Baker, D. Black, *Definition of the Differentiated Services Field (DS Field) in the IPv4 and IPv6 Headers*, December 1998, available at <https://www.rfc-editor.org/info/rfc2474> [viewed 2022-02-18]

IETF RFC 2475, S. Blake, D. Black, M. Carlson, E. Davies, Z. Wang, W. Weiss, *An Architecture for Differentiated Services*, December 1998, available at <https://www.rfc-editor.org/info/rfc2475> [viewed 2022-02-18]

IETF RFC 2597, J. Heinanen, F. Baker, W. Weiss, J. Wroclawski, *Assured Forwarding PHB Group*, June 1999, available at <https://www.rfc-editor.org/info/rfc2597> [viewed 2022-02-18]

IETF RFC 2873, X. Xiao, A. Hannan, V. Paxson, E. Crabbe, *TCP Processing of the IPv4 Precedence Field*, June 2000, available at <https://www.rfc-editor.org/info/rfc2873> [viewed 2022-02-18]

IETF RFC 3140, D. Black, S. Brim, B. Carpenter, F. Le Faucheur, *Per Hop Behavior Identification Codes*, June 2001, available at <https://www.rfc-editor.org/info/rfc3140> [viewed 2022-02-18]

IETF RFC 3246, B. Davie, A. Charny, J.C.R. Bennet, K. Benson, J.Y. Le Boudec, W. Courtney, S. Davari, V. Firoiu, D. Stiliadis, *An Expedited Forwarding PHB (Per-Hop Behavior)*, March 2002, available at <https://www.rfc-editor.org/info/rfc3246> [viewed 2022-02-18]

IETF RFC 3376, B. Cain, S. Deering, I. Kouvelas, B. Fenner, A. Thyagarajan, *Internet Group Management Protocol, Version 3*, October 2002, available at <https://www.rfc-editor.org/info/rfc3376> [viewed 2022-02-18]

IETF RFC 4594, J. Babiarz, K. Chan, F. Baker, *Configuration Guidelines for DiffServ Service Classes*, August 2006, available at <https://www.rfc-editor.org/info/rfc4594> [viewed 2022-02-18]

koniec náhľadu – text ďalej pokračuje v platenej verzii STN