

| | | |
|------------|--|--|
| STN | <p>Priemyselné komunikačné siete Špecifikácie prevádzkových zberníc Časť 5-10: Definícia služieb aplikačnej vrstvy Prvky typu 10</p> | <p>STN EN IEC 61158-5-10</p> |
| | | 18 4020 |

Industrial communication networks - Fieldbus specifications - Part 5-10: Application layer service definition - Type 10 elements

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 07/23

Obsahuje: EN IEC 61158-5-10:2023, IEC 61158-5-10:2023

Oznámením tejto normy sa od 28.04.2026 ruší
STN EN IEC 61158-5-10 (18 4020) z októbra 2019

137099



EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN IEC 61158-5-10

May 2023

ICS 25.040.40; 35.100.70; 35.110

Supersedes EN IEC 61158-5-10:2019

English Version

**Industrial communication networks - Fieldbus specifications -
Part 5-10: Application layer service definition - Type 10 elements
(IEC 61158-5-10:2023)**

Réseaux de communication industriels - Spécifications des
bus de terrain - Partie 5-10: Définition des services de la
couche application - Eléments de type 10
(IEC 61158-5-10:2023)

Industrielle Kommunikationsnetze - Feldbusse - Teil 5-10:
Dienstfestlegungen des Application Layer
(Anwendungsschicht) - Typ 10-Elemente
(IEC 61158-5-10:2023)

This European Standard was approved by CENELEC on 2023-04-28. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN IEC 61158-5-10:2023 (E)**European foreword**

The text of document 65C/1203/FDIS, future edition 5 of IEC 61158-5-10, prepared by SC 65C "Industrial networks" of IEC/TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61158-5-10:2023.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2024-01-28 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2026-04-28 document have to be withdrawn

This document supersedes EN IEC 61158-5-10:2019 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice

The text of the International Standard IEC 61158-5-10:2023 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated:

- IEC/IEEE 60802:—¹ NOTE Approved as EN IEC 60802:—² (not modified)
IEC 60870-5-4 NOTE Approved as EN 60870-5-4
IEC 61131-1 NOTE Approved as EN 61131-1
IEC 61375-2-1 NOTE Approved as EN 61375-2-1
IEC 61784-1 (series) NOTE Approved as EN IEC 61784-1 (series)
IEC 61784-2 (series) NOTE Approved as EN IEC 61784-2 (series)

¹ Under preparation: Stage at the time of publication: IEC/IEEE CD 60802:2022.

² Under preparation: Stage at the time of publication: prEN IEC 60802:2020.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cencenelec.eu.

| <u>Publication</u> | <u>Year</u> | <u>Title</u> | <u>EN/HD</u> | <u>Year</u> |
|--------------------|-------------|--|------------------|-------------|
| IEC 61131-3 | 2013 | Programmable controllers - Part 3: Programming languages | EN 61131-3 | 2013 |
| IEC 61158-1 | 2023 | Industrial communication networks - Fieldbus specifications - Part 1: Overview and guidance for the IEC 61158 and IEC 61784 series | EN IEC 61158-1 | 2023 |
| IEC 61158-2 | 2023 | Industrial communication networks - Fieldbus specifications - Part 2: Physical layer specification and service definition | EN IEC 61158-2 | 2023 |
| IEC 61158-5-3 | 2023 | Industrial communication networks - Fieldbus specifications - Part 5-23: Application layer service definition - Type 23 elements | - | - |
| IEC 61158-6-3 | 2023 | Industrial communication networks - Fieldbus specifications - Part 6-23: Application layer protocol specification - Type 23 elements | - | - |
| IEC 61158-6-10 | 2023 | Industrial communication networks - Fieldbus specifications - Part 6-10: Application layer protocol specification - Type 10 elements | - | - |
| IEC 61784-3-3 | - | Industrial communication networks - Profiles - Part 3-3: Functional safety fieldbuses - Additional specifications for CPF 3 | EN IEC 61784-3-3 | - |
| IEC 61800-7-203 | 2015 | Adjustable speed electrical power drive systems - Part 7-203: Generic interface and use of profiles for power drive systems - Profile type 3 specification | EN 61800-7-203 | 2016 |
| IEC 62439-2 | 2021 | Industrial communication networks - High availability automation networks - Part 2: Media Redundancy Protocol (MRP) | EN IEC 62439-2 | 2022 |
| ISO/IEC 646 | 1991 | Information technology - ISO 7-bit coded character set for information interchange | - | - |

EN IEC 61158-5-10:2023 (E)

| <u>Publication</u> | <u>Year</u> | <u>Title</u> | <u>EN/HD</u> | <u>Year</u> |
|--------------------|-------------|--|--------------|-------------|
| ISO/IEC 7498-1 | - | Information technology - Open Systems Interconnection - Basic reference model: The basic model | - | - |
| ISO/IEC 8822 | - | Information technology - Open Systems Interconnection - Presentation service definition | - | - |
| ISO/IEC 8824-1 | - | Information technology - Abstract Syntax Notation One (ASN.1) - Part 1: Specification of basic notation | - | - |
| ISO/IEC 9545 | - | Information technology - Open Systems Interconnection - Application layer structure | - | - |
| ISO/IEC 9834-8 | - | Information technology - Procedures for the operation of object identifier registration authorities - Part 8: Generation of universally unique identifiers (UUIDs) and their use in object identifiers | - | - |
| ISO/IEC 10646 | - | Information technology - Universal coded character set (UCS) | - | - |
| ISO/IEC 10731 | - | Information technology - Open Systems Interconnection - Basic Reference Model - Conventions for the definition of OSI services | - | - |
| ISO/IEC/IEEE 60559 | 2020 | Information technology - Microprocessor Systems - Floating-Point arithmetic | - | - |
| ISO 8601-1 | 2019 | Date and time - Representations for information interchange - Part 1: Basic rules | - | - |
| IEEE 802.1AB | 2016 | IEEE Standard for Local and metropolitan area networks - Station and Media Access Control Connectivity Discovery | - | - |
| IEEE 802.1AS | 2020 | IEEE Standard for Local and Metropolitan Area Networks - Timing and Synchronization for Time-Sensitive Applications | - | - |
| IEEE 802.1CB | 2017 | IEEE Standard for Local and metropolitan area networks - Frame Replication and Elimination for Reliability | - | - |
| IEEE Std 802.1Q | 2018 | IEEE Standard for Local and metropolitan area networks - Media Access Control (MAC) Bridges and Virtual Bridged Local Area Networks | - | - |
| IEEE 802.3 | 2018 | IEEE Standard for Ethernet | - | - |
| IETF RFC 768 | 1980 | User Datagram Protocol | - | - |
| IETF RFC 791 | 1981 | Internet Protocol Darpa Internet Program Protocol Specification | - | - |
| IETF RFC 792 | 1981 | Internet Control Message Protocol | - | - |
| IETF RFC 826 | 1982 | Ethernet Address Resolution Protocol: Or Converting Network Protocol Addresses to 48.bit Ethernet Address for Transmission on Ethernet Hardware | - | - |
| IETF RFC 894 | 1984 | Standard for the Transmission of IP Datagrams over Ethernet Networks | - | - |

EN IEC 61158-5-10:2023 (E)

| <u>Publication</u> | <u>Year</u> | <u>Title</u> | <u>EN/HD</u> | <u>Year</u> |
|-----------------------------------|-------------|---|--------------|-------------|
| IETF RFC 1034 | 1987 | Domain names - concepts and facilities | - | - |
| IETF RFC 1112 | 1989 | Host Extensions for IP multicasting | - | - |
| IETF RFC 1157 | 1990 | Simple Network Management Protocol (SNMP) | - | - |
| IETF RFC 1213 | 1991 | Management Information Base for Network Management of TCP/IP-based Internets: MIB-II | - | - |
| IETF RFC 2131 | 1997 | Dynamic Host Configuration Protocol | - | - |
| IETF RFC 2132 | 1997 | DHCP Options and BOOTP Vendor Extensions | - | - |
| IETF RFC 2365 | 1998 | Administratively Scoped IP Multicast | - | - |
| IETF RFC 2674 | 1999 | Definitions of Managed Objects for Bridges with Traffic Classes, Multicast Filtering and Virtual LAN Extensions | - | - |
| IETF RFC 2737 | 1999 | Entity MIB (Version 2) | - | - |
| IETF RFC 2863 | 2000 | The Interfaces Group MIB | - | - |
| IETF RFC 3418 | 2002 | Management Information Base (MIB) for the Simple Network Management Protocol (SNMP) | - | - |
| IETF RFC 3490 | 2003 | Internationalizing Domain Names in Applications (IDNA) | - | - |
| IETF RFC 3621 | 2003 | Power Ethernet MIB | - | - |
| IETF RFC 4836 | 2007 | Definitions of Managed Objects for IEEE 802.3 Medium Attachment Units (MAUs) | - | - |
| IETF RFC 5905 | 2010 | Network Time Protocol Version 4: Protocol and Algorithms Specification | - | - |
| IETF RFC 6020 | 2010 | A Data Modeling Language for the Network Configuration Protocol (NETCONF) | - | - |
| IETF RFC 6241 | 2011 | Network Configuration Protocol (NETCONF) | - | - |
| IETF RFC 6890 | 2013 | Special-Purpose IP Address Registries | - | - |
| The Open Group - Publication C706 | - | Technical Standard DCE1.1: Remote Procedure Call | - | - |
| Metro Ethernet Forum - MEF 10.4 | 2018 | Subscriber Ethernet Service Attributes | - | - |



IEC 61158-5-10

Edition 5.0 2023-03

INTERNATIONAL STANDARD



**Industrial communication networks – Fieldbus specifications –
Part 5-10: Application layer service definition – Type 10 elements**





**THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2023 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

**IEC 61158-5-10**

Edition 5.0 2023-03

INTERNATIONAL STANDARD



**Industrial communication networks – Fieldbus specifications –
Part 5-10: Application layer service definition – Type 10 elements**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 25.040.40; 35.100.70; 35.110

ISBN 978-2-8322-6578-9

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

| | |
|---|----|
| FOREWORD | 17 |
| INTRODUCTION | 19 |
| 1 Scope | 20 |
| 1.1 General | 20 |
| 1.2 Specifications | 21 |
| 1.3 Conformance | 21 |
| 2 Normative references | 21 |
| 3 Terms, definitions, abbreviated terms, symbols and conventions | 24 |
| 3.1 Referenced terms and definitions | 24 |
| 3.1.1 ISO/IEC 7498-1 terms | 24 |
| 3.1.2 ISO/IEC 8822 terms | 25 |
| 3.1.3 ISO/IEC 9545 terms | 25 |
| 3.1.4 ISO/IEC 8824-1 terms | 25 |
| 3.2 Additional Type 10 terms and definitions | 25 |
| 3.3 Additional Type 10 terms and definitions for media redundancy | 33 |
| 3.4 Abbreviations and symbols | 34 |
| 3.4.1 General | 34 |
| 3.4.2 Additional Type 10 abbreviations and symbols | 37 |
| 3.4.3 Abbreviations and symbols for services | 40 |
| 3.4.4 Void | 40 |
| 3.5 Conventions | 40 |
| 3.5.1 Overview | 40 |
| 3.5.2 General conventions | 41 |
| 3.5.3 Conventions for class definitions | 41 |
| 3.5.4 Conventions for service definitions | 42 |
| 3.5.5 Conventions used in state machines | 43 |
| 4 Concepts | 43 |
| 5 Data type ASE | 44 |
| 5.1 General | 44 |
| 5.1.1 Overview | 44 |
| 5.1.2 Date and time type specifics | 44 |
| 5.1.3 Transfer of user data | 44 |
| 5.1.4 Data type overview | 44 |
| 5.2 Formal definition of data type objects | 47 |
| 5.2.1 Data type class | 47 |
| 5.3 FAL defined data types | 49 |
| 5.3.1 Fixed length types | 49 |
| 5.3.2 Variable Length types | 71 |
| 5.4 Data type ASE service specification | 74 |
| 6 Communication model for common services | 74 |
| 6.1 Concepts | 74 |
| 6.1.1 General | 74 |
| 6.1.2 Structure of an end station | 75 |
| 6.1.3 Structure of a bridged end station | 76 |
| 6.1.4 Structure of a bridge | 77 |
| 6.1.5 Examples of stations | 78 |

| | | |
|--------|---|-----|
| 6.1.6 | Automation system | 79 |
| 6.2 | ASE data types | 80 |
| 6.3 | ASEs | 80 |
| 6.3.1 | Middle Layer ASEs | 80 |
| 6.3.2 | Remote procedure call ASE | 81 |
| 6.3.3 | Remote service interface ASE | 90 |
| 6.3.4 | Domain name system ASE | 103 |
| 6.3.5 | Simple network management ASE | 104 |
| 6.3.6 | NETCONF ASE | 107 |
| 6.3.7 | NETCONF event ASE | 108 |
| 6.3.8 | IP suite ASE | 109 |
| 6.3.9 | Real time cyclic ASE | 113 |
| 6.3.10 | Real time acyclic ASE | 130 |
| 6.3.11 | Discovery and basic configuration ASE | 140 |
| 6.3.12 | Dynamic host configuration ASE | 173 |
| 6.3.13 | IEEE Std 802.1AB ASE | 175 |
| 6.3.14 | Media redundancy ASE | 189 |
| 6.3.15 | Precision time control ASE | 196 |
| 6.3.16 | IEEE Std 802.1AS ASE | 210 |
| 6.3.17 | IEEE Std 802.1Q ASE | 214 |
| 6.3.18 | IEEE Std 802.1CB ASE | 230 |
| 6.3.19 | Fragmentation ASE | 236 |
| 6.3.20 | IEEE Std 802.3 ASE | 238 |
| 6.3.21 | Void | 241 |
| 6.3.22 | Common DL mapping ASE | 241 |
| 6.4 | Additional information | 248 |
| 7 | Communication model for distributed I/O | 248 |
| 7.1 | Concepts | 248 |
| 7.1.1 | User requirements | 248 |
| 7.1.2 | Features | 248 |
| 7.1.3 | Associations | 249 |
| 7.1.4 | Device types | 250 |
| 7.1.5 | Instance model and device addresses | 260 |
| 7.1.6 | Application process | 260 |
| 7.1.7 | Application service element | 268 |
| 7.1.8 | Application relationship | 270 |
| 7.2 | ASE data types | 270 |
| 7.3 | ASEs | 271 |
| 7.3.1 | AR ASE | 271 |
| 7.3.2 | Real Identification ASE | 409 |
| 7.3.3 | CIM ASE | 502 |
| 7.3.4 | Diagnosis ASE | 604 |
| 7.3.5 | PE ASE | 652 |
| 7.3.6 | LogBook ASE | 662 |
| 7.3.7 | RS ASE | 665 |
| 7.3.8 | Time ASE | 690 |
| 7.3.9 | NME ASE | 695 |
| 7.4 | Application characteristics | 734 |
| 7.4.1 | Device Ident Number | 734 |

| | | |
|---|--|-----|
| 7.4.2 | Network topology | 735 |
| 7.5 | Summary of FAL services | 736 |
| 7.5.1 | IO device | 736 |
| 7.5.2 | IO controller | 737 |
| 7.5.3 | IO supervisor | 738 |
| Annex A (informative) | Device instances | 739 |
| Annex B (informative) | Components of an Ethernet interface | 742 |
| Annex C (informative) | Scheme of MAC address assignment | 746 |
| Annex D (informative) | Measurement of the fast startup time | 747 |
| Annex E (informative) | Dynamic Frame Packing | 748 |
| Annex F (informative) | Precondition for Diagnosis | 756 |
| Bibliography | 762 | |
| Figure 1 – Structure of an automation station | 74 | |
| Figure 2 – Overall view of communication ASEs | 75 | |
| Figure 3 – Structure of an end station | 76 | |
| Figure 4 – Structure of a bridged end station | 77 | |
| Figure 5 – IEEE Std 802 station example 1 (end station and bridge configuration portion) | 78 | |
| Figure 6 – IEEE Std 802 station example 3 | 79 | |
| Figure 7 – IEEE Std 802 station example 4 | 79 | |
| Figure 8 – Automation system example | 80 | |
| Figure 9 – Middle Layer ASEs communication architecture | 80 | |
| Figure 10 – Sequence Chart for reading the EndPointMapper | 83 | |
| Figure 11 – Media redundancy diagnosis dependencies | 195 | |
| Figure 12 – PTCP applications | 196 | |
| Figure 13 – Example of periods at a local port | 227 | |
| Figure 14 – Example of communication between controlling devices and field devices | 249 | |
| Figure 15 – Example of communication between an engineering station and several controlling and field devices | 250 | |
| Figure 16 – Example of communication between field devices and a server station | 250 | |
| Figure 17 – Example of communication between field devices | 250 | |
| Figure 18 – Interfaces, components and ports | 251 | |
| Figure 19 – Multiple interfaces, components and ports | 252 | |
| Figure 20 – Multiple interfaces, one bridge component with one external port | 253 | |
| Figure 21 – Multiple interfaces, multiple bridge components | 253 | |
| Figure 22 – Data Objects and Diagnosis Data Model | 257 | |
| Figure 23 – Example for channel modelling | 258 | |
| Figure 24 – Mapping to device model | 259 | |
| Figure 25 – Identification hierarchy | 259 | |
| Figure 26 – Application Process with application process objects (APOs) | 261 | |
| Figure 27 – Access to a remote APO | 262 | |
| Figure 28 – Access to a remote APO for provider/consumer association | 263 | |
| Figure 29 – Overview of application processes | 264 | |

| | |
|---|-----|
| Figure 30 – IO device with APs, slots and subslots | 264 |
| Figure 31 – Example 1 structural units for interfaces and ports within API 0..... | 267 |
| Figure 32 – Example 2 structural units for interfaces and ports within API 0..... | 267 |
| Figure 33 – FAL ASEs communication architecture..... | 268 |
| Figure 34 – Example of one AR with two AREPs..... | 270 |
| Figure 35 – Example IO application relationship (one-to-one) | 273 |
| Figure 36 – Example IO application relationship one-to-many | 274 |
| Figure 37 – Implicit application relationship | 275 |
| Figure 38 – State transition diagram DEVSM | 308 |
| Figure 39 – State transition diagram CTLSM..... | 316 |
| Figure 40 – Assignment of Communication Relationship to Application Relationship..... | 321 |
| Figure 41 – Overview Communication Relationship Class service interactions | 324 |
| Figure 42 – Example for an intersection of IO device, slot, and AR | 387 |
| Figure 43 – Substitute Value..... | 417 |
| Figure 44 – State transition diagram RSMSM..... | 425 |
| Figure 45 – Ownership handling..... | 428 |
| Figure 46 – State transition diagram OWNSM..... | 431 |
| Figure 47 – State transition diagram ASSSM | 431 |
| Figure 48 – State transition diagram PLUGSM..... | 443 |
| Figure 49 – State transition diagram PULLSM..... | 446 |
| Figure 50 – Location concepts in Asset Management..... | 461 |
| Figure 51 – Basic model for isochronous applications | 476 |
| Figure 52 – General isochronous application model (example CACF == 1) | 477 |
| Figure 53 – General isochronous application model (example CACF == 2) | 478 |
| Figure 54 – ASE relations in an IO device operating in isochronous mode for a submodule | 484 |
| Figure 55 – State transition diagram of ISOM_SYNC | 486 |
| Figure 56 – State transition diagram ISOM_OUT | 489 |
| Figure 57 – State transition diagram ISOM_IN | 494 |
| Figure 59 – CIM overview | 503 |
| Figure 60 – CIM class principle..... | 504 |
| Figure 61 – MRP interconnection | 588 |
| Figure 62 – State transition diagram SYNC_DIAG..... | 599 |
| Figure 63 – Diagnosis Base Model..... | 605 |
| Figure 64 – Filtering of diagnosis | 606 |
| Figure 65 – Filtering hierarchy | 606 |
| Figure 66 – Severity classification of fault, maintenance and qualified | 607 |
| Figure 67 – Data Base Model..... | 608 |
| Figure 68 – State transition diagram DIAG_DIAG | 638 |
| Figure 69 – State transition diagram DIAG_MR..... | 641 |
| Figure 70 – State transition diagram DIAG_MD | 645 |
| Figure 71 – State transition diagram DIAG_QUALIFIED | 649 |
| Figure 72 – Architecture..... | 653 |

| | |
|---|-----|
| Figure 73 – State transition diagram PESM..... | 661 |
| Figure 74 – Reporting System components | 666 |
| Figure 75 – AR / ARSet and Reporting System | 667 |
| Figure 76 – Max Scan Delay | 675 |
| Figure 77 – RS Incident window..... | 678 |
| Figure 78 – State transition diagram RSOBS | 683 |
| Figure 79 – State transition diagram RSBUF..... | 687 |
| Figure 80 – State transition diagram TimeSM | 693 |
| Figure 81 – Layers from application to network | 696 |
| Figure 82 – Assumed application timing model | 696 |
| Figure 83 – Relations of the IO controller to the Network Management Engine | 697 |
| Figure 84 – Relations of the IO device to the Network Management Engine | 698 |
| Figure 85 – Relations of a standalone Network Management Engine | 698 |
| Figure 86 – Correlation of the Stream Add parameter | 704 |
| Figure 87 – Interaction of the NME class | 711 |
| Figure 88 – Interaction of the NCE class | 714 |
| Figure 89 – Interaction of the TDE class | 717 |
| Figure 90 – Interaction of the PCE class | 724 |
| Figure 91 – Interaction of the BNME class | 727 |
| Figure 92 – Interaction between NME instance and BNME instance..... | 727 |
| Figure 93 – Interaction of the NUE class | 734 |
| Figure 94 – Example of network topology including slower wireless segments | 735 |
| Figure 95 – Example of media redundancy including wireless segments | 736 |
| Figure A.1 – Instance model in conjunction with CLRPC | 739 |
| Figure A.2 – Instance model in conjunction with RSI | 740 |
| Figure B.1 – Scheme of an Ethernet interface | 742 |
| Figure B.2 – Scheme of an Ethernet interface with bridging ability | 743 |
| Figure B.3 – Scheme of an Ethernet interface with optical ports | 744 |
| Figure B.4 – Scheme of an Ethernet interface with bridging ability using radio communication..... | 745 |
| Figure B.5 – Scheme of an Ethernet interface with radio communication..... | 745 |
| Figure C.1 – Scheme of MAC address assignment..... | 746 |
| Figure D.1 – Measurement of the fast startup time | 747 |
| Figure E.1 – Frame Layout | 748 |
| Figure E.2 – Subframe Layout | 749 |
| Figure E.3 – End to End..... | 750 |
| Figure E.4 – Dynamic frame packing..... | 750 |
| Figure E.5 – Dynamic frame packing – Truncation of outputs | 751 |
| Figure E.6 – Dynamic frame packing – Outbound Pack | 751 |
| Figure E.7 – Dynamic frame packing – Concatenation of inputs | 752 |
| Figure E.8 – Dynamic frame packing – Inbound Pack | 753 |
| Figure E.9 – Dynamic frame packing – Distributed watchdog | 755 |
| Figure E.10 – Interrelation between IO CR and dynamically packed frame..... | 755 |

| | |
|---|-----|
| Table 1 – Data type overview..... | 45 |
| Table 2 – V2 octets..... | 49 |
| Table 3 – L2 octets | 50 |
| Table 4 – E2 octets..... | 51 |
| Table 5 – E2 value range | 51 |
| Table 6 – Unipolar2.16 octets | 51 |
| Table 7 – Unipolar2.16 value range | 51 |
| Table 8 – N2 value range..... | 53 |
| Table 9 – N4 value range..... | 54 |
| Table 10 – X2 value range | 55 |
| Table 11 – X4 value range | 56 |
| Table 12 – C4 value range | 56 |
| Table 13 – T2 value range | 58 |
| Table 14 – T4 value range | 59 |
| Table 15 – D2 value range..... | 60 |
| Table 16 – R2 value range..... | 60 |
| Table 17 – TimeStamp status value range | 62 |
| Table 18 – TimeStampDifference status value range | 63 |
| Table 19 – F message trailer with 4 octets | 66 |
| Table 20 – Unsigned16_S octets | 68 |
| Table 21 – Unsigned16_S meaning..... | 69 |
| Table 22 – Integer16_S octets | 69 |
| Table 23 – Integer16_S meaning | 69 |
| Table 24 – Unsigned8_S octets | 70 |
| Table 25 – Unsigned8_S meaning | 70 |
| Table 26 – OctetString_S octets | 71 |
| Table 27 – OctetString_S status bits | 72 |
| Table 28 – RPC Connect | 84 |
| Table 29 – RPC Release..... | 85 |
| Table 30 – RPC Read | 86 |
| Table 31 – RPC Write | 87 |
| Table 32 – RPC Control | 88 |
| Table 33 – RPC Read Implicit..... | 89 |
| Table 34 – RSI initiator add | 93 |
| Table 35 – RSI responder add | 94 |
| Table 36 – RSI initiator remove..... | 95 |
| Table 37 – RSI responder remove..... | 96 |
| Table 38 – RSI call | 97 |
| Table 39 – RSI notification..... | 99 |
| Table 40 – RSI initiator abort | 100 |
| Table 41 – RSI responder abort | 101 |
| Table 42 – RSI get responder instances | 102 |
| Table 43 – SNMP Enable SNMP v1/v2..... | 105 |

| | |
|--|-----|
| Table 44 – SNMP Set Community Name | 106 |
| Table 45 – Add Static ARP Cache Entry | 112 |
| Table 46 – Remove Static ARP Cache Entry | 113 |
| Table 47 – PPM Set Prov Data | 119 |
| Table 48 – PPM Set Prov Status | 120 |
| Table 49 – PPM Activate | 121 |
| Table 50 – PPM Close | 123 |
| Table 51 – PPM Start | 123 |
| Table 52 – PPM Error | 124 |
| Table 53 – Get cons data | 124 |
| Table 54 – CPM Get cons status | 125 |
| Table 55 – CPM Set RedRole | 126 |
| Table 56 – CPM Activate | 127 |
| Table 57 – CPM NoData | 129 |
| Table 58 – CPM Stop | 129 |
| Table 59 – CPM New Data Indication | 130 |
| Table 60 – APMS Activate | 132 |
| Table 61 – APMR Activate | 134 |
| Table 62 – APMS A Data | 136 |
| Table 63 – APMR A Data | 137 |
| Table 64 – APMR Ack | 137 |
| Table 65 – APMS Error | 138 |
| Table 66 – APMS Error ERRCLS/ERRCODE | 138 |
| Table 67 – APMR Error | 139 |
| Table 68 – APMR Error ERRCLS/ERRCODE | 139 |
| Table 69 – APMS_Close | 139 |
| Table 70 – APMR_Close | 140 |
| Table 71 – Get | 150 |
| Table 72 – Set | 155 |
| Table 73 – Local Get Command | 161 |
| Table 74 – Local Set Command | 162 |
| Table 75 – Identify | 163 |
| Table 76 – Hello | 170 |
| Table 77 – PN DHCP Discover | 174 |
| Table 78 – PN DHCP Offer | 175 |
| Table 79 – System capabilities | 181 |
| Table 80 – Auto negotiation support and status | 183 |
| Table 81 – MDI Power Support | 183 |
| Table 82 – Remote systems data change | 188 |
| Table 83 – Start bridge | 203 |
| Table 84 – Start slave | 204 |
| Table 85 – Start master | 205 |
| Table 86 – Stop bridge | 206 |

| | |
|--|-----|
| Table 87 – Stop slave | 207 |
| Table 88 – Stop master..... | 208 |
| Table 89 – Sync state change | 208 |
| Table 90 – Line Delay change..... | 209 |
| Table 91 – Local Get Time..... | 213 |
| Table 92 – Local time state info | 213 |
| Table 93 – Traffic classes | 214 |
| Table 94 – Port state change | 221 |
| Table 95 – Set port state | 222 |
| Table 96 – Flush filtering data base | 222 |
| Table 97 – Add FDB entry..... | 223 |
| Table 98 – Remove FDB entry | 223 |
| Table 99 – Config Port | 224 |
| Table 100 – Stream ID Add..... | 232 |
| Table 101 – Stream ID Remove | 233 |
| Table 102 – Stream Identification..... | 234 |
| Table 103 – Stream Active Identification | 235 |
| Table 104 – Stream Send | 236 |
| Table 105 – MAU Type change | 240 |
| Table 106 – Set MAU Type | 241 |
| Table 107 – P Data | 242 |
| Table 108 – N Data | 243 |
| Table 109 – A Data | 245 |
| Table 110 – C Data..... | 246 |
| Table 111 – R Data..... | 247 |
| Table 112 – Requirements and features..... | 249 |
| Table 113 – Internal components and ports in the interface mounted left or up into the rack | 252 |
| Table 114 – Internal components and ports mounted interface mounted right or down into the rack..... | 252 |
| Table 115 – Binding application relationship services | 276 |
| Table 116 – Device Access | 279 |
| Table 117 – Companion AR | 280 |
| Table 118 – Acknowledge Companion AR | 280 |
| Table 119 – Time Aware System..... | 280 |
| Table 120 – Startup Mode..... | 281 |
| Table 121 – Pull Module Alarm Allowed | 281 |
| Table 122 – Input Valid on Backup AR | 284 |
| Table 123 – Mode | 285 |
| Table 124 – APStructureIdentifier with API := 0 | 285 |
| Table 125 – APStructureIdentifier with API != 0 | 286 |
| Table 126 – RS Alarm Transport Mode | 286 |
| Table 127 – Connect..... | 289 |
| Table 128 – Connect Device Access | 294 |

| | |
|---|-----|
| Table 129 – Release | 296 |
| Table 130 – Prm Begin | 298 |
| Table 131 – Prm End | 299 |
| Table 132 – Application Ready | 301 |
| Table 133 – Abort | 302 |
| Table 134 – Local AR Abort | 302 |
| Table 135 – Local Set AR State | 303 |
| Table 136 – Local AR In Data | 303 |
| Table 137 – Data elements of Read AR Data | 304 |
| Table 138 – Data elements of Expected Fast Startup Data | 306 |
| Table 139 – Remote primitives issued or received by DEVSM | 307 |
| Table 140 – Local primitives issued or received by DEVSM | 307 |
| Table 141 – State table DEVSM | 309 |
| Table 142 – Functions, Macros, Timers and Variables by DEVSM | 314 |
| Table 143 – Remote primitives issued or received by CTLSM | 315 |
| Table 144 – Local primitives issued or received by CTLSM | 315 |
| Table 145 – State table CTLSM | 317 |
| Table 146 – Functions, Macros, Timers and Variables used by CTLSM | 319 |
| Table 147 – Binding communication relationship services | 325 |
| Table 148 – Traffic Classes versus RT Class | 327 |
| Table 149 – Local Set Input | 336 |
| Table 150 – Local Set Input IOCS | 337 |
| Table 151 – Local Get Input | 338 |
| Table 152 – Local Get Input IOCS | 339 |
| Table 153 – Local New Input | 340 |
| Table 154 – Local Set Output | 341 |
| Table 155 – Local Set Output IOCS | 342 |
| Table 156 – Local Get Output | 343 |
| Table 157 – Local Get Output IOCS | 344 |
| Table 158 – Local New Output | 345 |
| Table 159 – Local Set Provider State | 345 |
| Table 160 – Local Set Redundancy | 346 |
| Table 161 – Local Set State | 347 |
| Table 162 – Local Data State Changed | 347 |
| Table 163 – Binding expected identification services | 354 |
| Table 164 – Module State | 356 |
| Table 165 – AR Info | 360 |
| Table 166 – Ident Info | 360 |
| Table 167 – General Data definition for identification services | 361 |
| Table 168 – Data elements of Read Module Diff Block | 363 |
| Table 169 – Alarm type | 367 |
| Table 170 – Alarm types attached to diagnosis ASE | 369 |
| Table 171 – Alarm types attached to ownership | 370 |

| | |
|--|-----|
| Table 172 – Alarm types attached to common profiles, profiles, and application | 370 |
| Table 173 – Binding Alarm services | 370 |
| Table 174 – Alarm Notification | 374 |
| Table 175 – Channel Diagnosis | 376 |
| Table 176 – Manufacturer Specific Diagnosis..... | 376 |
| Table 177 – Submodule Diagnosis State..... | 377 |
| Table 178 – AR Diagnosis State | 377 |
| Table 179 – User Structure Identifier | 378 |
| Table 180 – Semantics of Specifier..... | 380 |
| Table 181 – Binding Record Data services..... | 388 |
| Table 182 – Read | 389 |
| Table 183 – Read Services | 391 |
| Table 184 – Read Implicit | 394 |
| Table 185 – Read Query | 395 |
| Table 186 – Read Query Services..... | 396 |
| Table 187 – Write | 396 |
| Table 188 – Write Services | 397 |
| Table 189 – Data elements of Write Combined Object Container | 399 |
| Table 190 – Local Write Multiple | 400 |
| Table 191 – Local New Write Multiple | 402 |
| Table 192 – Binding real identification services..... | 409 |
| Table 193 – Local Add Submodule..... | 413 |
| Table 194 – Local Remove Submodule | 414 |
| Table 195 – Data elements of Read API Data | 415 |
| Table 196 – Data elements of Read Record Input Data Object Element | 416 |
| Table 197 – Data elements of Read Record Output Data Object Element | 419 |
| Table 198 – Data elements of Read Substitute Value..... | 420 |
| Table 199 – Selector for Read GSD Data..... | 422 |
| Table 200 – Data elements of Read GSD Data | 422 |
| Table 201 – Remote primitives issued or received by RSMSM | 424 |
| Table 202 – Local primitives issued or received by RSMSM..... | 424 |
| Table 203 – State table RSMSM | 425 |
| Table 204 – Functions, Macros, Timers and Variables used by RSMSM | 427 |
| Table 205 – Rules for Submodule State.Ident Info | 427 |
| Table 206 – Remote primitives issued or received by OWNSM and ASSSM..... | 430 |
| Table 207 – Local primitives issued or received by OWNSM | 430 |
| Table 208 – State table OWNSM | 432 |
| Table 209 – State table ASSSM | 438 |
| Table 210 – Functions, Macros, Timers and Variables used by OWNSM..... | 439 |
| Table 211 – Functions, Macros, Timers and Variables used by ASSSM | 440 |
| Table 212 – Rules for Submodule State.AR Info | 440 |
| Table 213 – Remote primitives issued or received by PLUGSM | 441 |
| Table 214 – Local primitives issued or received by PLUGSM | 442 |

| | |
|---|-----|
| Table 215 – State table PLUGSM | 444 |
| Table 216 – Functions, Macros, Timers and Variables used by PLUGSM..... | 445 |
| Table 217 – Remote primitives issued or received by PULLSM..... | 446 |
| Table 218 – Local primitives issued or received by PULLSM..... | 446 |
| Table 219 – State table PULLSM | 447 |
| Table 220 – Functions, Macros, Timers and Variables used by PULLSM | 448 |
| Table 221 – Binding I&M data services | 450 |
| Table 222 – Data elements of Read I&M0 Filter Data..... | 464 |
| Table 223 – Data elements of Read I&M0 Data..... | 467 |
| Table 224 – Data elements of Write I&M1 Data..... | 468 |
| Table 225 – Data elements of Write I&M2 Data..... | 469 |
| Table 226 – Data elements of Write I&M3 Data..... | 469 |
| Table 227 – Data elements of Write I&M4 Data..... | 470 |
| Table 228 – Data elements of Read I&M5 Data..... | 471 |
| Table 229 – Data elements of Read Asset Management Data | 474 |
| Table 230 – Binding Isochronous Mode Application services..... | 478 |
| Table 231 – Data elements of Write Isochronous Mode Data | 483 |
| Table 232 – Remote primitives issued or received by ISOM_SYNC..... | 485 |
| Table 233 – Local primitives issued or received by ISOM_SYNC | 485 |
| Table 234 – State table ISOM_SYNC..... | 486 |
| Table 235 – Functions, Macros, Timers and Variables used by the ISOM_SYNC | 487 |
| Table 236 – Remote primitives issued or received for ISOM_OUT | 487 |
| Table 237 – Local primitives issued or received for ISOM_OUT | 488 |
| Table 238 – State table ISOM_OUT | 490 |
| Table 239 – Functions, Macros, Timers and Variables used by the ISOM_OUT | 492 |
| Table 240 – Remote primitives issued or received for ISOM_IN | 493 |
| Table 241 – Local primitives issued or received for ISOM_IN..... | 493 |
| Table 242 – State table ISOM_IN..... | 495 |
| Table 243 – Functions, Macros, Timers and Variables used by the ISOM_IN | 496 |
| Table 244 – Observer service binding | 498 |
| Table 245 – Binding Communication Interface Management services | 505 |
| Table 246 – Subslot number for interface submodules | 508 |
| Table 247 – Subslot number for port submodules | 511 |
| Table 248 – Data elements of Read PDev Data | 518 |
| Table 249 – Data elements of Read PD Real Data..... | 519 |
| Table 250 – Data elements of Read PD Expected Data..... | 520 |
| Table 251 – Data elements of Read PD Interface Data Real | 522 |
| Table 252 – Data elements of Write PD Interface Adjust..... | 523 |
| Table 253 – Data elements of Write PD Interface FSU Data Adjust..... | 523 |
| Table 254 – Data elements of Write PD NC Data Check | 524 |
| Table 255 – Data elements of Read PD Port Statistic | 525 |
| Table 256 – Data elements of Read PD Port Data Real | 526 |
| Table 257 – Data elements of Read PD Port Data Real Extended..... | 527 |

| | |
|---|-----|
| Table 258 – Data elements of Write PD Port Data Check | 529 |
| Table 259 – Data elements of Write PD Port Data Adjust | 530 |
| Table 260 – Data elements of Read Port FO Data Real | 531 |
| Table 261 – Data elements of Write PD Port FO Data Check | 532 |
| Table 262 – Data elements of Write PD Port FO Data Adjust | 532 |
| Table 263 – Data elements of Write PD Port SFP Data Check | 533 |
| Table 264 – Data elements of Read RSI Instances | 534 |
| Table 265 – Binding IEEE Std 802.1AS services | 539 |
| Table 266 – Binding IEEE Std 802.1Q bridge services | 543 |
| Table 267 – Allowed values of Forwarding Mode | 550 |
| Table 268 – Allowed values of Fast Forwarding Multicast MAC Add | 550 |
| Table 269 – Tx Port Entry | 553 |
| Table 270 – Dependencies of RedPeriodBegin and GreenPeriodBegin | 556 |
| Table 271 – Distributed Watchdog Factor | 557 |
| Table 272 – Restart Factor For Distributed Watchdog | 558 |
| Table 273 – DFP Mode | 558 |
| Table 274 – SFIOCRProperties.DFPRedundantPathLayout | 559 |
| Table 275 – SFCRC16 | 559 |
| Table 276 – Data elements of Write PD IR Data | 570 |
| Table 277 – Data elements of Write PD IR Subframe Data | 572 |
| Table 278 – Write CIM NetConf Stream Forward Data | 575 |
| Table 279 – Binding Media Redundancy services | 577 |
| Table 280 – Data elements of Read PD Interface MRP Data Real | 579 |
| Table 281 – Data elements of Write PD Interface MRP Data Check | 581 |
| Table 282 – Data elements of Write PD Interface MRP Data Adjust | 582 |
| Table 283 – Data elements of Read PD Port MRP Data Real | 583 |
| Table 284 – Data elements of Write PD Port MRP Data Adjust | 584 |
| Table 285 – Data elements of Read PD Port MRPIC Data Real | 585 |
| Table 286 – Data elements of Write PD Port MRPIC Data Check | 585 |
| Table 287 – Data elements of Write PD Port MRPIC Data Adjust | 586 |
| Table 288 – Binding PTCP services | 590 |
| Table 289 – Sync Properties Role | 593 |
| Table 290 – Sync Class | 593 |
| Table 291 – Data elements of Write PD Sync Data | 594 |
| Table 292 – Local Sync State Info | 596 |
| Table 293 – Local SYNCH Event | 597 |
| Table 294 – Remote primitives issued or received by SYNC_DIAG | 598 |
| Table 295 – Local primitives issued or received by SYNC_DIAG | 598 |
| Table 296 – State table SYNC_DIAG | 599 |
| Table 297 – Functions, Macros, Timers and Variables used by SYNC_DIAG | 601 |
| Table 298 – List of supported MIBs | 601 |
| Table 299 – Cross-referencing of MIB-II objects | 602 |
| Table 300 – Cross-referencing of LLDP-MIB objects | 602 |

| | |
|--|-----|
| Table 301 – Cross-referencing of LLDP-EXT-PNO MIB objects | 603 |
| Table 302 – Cross-referencing of LLDP-EXT-DOT3 MIB objects | 603 |
| Table 303 – IEEE Std 802.1Q ASE related YANG modules (type definitions) | 604 |
| Table 304 – Diagnosis Records (index) | 612 |
| Table 305 – Binding Diagnosis services | 613 |
| Table 306 – General Data definition for Diagnosis services | 618 |
| Table 307 – Local Add Diagnosis Entry | 620 |
| Table 308 – Local Remove Diagnosis Entry | 622 |
| Table 309 – Local Update Diagnosis Entry | 623 |
| Table 310 – Remote primitives issued or received by DIAG_DIAG | 637 |
| Table 311 – Local primitives issued or received by DIAG_DIAG | 637 |
| Table 312 – State table DIAG_DIAG | 638 |
| Table 313 – Functions, Macros, Timers and Variables used by DIAG_DIAG | 639 |
| Table 314 – Remote primitives issued or received by DIAG_MR | 641 |
| Table 315 – Local primitives issued or received by DIAG_MR | 641 |
| Table 316 – State table DIAG_MR | 642 |
| Table 317 – Functions, Macros, Timers and Variables used by DIAG_MR | 643 |
| Table 318 – Remote primitives issued or received by DIAG_MD | 644 |
| Table 319 – Local primitives issued or received by DIAG_MD | 644 |
| Table 320 – State table DIAG_MD | 646 |
| Table 321 – Functions, Macros, Timers and Variables used by the maintenance demanded entry | 647 |
| Table 322 – Remote primitives issued or received by DIAG_QUALIFIED | 648 |
| Table 323 – Local primitives issued or received by DIAG_QUALIFIED | 649 |
| Table 324 – State table DIAG_QUALIFIED | 650 |
| Table 325 – Functions, Macros, Timers and Variables used by DIAG_QUALIFIED | 650 |
| Table 326 – Binding PE services | 654 |
| Table 327 – Local Add PE Entity | 655 |
| Table 328 – Local Remove PE Entity | 656 |
| Table 329 – Local Update PE_OperationalMode | 657 |
| Table 330 – PE Entity Filter Data definition | 658 |
| Table 331 – PE Entity Filter Data definition | 659 |
| Table 332 – Remote primitives issued or received by PESM | 660 |
| Table 333 – Local primitives issued or received by PESM | 661 |
| Table 334 – State table PESM | 662 |
| Table 335 – Functions, Macros, Timers and Variables used by PESM | 662 |
| Table 336 – Binding LogBook services | 663 |
| Table 337 – Data elements of Read LogBook Data | 664 |
| Table 338 – Local Create LogBook Entry | 665 |
| Table 339 – Binding RS services | 672 |
| Table 340 – Immanent observers | 674 |
| Table 341 – Configured observers | 674 |
| Table 342 – Data elements of Local Add RS Event | 680 |

| | |
|--|-----|
| Table 343 – Data elements of RS Get Event | 680 |
| Table 344 – Data elements of RS Ack Event..... | 681 |
| Table 345 – Data elements of RS Adjust Observer | 682 |
| Table 346 – Local primitives issued or received by RSOBS | 683 |
| Table 347 – State table RSOBS | 685 |
| Table 348 – Functions, Macros, Timers and Variables used by RSOBS | 686 |
| Table 349 – Remote primitives issued or received by RSBUF | 686 |
| Table 350 – Local primitives issued or received by RSBUF | 687 |
| Table 351 – State table RSBUF | 688 |
| Table 352 – Functions, Macros, Timers and Variables used by RSBUF..... | 690 |
| Table 353 – Binding Time services | 691 |
| Table 354 – Local Get Time | 691 |
| Table 355 – Local primitives issued or received by TimeSM..... | 692 |
| Table 356 – State table TimeSM | 694 |
| Table 357 – Functions, Macros, Timers and Variables used by TimeSM | 694 |
| Table 358 – NME Start | 701 |
| Table 359 – NME Stop | 702 |
| Table 360 – NME Stream Add..... | 703 |
| Table 361 – NME Stream Remove | 707 |
| Table 362 – NME Stream Renew | 709 |
| Table 363 – NCE Activate | 712 |
| Table 364 – NCE Deactivate | 712 |
| Table 365 – NCE NetworkConfig Changed..... | 713 |
| Table 366 – TDE Activate | 715 |
| Table 367 – TDE Close..... | 716 |
| Table 368 – TDE Topology Changed | 716 |
| Table 369 – PCE Activate | 718 |
| Table 370 – PCE Deactivate | 719 |
| Table 371 – PCE Stream Add | 720 |
| Table 372 – PCE Stream Remove..... | 721 |
| Table 373 – PCE Stream Renew | 722 |
| Table 374 – PCE Path Changed | 723 |
| Table 375 – BNME Activate | 725 |
| Table 376 – BNME Close..... | 726 |
| Table 377 – BNME Role Changed..... | 726 |
| Table 378 – NUE Activate | 729 |
| Table 379 – NUE Deactivate | 729 |
| Table 380 – NUE Stream Add | 731 |
| Table 381 – NUE Stream Remove | 732 |
| Table 382 – NUE Stream Renew..... | 733 |
| Table 383 – FAL services of the IO device | 736 |
| Table 384 – FAL services of the IO controller | 737 |
| Table F.1 – ChannelErrorType | 756 |

| | |
|--|-----|
| Table F.2 – Preconditions ChannelErrorType 0 – 0xFF | 757 |
| Table F.3 – Preconditions for ChannelErrorType 0x0100 – 0x7FFF, 0x9000 – 0x9FFF | 757 |
| Table F.4 – Preconditions for ChannelErrorType “Data transmission impossible” | 757 |
| Table F.5 – Preconditions for ChannelErrorType “Remote mismatch” | 758 |
| Table F.6 – Preconditions for ChannelErrorType “Media redundancy mismatch – ring” | 758 |
| Table F.7 – Preconditions for ChannelErrorType “Media redundancy mismatch – interconnection” | 759 |
| Table F.8 – Preconditions for ChannelErrorType “Sync mismatch” | 759 |
| Table F.9 – Preconditions for ChannelErrorType “Isochronous mode mismatch” | 759 |
| Table F.10 – Preconditions for ChannelErrorType “Multicast CR mismatch” | 759 |
| Table F.11 – Preconditions for ChannelErrorType “Fiber optic mismatch” | 760 |
| Table F.12 – Preconditions for ChannelErrorType “Network component function mismatch” | 760 |
| Table F.13 – Preconditions for ChannelErrorType “Dynamic Frame Packing function mismatch” | 760 |
| Table F.14 – Preconditions for ChannelErrorType “Media redundancy with planned duplication mismatch” | 760 |
| Table F.15 – Preconditions for ChannelErrorType “Multiple interface mismatch” | 761 |
| Table F.16 – Preconditions for ChannelErrorType “Power failure over Single Pair Ethernet” | 761 |

INTERNATIONAL ELECTROTECHNICAL COMMISSION**INDUSTRIAL COMMUNICATION NETWORKS –
FIELDBUS SPECIFICATIONS –****Part 5-10: Application layer service definition –
Type 10 elements****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 61158-5-10 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation. It is an International Standard.

This fifth edition cancels and replaces the fourth edition published in 2019. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) integration of system redundancy basic functionality;
- b) integration of dynamic reconfiguration basic functionality;
- c) integration of reporting system basic functionality;
- d) integration of asset management basic functionality;

e) integration of media redundancy ring interconnection basic functionality.

The text of this International Standard is based on the following documents:

| Draft | Report on voting |
|---------------|------------------|
| 65C/1203/FDIS | 65C/1244/RVD |

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts of the IEC 61158 series, published under the general title *Industrial communication networks – Fieldbus specifications*, can be found on the IEC web site.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the “three-layer” fieldbus reference model described in IEC 61158-1.

The application service is provided by the application protocol making use of the services available from the data-link or other immediately lower layer. This document defines the application service characteristics that fieldbus applications and/or system management can exploit.

Throughout the set of fieldbus standards, the term “service” refers to the abstract capability provided by one layer of the OSI Basic Reference Model to the layer immediately above. Thus, the application layer service defined in this document is a conceptual architectural service, independent of administrative and implementation divisions.

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 5-10: Application layer service definition – Type 10 elements

1 Scope

1.1 General

The fieldbus application layer (FAL) provides user programs with a means to access the fieldbus communication environment. In this respect, the FAL can be viewed as a “window between corresponding application programs”.

This part of IEC 61158 provides common elements for basic time-critical and non-time-critical messaging communications between application programs in an automation environment and material specific to Type 10 fieldbus. The term "time-critical" is used to represent the presence of a time-window, within which one or more specified actions are required to be completed with some defined level of certainty. Failure to complete specified actions within the time window risks failure of the applications requesting the actions, with attendant risk to equipment, plant and possibly human life.

This document defines in an abstract way the externally visible service provided by the Type 10 fieldbus application layer in terms of:

- an abstract model for defining application resources (objects) capable of being manipulated by users via the use of the FAL service;
- the primitive actions and events of the service;
- the parameters associated with each primitive action and event, and the form which they take; and
- the interrelationship between these actions and events, and their valid sequences.

The purpose of this document is to define the services provided to:

- the FAL user at the boundary between the user and the application layer of the fieldbus reference model, and
- Systems Management at the boundary between the application layer and Systems Management of the fieldbus reference model.

This document specifies the structure and services of the Type 10 fieldbus application layer, in conformance with the OSI Basic Reference Model (ISO/IEC 7498-1) and the OSI application layer structure (ISO/IEC 9545).

FAL services and protocols are provided by FAL application-entities (AE) contained within the application processes. The FAL AE is composed of a set of object-oriented application service elements (ASEs) and a layer management entity (LME) that manages the AE. The ASEs provide communication services that operate on a set of related application process object (APO) classes. One of the FAL ASEs is a management ASE that provides a common set of services for the management of the instances of FAL classes.

Although these services specify, from the perspective of applications, how request and responses are issued and delivered, they do not include a specification of what the requesting and responding applications are to do with them. That is, the behavioral aspects of the applications are not specified; only a definition of what requests and responses they can send/receive is specified. This permits greater flexibility to the FAL users in standardizing such object behavior. In addition to these services, some supporting services are also defined in this document to provide access to the FAL to control certain aspects of its operation.

1.2 Specifications

The principal objective of this document is to specify the characteristics of conceptual application layer services suitable for time-critical communications, and thus supplement the OSI Basic Reference Model in guiding the development of application layer protocols for time-critical communications.

A secondary objective is to provide migration paths from previously existing industrial communications protocols. It is this latter objective which gives rise to the diversity of services standardized as the various Types of IEC 61158, and the corresponding protocols standardized in subparts of IEC 61158-6.

This document can be used as the basis for formal application programming interfaces. Nevertheless, it is not a formal programming interface, and any such interface will need to address implementation issues not covered by this specification, including

- a) the sizes and octet ordering of various multi-octet service parameters, and
- b) the correlation of paired request and confirm, or indication and response, primitives.

1.3 Conformance

This document does not specify individual implementations or products, nor does it constrain the implementations of application layer entities within industrial automation systems.

There is no conformance of equipment to this application layer service definition standard. Instead, conformance is achieved through implementation of conforming application layer protocols that fulfill the Type 10 application layer services as defined in this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE All parts of the IEC 61158 series, as well as the IEC 61784-1 series and the IEC 61784-2 series are maintained simultaneously. Cross-references to these documents within the text therefore refer to the editions as dated in this list of normative references.

IEC 61131-3:2013, *Programmable controllers – Part 3: Programming languages*

IEC 61158-1:2023, *Industrial communication networks – Fieldbus specifications – Part 1: Overview and guidance for the IEC 61158 and IEC 61784 series*

IEC 61158-2:2023, *Industrial communication networks – Fieldbus specifications – Part 2: Physical layer specification and service definition*

IEC 61158-5-3:2023, *Industrial communication networks – Fieldbus specifications – Part 5-3: Application layer service definition – Type 3 elements*

IEC 61158-6-3:2023, *Industrial communication networks – Fieldbus specifications – Part 6-3: Application layer protocol specification – Type 3 elements*

IEC 61158-6-10:2023, *Industrial communication networks – Fieldbus specifications – Part 6-10: Application layer protocol specification – Type 10 elements*

IEC 61784-3-3, *Industrial communication networks – Profiles – Part 3-3: Functional safety fieldbuses – Additional specifications for CPF 3*

IEC 61800-7-203:2015, *Adjustable speed electrical power drive systems – Part 7-203: Generic interface and use of profiles for power drive systems – Profile type 3 specification*

IEC 62439-2:2021, *Industrial communication networks – High availability automation networks – Part 2: Media Redundancy Protocol (MRP)*

ISO/IEC 646:1991, *Information technology – ISO 7-bit coded character set for information interchange*

ISO/IEC 7498-1, *Information technology – Open Systems Interconnection – Basic Reference Model: The Basic Model*

ISO/IEC 8822, *Information technology – Open Systems Interconnection – Presentation service definition*

ISO/IEC 8824-1, *Information technology – Abstract Syntax Notation One (ASN.1) – Part 1: Specification of basic notation*

ISO/IEC 9545, *Information technology – Open Systems Interconnection – Application Layer structure*

ISO/IEC 9834-8, *Information technology – Procedures for the operation of object identifier registration authorities – Part 8: Generation of universally unique identifiers (UUIDs) and their use in object identifiers*

ISO/IEC 10646, *Information technology – Universal coded character set (UCS)*

ISO/IEC 10731, *Information technology – Open Systems Interconnection – Basic Reference Model – Conventions for the definition of OSI services*

ISO/IEC/IEEE 60559:2020, *Information technology – Microprocessor Systems – Floating-Point arithmetic*

ISO 8601-1:2019, *Data and time – Representations for information interchange – Part 1: Basic rules*

IEEE Std 802.1AB-2016, *IEEE Standard for Local and metropolitan area networks: Station and Media Access Control Connectivity Discovery*

IEEE Std 802.1AS-2020, *IEEE Standard for Local and Metropolitan Area Networks – Timing and Synchronization for Time-Sensitive Applications*

IEEE Std 802.1CB-2017, *IEEE Standard for Local and metropolitan area networks – Frame Replication and Elimination for Reliability*

IEEE Std 802.1Q-2018, *IEEE Standard for Local and Metropolitan Area Networks – Bridges and Bridged Networks*

IEEE Std 802.3-2018, *IEEE Standard for Ethernet*

IETF RFC 768, J. Postel, "User Datagram Protocol", August 1980, available at <https://www.rfc-editor.org/info/rfc768> [viewed 2022-09-29]

IETF RFC 791, J. Postel, "Internet Protocol", September 1981, available at <https://www.rfc-editor.org/info/rfc791> [viewed 2022-09-29]

IETF RFC 792, J. Postel, "Internet Control Message Protocol", September 1981, available at <https://www.rfc-editor.org/info/rfc792> [viewed 2022-09-29]

IETF RFC 826, D. Plummer, "An Ethernet Address Resolution Protocol: Or Converting Network Protocol Addresses to 48.bit Ethernet Address for Transmission on Ethernet Hardware", November 1982, available at <https://www.rfc-editor.org/info/rfc826> [viewed 2022-09-29]

IETF RFC 894, C. Hornig, "A Standard for the Transmission of IP Datagrams over Ethernet Networks", April 1984, available at <https://www.rfc-editor.org/info/rfc894> [viewed 2022-09-29]

IETF RFC 1034, P.V. Mockapetris, "Domain names – concepts and facilities", November 1987, available at <https://www.rfc-editor.org/info/rfc1034> [viewed 2022-09-29]

IETF RFC 1112, S.E. Deering, "Host extensions for IP multicasting", August 1989, available at <https://www.rfc-editor.org/info/rfc1112> [viewed 2022-09-29]

IETF RFC 1157, J.D. Case, M. Fedor, M.L. Schoffstall, J. Davin, "Simple Network Management Protocol (SNMP)", May 1990, available at <https://www.rfc-editor.org/info/rfc1157> [viewed 2022-09-29]

IETF RFC 1213, K. McCloghrie, M. Rose, "Management Information Base for Network Management of TCP/IP-based internets: MIB-II", March 1991, available at <https://www.rfc-editor.org/info/rfc1213> [viewed 2022-09-29]

IETF RFC 2131, R. Droms, "Dynamic Host Configuration Protocol", March 1997, available at <https://www.rfc-editor.org/info/rfc2131> [viewed 2022-09-29]

IETF RFC 2132, S. Alexander, R. Droms, "DHCP Options and BOOTP Vendor Extensions", March 1997, available at <https://www.rfc-editor.org/info/rfc2132> [viewed 2022-09-29]

IETF RFC 2365, D. Meyer, "Administratively Scoped IP Multicast", July 1998, available at <https://www.rfc-editor.org/info/rfc2365> [viewed 2022-09-29]

IETF RFC 2674, E. Bell, A. Smith, P. Langille, A. Rijhsinghani, K. McCloghrie, "Definitions of Managed Objects for Bridges with Traffic Classes, Multicast Filtering and Virtual LAN Extensions", August 1999, available at <https://www.rfc-editor.org/info/rfc2674> [viewed 2022-09-29]

IETF RFC 2737, K. McCloghrie, A. Bierman, "Entity MIB (Version 2)", December 1999, available at <https://www.rfc-editor.org/info/rfc2737> [viewed 2022-09-29]

IETF RFC 2863, K. McCloghrie, F. Kastenholz, "The Interfaces Group MIB", June 2000, available at <https://www.rfc-editor.org/info/rfc2863> [viewed 2022-09-29]

IETF RFC 3418, R. Presuhn, Ed., "Management Information Base (MIB) for the Simple Network Management Protocol (SNMP)", December 2002, available at <https://www.rfc-editor.org/info/rfc3418> [viewed 2022-09-29]

IETF RFC 3490, P. Faltstrom, P. Hoffman, A. Costello, "Internationalizing Domain Names in Applications (IDNA)", March 2003, available at <https://www.rfc-editor.org/info/rfc3490> [viewed 2022-09-29]

IETF RFC 3621, A. Berger, D. Romascanu, "Power Ethernet MIB", December 2003, available at <https://www.rfc-editor.org/info/rfc3621> [viewed 2022-09-29]

IETF RFC 4836, E. Beili, "Definitions of Managed Objects for IEEE 802.3 Medium Attachment Units (MAUs)", April 2007, available at <https://www.rfc-editor.org/info/rfc4836> [viewed 2022-09-29]

IETF RFC 5905, D. Mills, J. Martin, Ed., J. Burbank, W. Kasch, "Network Time Protocol Version 4: Protocol and Algorithms Specification", June 2010, available at <https://www.rfc-editor.org/info/rfc5905> [viewed 2022-09-29]

IETF RFC 6020, M. Bjorklund, Ed., "YANG – A Data Modeling Language for the Network Configuration Protocol (NETCONF)", October 2010, available at <https://www.rfc-editor.org/info/rfc6020> [viewed 2022-09-29]

IETF RFC 6241, R. Enns, Ed., M. Bjorklund, Ed., J. Schoenwaelder, Ed., A. Bierman, Ed., "Network Configuration Protocol (NETCONF)", June 2011, available at <https://www.rfc-editor.org/info/rfc6241> [viewed 2022-09-29]

IETF RFC 6890, M. Cotton, L. Vegoda, R. Bonica, Ed., B. Haberman, "Special-Purpose IP Address Registries", April 2013, available at <https://www.rfc-editor.org/info/rfc6890> [viewed 2022-09-29]

The Open Group – Publication C706, *Technical standard DCE1.1: Remote Procedure Call*; available at www.opengroup.org/onlinepubs/9629399/toc.htm [viewed 2022-09-29]

Metro Ethernet Forum – MEF 10.4:2018, Subscriber Ethernet Service Attributes, available at <https://www.mef.net/resources/mef-10-4-subscriber-ethernet-services-attributes> [viewed 2022-09-29]

koniec náhľadu – text ďalej pokračuje v platenej verzii STN