

<b>STN</b>	<b>Železnice Brzdenie Rozvádzace a vypínače brzdy</b>	<b>STN EN 15355+A1</b>
		28 4013

Railway applications - Braking - Distributor valves and distributor-isolating devices

Táto norma obsahuje anglickú verziu európskej normy.  
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 07/23

Obsahuje: EN 15355:2019+A1:2023

Oznámením tejto normy sa ruší  
STN EN 15355 (28 4013) z novembra 2019

**137165**



EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM

**EN 15355:2019+A1**

May 2023

ICS 45.060.01

Supersedes EN 15355:2019

English Version

**Railway applications - Braking - Distributor valves and  
distributor-isolating devices**

Applications ferroviaires - Freinage - Distributeurs de  
freinage et robinet d'isolation

Bahnanwendungen - Bremse - Steuerventile und  
Bremsabsperreinrichtungen

This European Standard was approved by CEN on 18 February 2019 and includes Amendment 1 approved by CEN on 25 December 2022.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

**EN 15355:2019+A1:2023 (E)****Contents**

	Page
<b>European foreword.....</b>	<b>4</b>
<b>1 Scope.....</b>	<b>5</b>
<b>2 Normative references.....</b>	<b>5</b>
<b>3 Terms and definitions .....</b>	<b>5</b>
<b>4 Symbols and abbreviations .....</b>	<b>14</b>
<b>4.1 Symbols.....</b>	<b>14</b>
<b>4.2 Abbreviations .....</b>	<b>14</b>
<b>5 Requirements to function, design and manufacturing.....</b>	<b>14</b>
<b>5.1 Functional requirements.....</b>	<b>14</b>
<b>5.2 Control chamber.....</b>	<b>14</b>
<b>5.3 Pilot volume .....</b>	<b>14</b>
<b>5.4 Auxiliary reservoir volume and brake cylinder size.....</b>	<b>14</b>
<b>5.5 Shock and vibration .....</b>	<b>15</b>
<b>5.6 Service life.....</b>	<b>15</b>
<b>5.7 Compressed air quality .....</b>	<b>15</b>
<b>5.8 Environmental conditions .....</b>	<b>15</b>
<b>5.8.1 General.....</b>	<b>15</b>
<b>5.8.2 Ambient temperature.....</b>	<b>15</b>
<b>5.8.3 Altitude .....</b>	<b>15</b>
<b>5.8.4 Humidity.....</b>	<b>15</b>
<b>5.8.5 Other environmental specifications.....</b>	<b>16</b>
<b>5.9 Design requirements regarding structural integrity at maximum pressure .....</b>	<b>17</b>
<b>5.10 Tightness .....</b>	<b>17</b>
<b>5.11 Fire behaviour .....</b>	<b>17</b>
<b>6 Functional requirements and Type tests.....</b>	<b>17</b>
<b>6.1 General.....</b>	<b>17</b>
<b>6.2 Test benches .....</b>	<b>17</b>
<b>6.3 Functional requirements and tests.....</b>	<b>18</b>
<b>6.3.1 General.....</b>	<b>18</b>
<b>6.3.2 Tightness .....</b>	<b>18</b>
<b>6.3.3 Inexhaustibility.....</b>	<b>20</b>
<b>6.3.4 Compensation of output pressure during brake application.....</b>	<b>24</b>
<b>6.3.5 Normal working pressure .....</b>	<b>25</b>
<b>6.3.6 Released and stand by position .....</b>	<b>26</b>
<b>6.3.7 Maximum output pressure in relation to input pressure reduction.....</b>	<b>29</b>
<b>6.3.8 Maximum output pressure and build-up and release times of an individual distributor valve.....</b>	<b>30</b>
<b>6.3.9 Release time within a train consist.....</b>	<b>31</b>
<b>6.3.10 Sensitivity .....</b>	<b>32</b>
<b>6.3.11 Insensitivity.....</b>	<b>33</b>
<b>6.3.12 Control sensitivity and hysteresis.....</b>	<b>34</b>
<b>6.3.13 Quick service function.....</b>	<b>35</b>
<b>6.3.14 Propagation speed .....</b>	<b>36</b>

6.3.15 Inshot function.....	37
6.3.16 Manual release function.....	38
6.3.17 Distributor isolating device .....	41
6.3.18 Protection against input pressure overcharge .....	46
6.3.19 Initial charging of the brake system of a vehicle.....	49
6.3.20 Initial charging of the brake system of a train .....	50
6.3.21 Maximum supply pressure.....	51
6.3.22 Tests at different temperatures .....	51
6.3.23 Shock and vibration.....	53
6.3.24 Distributor dump valve .....	54
7      In-service assessment.....	55
8      Designation .....	55
9      Identification and marking .....	55
9.1    Distributor valve.....	55
9.2    Distributor-isolating device.....	56
Annex A (normative) Test benches .....	57
A.1    General .....	57
A.2    Test bench Type A for single vehicle .....	57
A.3    Test bench Type B for train with 400 m length .....	59
A.4    Test bench Type C for train with 500 m length.....	59
A.5    Test bench Type D for train with 750 m length .....	59
A.6    Test bench Type E for train with 1 200 m length .....	59
Annex B (normative) Handle for operating the distributor-isolating device .....	60
Annex C (normative) In-service assessment.....	61
Annex D (normative) Handles for the activation of manual release functions .....	62
Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of Directive (EU) 2016/797 aimed to be covered.....	64
Bibliography .....	66

**EN 15355:2019+A1:2023 (E)****European foreword**

This document (EN 15355:2019+A1:2023) has been prepared by Technical Committee CEN/TC 256 "Railway applications", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2023, and conflicting national standards shall be withdrawn at the latest by November 2023.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes **[A1]** EN 15355:2019 **[A1]**.

This document includes Amendment 1 approved by CEN on 25 December 2022.

The start and finish of text introduced or altered by amendment is indicated in the text by tags **[A1]** **[A1]**.

This document has been prepared under a Standardization Request given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s) / Regulation(s).

For relationship with EU Directive(s) / Regulation(s), see informative Annex ZA, which is an integral part of this document.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## 1 Scope

This document applies to distributor valves and distributor-isolating devices.

The distributor valves contained in this document are of gradable release type. Direct release types are not included.

Functionally they are regarded as not containing relay valves of any type, even if the relay valves are physically an integral part of the distributor valves.

This document applies to both distributor-isolating devices mounted separate from the distributor valve and distributor-isolating devices integral with the distributor valve.

This document specifies the requirements for the design, testing and quality assurance of distributor valves and distributor-isolating devices.

The distributor valve and distributor-isolating device are intended to be part of a brake system mounted in a vehicle with maximum length of 31 m and maximum brake pipe volume of 25 l taking into consideration brake pipe inner diameters between 25 mm and 32 mm.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 14198, *Railway applications — Braking — Requirements for the brake system of trains hauled by locomotives*

EN 14478:2017, *Railway applications — Braking — Generic vocabulary*

EN 15611, *Railway applications — Braking — Relay valves*

EN 45545-2, *Railway applications — Fire protection on railway vehicles — Part 2: Requirements for fire behaviour of materials and components*

EN 60721-3-5:1997, *Classification of environmental conditions — Part 3: Classification of groups of environmental parameters and their severities — Section 5: Ground vehicle installations (IEC 60721-3-5:1997)*

EN 61373:2010, *Railway applications — Rolling stock equipment — Shock and vibration tests (IEC 61373:2010)*

ISO 8573-1:2010, *Compressed air — Part 1: Contaminants and purity classes*

**koniec náhľadu – text ďalej pokračuje v platenej verzii STN**