

STN	Obilniny a výrobky z obilnín Pšenica (<i>Triticum aestivum L.</i>) Stanovenie alveografických vlastností cesta pripraveného z obchodných alebo laboratórne zomletých múk pri konštantnej hydratácii a metóda skúšobného mletia (ISO 27971: 2023)	STN EN ISO 27971 46 1035
------------	---	--

Cereals and cereal products - Common wheat (*Triticum aestivum L.*) - Determination of alveograph properties of dough at constant hydration from commercial or test flours and test milling methodology (ISO 27971:2023)

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 09/23

Obsahuje: EN ISO 27971:2023, ISO 27971:2023

Oznámením tejto normy sa ruší
STN EN ISO 27971 (46 1035) z novembra 2015

137341



EUROPEAN STANDARD

EN ISO 27971

NORME EUROPÉENNE

EUROPÄISCHE NORM

June 2023

ICS 67.060

Supersedes EN ISO 27971:2015

English Version

Cereals and cereal products - Common wheat (*Triticum aestivum* L.) - Determination of alveograph properties of dough at constant hydration from commercial or test flours and test milling methodology (ISO 27971:2023)

Céréales et produits céréaliers - Blé tendre (*Triticum aestivum* L.) - Détermination des propriétés alvéographiques d'une pâte à hydratation constante de farine industrielle ou d'essai et méthodologie pour la mouture d'essai (ISO 27971:2023)

Getreide und Getreideerzeugnisse - Weichweizen (*Triticum aestivum* L.) - Bestimmung der Eigenschaften von Teig bei konstanter Flüssigkeitszufuhr zu handelsüblichen Mehlen oder Versuchsmehlen bei gleichen Versuchsmahlverfahren mittels Alveograph (ISO 27971:2023)

This European Standard was approved by CEN on 4 May 2023.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN ISO 27971:2023 (E)

Contents	Page
European foreword.....	3

European foreword

This document (EN ISO 27971:2023) has been prepared by Technical Committee ISO/TC 34 "Food products" in collaboration with Technical Committee CEN/TC 338 "Cereal and cereal products" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2023, and conflicting national standards shall be withdrawn at the latest by December 2023.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 27971:2015.

Any feedback and questions on this document should be directed to the users' national standards body/national committee. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

Endorsement notice

The text of ISO 27971:2023 has been approved by CEN as EN ISO 27971:2023 without any modification.

INTERNATIONAL STANDARD

ISO 27971

Third edition
2023-06

Cereals and cereal products — Common wheat (*Triticum aestivum* L.) — Determination of Alveograph properties of dough at constant hydration from commercial or test flours and test milling methodology

*Céréales et produits céréaliers — Blé tendre (*Triticum aestivum* L.) — Détermination des propriétés alvéographiques d'une pâte à hydratation constante de farine industrielle ou d'essai et méthodologie pour la mouture d'essai*



Reference number
ISO 27971:2023(E)

© ISO 2023

ISO 27971:2023(E)**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword.....	v
Introduction.....	vi
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions.....	1
4 Principle.....	1
5 Reagents.....	2
6 Apparatus.....	2
7 Sampling.....	6
8 Preparation of the wheat for laboratory milling.....	6
8.1 Cleaning the laboratory sample.....	6
8.2 Test portion.....	6
8.3 Wheat moisture content determination.....	6
8.4 Wheat preparation.....	6
8.4.1 General.....	6
8.4.2 Wheat with initial moisture content between 13 % and 15 % (one-stage moistening).....	7
8.4.3 Wheat with a moisture content less than 13 % (two-stage moistening).....	7
8.4.4 Wheat with a moisture content greater than 15 % (preliminary drying followed by moistening, as described above).....	7
9 Laboratory milling.....	7
9.1 General.....	7
9.2 Milling procedure.....	8
9.2.1 Breaking.....	8
9.2.2 Reduction.....	8
9.2.3 Flour homogenization.....	8
9.2.4 Storage of the flour.....	9
9.3 Expression of milling results.....	9
10 Preparation and Alveograph test.....	9
10.1 Preliminary checks.....	9
10.2 Preliminary operations.....	10
10.3 Kneading.....	12
10.4 Preparation of dough test pieces.....	14
10.5 Alveograph test.....	15
10.5.1 Initial preparation.....	15
10.5.2 First operation: placing the patty on the lower plate.....	15
10.5.3 Second operation: biaxial extension.....	17
10.6 Expression of Alveograph test results.....	17
10.6.1 General.....	17
10.6.2 Maximum pressure parameter, P	18
10.6.3 Mean abscissa at rupture, L	18
10.6.4 Swelling index, G	18
10.6.5 Elasticity index, I_e	19
10.6.6 Curve configuration ratio, P/L	19
10.6.7 Deformation work, W	19
11 Precision.....	19
11.1 Interlaboratory tests.....	19
11.1.1 Commercial flour.....	19
11.1.2 Flour obtained from laboratory milling.....	19
11.2 Repeatability limits.....	20

ISO 27971:2023(E)

11.2.1	General.....	20
11.2.2	Commercial flour — Limits established by the interlaboratory test.....	20
11.2.3	Flour obtained from laboratory milling.....	20
11.3	Reproducibility limits.....	21
11.3.1	General.....	21
11.3.2	Commercial flour — Limits established by the proficiency tests.....	21
11.3.3	Flour obtained from laboratory milling.....	22
11.4	Uncertainty.....	22
12	Test report.....	22
Annex A	(informative) Characteristics of the mill suitable for obtaining a laboratory milled flour.....	23
Annex B	(normative) Quantity of water to be added to wheat for conditioning.....	25
Annex C	(informative) Sample milling sheet.....	26
Annex D	(informative) Conversion table from <i>L</i> to <i>G</i>.....	28
Annex E	(informative) Interlaboratory and proficiency test data for commercial flours.....	30
Annex F	(informative) Interlaboratory data for laboratory milled flour.....	40
Annex G	(informative) Routine maintenance instructions for the Alveograph.....	52
Annex H	(informative) Assessment of proteolytic activity in wheat (<i>T. aestivum</i> L.) or flour.....	54
	Bibliography.....	56

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 34, *Food products*, Subcommittee SC 4, *Cereals and pulses*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 338, *Cereal and cereal products*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This third edition cancels and replaces the second edition (ISO 27971:2015), which has been technically revised.

The main changes are as follows:

- the oldest instruments (before AlveoNG) have been removed;
- the latest instruments (AlveoPC and Alveolab) have been added.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

ISO 27971:2023(E)

Introduction

The end-use value of wheat is determined by a number of properties that are useful in the manufacture of baked products such as bread, rusks and biscuits.

Such properties include the important viscoelastic (rheological) properties of dough formed as a result of flour hydration and kneading. An Alveograph is used to study the main parameters by subjecting a dough test piece to biaxial extension (producing a dough bubble) by inflating it with air, which is similar to the deformation to which it is subjected during bread dough fermentation.

Recording the pressure generated inside the bubble throughout the deformation of the dough test piece until it ruptures provides information on the following:

- a) The resistance of the dough to deformation, or its stiffness. It is expressed by the maximum pressure parameter, P .
- b) The extensibility or the possibility of inflating the dough to form a bubble. It is expressed by the mean of the abscissa value at rupture, L , converted to the swelling index, G .
- c) The elasticity of the dough during biaxial extension. It is expressed by the elasticity index, I_e .
- d) The work required to deform the dough bubble until it ruptures, or its strength, which is proportional to the area of the Alveogram (sum of the pressures throughout the deformation process). It is expressed by the parameter, W .

The P/L ratio is a measurement of the balance between stiffness and extensibility.

Alveographs are commonly used throughout the wheat and flour industry, for the following purposes:

- selecting and assessing different varieties of wheat and marketing batches of wheat;
- blending different batches of wheat or flour to produce a batch with given values for the Alveographic criteria (W , P , and L) complying with the proportional laws of blending;
- assessing the proteolytic activity in wheat or flour to detect possible contamination (see [Annex H](#) for more details).

Alveographs are used both on the upstream side of the industry for marketing, selecting and assessing the different wheat varieties and on the downstream side throughout the baking industries (see References [9], [11], [12] and [13]).

Cereals and cereal products — Common wheat (*Triticum aestivum* L.) — Determination of Alveograph properties of dough at constant hydration from commercial or test flours and test milling methodology

1 Scope

This document specifies a method of determining, using an Alveograph, the rheological properties of different types of dough obtained from common wheat flour (*Triticum aestivum* L.) produced by industrial milling or laboratory milling.

It describes the Alveograph test and how to use a laboratory mill to produce flour in two stages:

- stage 1: preparation of the wheat grain for milling to make it easier to separate the bran from the endosperm;
- stage 2: the milling process, including breaking between three fluted rollers, reduction of particle size between two smooth rollers and the use of a centrifugal sieving machine to grade the products.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 835, *Laboratory glassware — Graduated pipettes*

ISO 712, *Cereals and cereal products — Determination of moisture content — Reference method*

ISO 1042, *Laboratory glassware — One-mark volumetric flasks*

ISO 12099, *Animal feeding stuffs, cereals and milled cereal products — Guidelines for the application of near infrared spectrometry*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN