

STN	Kvalita pôdy Inhibícia množenia chvostoskokov (<i>Folsomia candida</i>) v dôsledku pôdných kontaminantov (ISO 11267: 2023)	STN EN ISO 11267 46 5223
------------	---	--

Soil quality - Inhibition of reproduction of Collembola (*Folsomia candida*) by soil contaminants (ISO 11267:2023)

Táto norma obsahuje anglickú verziu európskej normy.

This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 11/23

Obsahuje: EN ISO 11267:2023, ISO 11267:2023

Oznámením tejto normy sa ruší

STN EN ISO 11267 (46 5223) z júna 2014

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN ISO 11267

August 2023

ICS 13.080.30

Supersedes EN ISO 11267:2014

English Version

**Soil quality - Inhibition of reproduction of Collembola
(Folsomia candida) by soil contaminants (ISO
11267:2023)**

Qualité du sol - Inhibition de la reproduction de
Collembola (Folsomia candida) par des contaminants
du sol (ISO 11267:2023)

Bodenbeschaffenheit - Hemmung der Reproduktion
von Collembolen (Folsomia candida) durch
Verunreinigungen (ISO 11267:2023)

This European Standard was approved by CEN on 30 July 2023.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN ISO 11267:2023 (E)

Contents	Page
European foreword.....	3

European foreword

This document (EN ISO 11267:2023) has been prepared by Technical Committee ISO/TC 190 "Soil quality" in collaboration with Technical Committee CEN/TC 444 "Environmental characterization of solid matrices" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2024, and conflicting national standards shall be withdrawn at the latest by February 2024.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 11267:2014.

Any feedback and questions on this document should be directed to the users' national standards body/national committee. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

Endorsement notice

The text of ISO 11267:2023 has been approved by CEN as EN ISO 11267:2023 without any modification.

INTERNATIONAL STANDARD

ISO
11267

Third edition
2023-08

Soil quality — Inhibition of reproduction of Collembola (*Folsomia candida*) by soil contaminants

*Qualité du sol — Inhibition de la reproduction de Collembola
(Folsomia candida) par des contaminants du sol*



Reference number
ISO 11267:2023(E)

© ISO 2023

ISO 11267:2023(E)**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	3
5 Reagents and material	4
6 Apparatus	6
7 Procedure	6
7.1 Experimental design	6
7.1.1 General	6
7.1.2 Range-finding test	6
7.1.3 Definitive test	7
7.2 Preparation of test mixture	7
7.2.1 Testing contaminated soil	7
7.2.2 Testing substances added to the test substrate	8
7.2.3 Preparation of control container	8
7.3 Addition of the biological material	9
7.4 Test conditions and measurements	9
7.5 Determination of surviving Collembola	9
8 Calculation and expression of results	9
8.1 Calculation	9
8.2 Expression of results	9
9 Validity of the test	10
10 Statistical analysis	10
10.1 General	10
10.2 Single-concentration tests	10
10.3 Multi-concentration tests	11
10.3.1 Range-finding test	11
10.3.2 Definitive test	11
11 Test report	12
Annex A (informative) Techniques for rearing and breeding <i>Folsomia candida</i>	13
Annex B (normative) Determination of water-holding capacity	15
Annex C (informative) Guidance on adjustment of pH of artificial soil	16
Annex D (informative) Extraction and counting of Collembola	17
Annex E (informative) Specific information of alternative Collembolan species other than <i>Folsomia candida</i>	18
Bibliography	32

ISO 11267:2023(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 190, *Soil quality*, Subcommittee SC 4, *Biological characterization*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 444, *Environmental characterization of solid matrices*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This third edition cancels and replaces the second edition (ISO 11267:2014), which has been technically revised.

The main change is as follows:

- addition of an annex to provide specific information when using alternative Collembola species for reproduction test.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Ecotoxicological test systems are applied to obtain information about the effects of contaminants in soil and are proposed to complement conventional chemical analysis (see References [2] and [4]). Reference [2] includes a list and short characterization of recommended and standardized test systems and Reference [4] gives guidance on the choice and evaluation of the bioassays. Aquatic test systems with soil eluate are applied to obtain information about the fraction of contaminants potentially reaching the groundwater by the water path (retention function of soils), whereas terrestrial test systems are used to assess the habitat function of soils.

Soil-dwelling Collembola are ecologically relevant species for ecotoxicological testing. Springtails are prey animals for a variety of endogeic and epigeic invertebrates and they contribute to decomposition processes in soils. In acidic soils they are probably the most important soil invertebrates besides enchytraeids with respect to that function, since earthworms are typically absent.^[19] Additionally, Collembola represent arthropod species with a different route and a different rate of exposure compared to earthworms^[1] and enchytraeids.^[3] Various species were used in bioassays of which four species were used most commonly, *Folsomia candida* Willem, *Folsomia fimetaria* L., *Onychiurus armatus*, and *Orchesella cincta*.^[20] Numerous soil toxicity tests supported by Environment Canada (EC) resulted in the development and standardization of a biological test method for determining the lethal and sublethal toxicity of samples of contaminated soil to Collembola.^[10] The method prepared by EC includes four species, *Orthonychiurus folsomi*, *Proisotoma minuta*, *F. candida*, and *F. fimetaria*. As standardized test systems using Collembola as indicator organisms for the habitat function of soil, another two methods exist. One is designed for assessing the effects of substances on the reproductive output of the Collembola, *F. fimetaria* and *F. candida* in soil^{[19],[21]}, and the other method described here, focuses on testing contaminated soil. Optionally the method can be used for testing substances added to standard soils (e.g. artificial soil) for their sublethal hazard potential to Collembola.

This document describes a method that is based on the determination of sublethal effects of contaminated soils to adult Collembola of the species *Folsomia candida* Willem. The species is distributed worldwide. It plays a similar ecological role to *F. fimetaria*^{[10],[19]}. *F. candida* reproduces parthenogenetically and is an easily accessible species as it is commercially available and easy to culture. *F. candida* is considered to be a representative of soil arthropods and Collembola in particular. Background information on the ecology of springtails and their use in ecotoxicological testing is available in Reference [22].

Distinct Collembolan species inhabit various ecological niches at different soil depths and in different soil types across the globe. Although considered a surrogate species and therefore frequently used in ecotoxicological reproduction tests, *F. candida* is not common in most natural soils.^[28] Furthermore, species specific morphological adaptations can influence exposure and toxic effects of chemicals on organisms.^[102] Thus, the use of a variety of Collembolan species representing different morphological adaptations can be advantageous to obtain a broad spectrum of sensitivities for this group. Therefore, other species like *F. fimetaria* (euedaphic, distributed worldwide and found in agricultural soils^[28]), *Onychiurus yodai* (an euedaphic Asian species,^[31] *Proisotoma minuta* (hemiedaphic, distributed worldwide and inhabiting agricultural soils^{[31],[36]}), *Protaphorura fimata* (euedaphic, occurring through mild temperate to cold zones^{[31],[37]}), and *Sinella curviseta* (epedaphic, distributed from North America to Europe, Southeast Asia and Japan^[42]) were added as potential alternative test species (Annex E). These species have been used as ecotoxicological test species before, but available testing experience is limited.

Effects of substances are assessed using a standard soil, preferably a defined artificial soil substrate. For contaminated soils, the effects are determined in the soil to be tested and in a control soil. According to the objective of the study, the control and dilution substrate (dilution series of contaminated soil) are either an uncontaminated soil comparable to the soil to be tested (reference soil) or a standard soil (e.g. artificial soil).

NOTE The stability of the test substance cannot be ensured over the test period. No provision is made in the test method for monitoring the persistence of the substance under test.

Soil quality — Inhibition of reproduction of *Collembola (Folsomia candida)* by soil contaminants

1 Scope

This document specifies one of the methods for evaluating the habitat function of soils and determining effects of soil contaminants and substances on the reproduction of *Folsomia candida* Willem by dermal and alimentary uptake. This document also provides information on how to use this method for testing substances under temperate conditions.

The chronic test described is applicable to soils and soil materials of unknown quality, e.g. from contaminated sites, amended soils, soils after remediation, industrial, agricultural or other sites of concern and waste materials.

The method is not applicable to volatile substances, i.e. substances for which H (Henry's constant) or the air/water partition coefficient is greater than 1, or for which the vapour pressure exceeds 300 Pa at 25 °C.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 10390, *Soil, treated biowaste and sludge – Determination of pH*

ISO 10694, *Soil quality — Determination of organic and total carbon after dry combustion (elementary analysis)*

ISO 11260, *Soil quality — Determination of effective cation exchange capacity and base saturation level using barium chloride solution*

ISO 11277, *Soil quality — Determination of particle size distribution in mineral soil material — Method by sieving and sedimentation*

ISO 11465, *Soil quality — Determination of dry matter and water content on a mass basis — Gravimetric method*

ISO 18400-206, *Soil quality — Sampling — Part 206: Collection, handling and storage of soil under aerobic conditions for the assessment of microbiological processes, biomass and diversity in the laboratory*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN