

STN	<p style="text-align: center;">Železnice Koľaj Výhybky a križovatky pre vignolové koľajnice Časť 3: Požiadavky na vzájomné pôsobenie kolesa a koľajnice</p>	<p style="text-align: center;">STN EN 13232-3</p>
		73 6363

Railway applications - Track - Switches and crossings for Vignole rails - Part 3: Requirements for wheel/rail interaction

Táto norma obsahuje anglickú verziu európskej normy.

This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 12/23

Obsahuje: EN 13232-3:2023

Oznámením tejto normy sa ruší

STN EN 13232-3+A1 (73 6363) z apríla 2012

137823



Úrad pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky, 2024

Slovenská technická norma a technická normalizačná informácia je chránená zákonom č. 60/2018 Z. z. o technickej normalizácii v znení neskorších predpisov.

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 13232-3

October 2023

ICS 93.100

Supersedes EN 13232-3:2003+A1:2011

English Version

Railway applications - Track - Switches and crossings for
Vignole rails - Part 3: Requirements for wheel/rail
interaction

Applications ferroviaires - Voie - Appareils de voie
pour rails Vignole - Partie 3 : Exigences pour
l'interaction roue/rail

Bahnanwendungen - Oberbau - Weichen und
Kreuzungen für Vignolschienen - Teil 3: Anforderungen
an das Zusammenspiel Rad/Schiene

This European Standard was approved by CEN on 23 October 2022.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN 13232-3:2023 (E)

Contents

European foreword	4
1 Scope	6
2 Normative references	6
3 Terms, definitions and symbols	7
4 Inputs	11
4.1 General	11
4.2 Wheel and track parameters	11
4.2.1 Introduction.....	11
4.2.2 Wheel profiles.....	11
4.2.3 Wheelsets	12
4.2.4 Rail and track	12
4.2.5 Tolerances and wear	13
4.3 Contact zone	14
4.3.1 Introduction.....	14
4.3.2 Contact danger zone	14
4.3.3 Flangeway depth.....	14
4.3.4 Flangeway width	14
4.3.5 Flange running.....	14
5 Guidance principles	15
5.1 General	15
5.2 Guard and check rails.....	15
5.3 Wheelset guidance	15
5.3.1 General	15
5.3.2 Angle of attack	16
5.3.3 Flangeway.....	16
5.3.4 Gauge widening	17
5.3.5 Check rail and common crossing nose.....	17
5.3.6 Obtuse Crossings.....	18
5.4 Transitional guidance	19
5.5 Entry flares.....	20
6 Rules.....	20
6.1 Introduction.....	20
6.2 Security against derailment.....	20
6.3 Wheel profiles and wear	21
6.4 Angle of attack Ψ.....	22
6.5 Apparent wheel profiles.....	23
6.6 Tangent and secant contact	24
7 Common derailment-critical situations	25
7.1 Tangent contact.....	25
7.2 Secant contact at partially open switch tip or crossing nose	25
7.3 Secant contact at damaged switch tip	26
7.4 Limits.....	27
8 Output - Functional and Safety Dimensions (FSDs).....	28
8.1 Introduction.....	28
8.2 Switch panel.....	28
8.2.1 Free wheel passage in switches F_{WPS}.....	28
8.2.2 Entry angle θ.....	29

8.2.3	Switch point relief A2	30
8.2.4	Lateral point retraction	30
8.2.5	Lateral point machining	32
8.2.6	Track gauge in diverging track – vehicle with 3 axles	32
8.3	Common crossing panel	34
8.3.1	Fixed nose protection N_{pcf}	34
8.3.2	Free wheel passage in fixed common crossing F_{wpcf}	35
8.3.3	Free wheel passage at check rail entry F_{wpcre}	35
8.3.4	Free wheel passage at wing rail entry F_{wpwre}	36
8.3.5	Minimum flangeway depth h_{fw}	38
8.3.6	Flangeway width in diverging track	38
8.3.7	Parallel check rail length	40
8.3.8	Check rail and raised check rail	40
8.4	Obtuse crossing panel	41
8.4.1	Free wheel passage F_{wpof}	41
8.4.2	Unguided length	42
8.4.3	Check rail	44
8.4.4	Free wheel passage at check rail entry	44
8.4.5	Nose protection N_{pof}	45
8.5	General items (can occur in all zones within or outside S&C)	47
8.5.1	Check rail and wing rail entry flare	47
8.5.2	Flangeway width – Wheel trapping	47
9	Additional requirements	47
9.1	Introduction	47
9.2	Guidance	48
9.3	Wheel load transfer	48
9.3.1	General	48
9.3.2	Running surface design	50
9.3.3	Method of assessment	51
9.4	Insufficient wheel support or guidance	51
9.4.1	Common crossings	51
9.4.2	Obtuse crossings	51
9.4.3	Movable crossings	51
	Annex A (informative) Functional and safety dimensions (FSDs). Examples used in European Networks	52
	Annex B (normative) Obtuse crossing unguided length	53
	Annex C (informative) Examples of Switch Entry Angle	57
	Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive (EU) 2016/797 aimed to be covered	59
	Bibliography	61

EN 13232-3:2023 (E)**European foreword**

This document (EN 13232-3:2023) has been prepared by Technical Committee CEN/TC 256 "Railway applications", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2024, and conflicting national standards shall be withdrawn at the latest by April 2024.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 13232-3:2003+A1:2011.

This series of standards "*Railway applications – Track – Switches and crossings for Vignole rails*" covers the design and quality of switches and crossings in flat bottomed rail. The list of Parts is as follows:

- *Part 1: Definitions*
- *Part 2: Requirements for geometric design*
- *Part 3: Requirements for wheel/rail interaction*
- *Part 4: Actuation, locking and detection*
- *Part 5: Switches*
- *Part 6: Fixed common and obtuse crossings*
- *Part 7: Crossings with moveable parts*
- *Part 8: Expansion devices*
- *Part 9: Layouts*

Part 1 contains terminology used throughout all parts of this series. Parts 2 to 4 contain basic design guides and are applicable to all switch and crossing assemblies. Parts 5 to 8 deal with particular types of equipment including their tolerances. Part 9 defines the geometric and non-geometric acceptance criteria for layout inspection.

This document introduces more detailed requirements for wheel/rail contact geometry as well as introducing functional and safety dimensions required for the design of switches and crossings. A number of figures have also been updated to improve clarity.

This document has been prepared under a standardisation request addressed to [the relevant ESO] by the European Commission. The Standing Committee of the EFTA States subsequently approves these requests for its Member States.

For the relationship with EU Legislation, see informative Annex ZA, which is an integral part of this document.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

EN 13232-3:2023 (E)

1 Scope

This document defines the main wheel/track interaction criteria to be taken into account during the geometrical design of railway switches and crossings (S&C) layouts.

It specifies:

- characterization of wheel and track dimensions;
- geometric design principles for wheel guidance;
- design principles for wheel load transfer;
- whether movable crossings are needed.

These are illustrated by their application to turnout components:

- switches;
- crossings;
- check rails,

but the principles apply equally to more complex units. There are also simplified definitions of the safety and functional dimensions, which can be used in conjunction with the general principles as the basis for more in-depth assessment.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 13232-1:2023, *Railway applications – Track – Switches and crossings for Vignole rails – Part 1: Definitions*

EN 13715:2020, *Railway applications - Wheelsets and bogies - Wheels - Tread profile*

EN 15313:2016, *Railway applications - In-service wheelset operation requirements - In-service and off-vehicle wheelset maintenance*

EN 15273-1:2013+A1:2016, *Railway applications - Gauges - Part 1: General - Common rules for infrastructure and rolling stock*

EN 15273-2:2013+A1:2016, *Railway applications - Gauges - Part 2: Rolling stock gauge*

EN 15273-3:2013+A1:2016, *Railway applications - Gauges - Part 3: Structure gauges*

koniec náhľadu – text d'alej pokračuje v platenej verzii STN