

STN	Železnice Koľaj Výhybky a križovatky pre vignolové koľajnice Časť 8: Dilatačné zariadenia	STN EN 13232-8 73 6363
------------	--	--

Railway applications - Track - Switches and crossings for Vignole rails - Part 8: Expansion devices

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 12/23

Obsahuje: EN 13232-8:2023

Oznámením tejto normy sa ruší
STN EN 13232-8+A1 (73 6363) z apríla 2012

137828

Úrad pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky, 2024
Slovenská technická norma a technická normalizačná informácia je chránená zákonom č. 60/2018 Z. z. o technickej normalizácii
v znení neskorších predpisov.

EUROPEAN STANDARD

EN 13232-8

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2023

ICS 93.100

Supersedes EN 13232-8:2007+A1:2011

English Version

Railway applications - Track - Switches and crossings for Vignole rails - Part 8: Expansion devices

Applications ferroviaires - Voie - Appareils de voie
pour rails Vignole - Partie 8 : Appareils de dilatation

Bahnanwendungen - Oberbau - Weichen und
Kreuzungen für Vignolschienen - Teil 8:
Auszugsvorrichtungen

This European Standard was approved by CEN on 2 January 2023.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN 13232-8:2023 (E)

Contents	Page
European foreword	3
Introduction	5
1 Scope	6
2 Normative references	6
3 Terms and definitions	7
3.1 General definitions	7
3.2 Main types of expansion devices	8
4 Design	12
4.1 Design inputs	12
4.2 Design rules	13
4.2.1 General rules	13
4.2.2 Wheel/rail interaction	14
4.2.3 Specific rules	14
4.3 Performance requirements	15
4.4 Materials	15
4.5 Design output	15
4.5.1 Detailed component drawings	15
4.5.2 Assembly documents	16
5 Tolerances and inspection	16
5.1 General	16
5.2 Tools and instruments	16
5.3 Critical dimensions	16
5.3.1 Adjustment switch (bayonet type)	16
5.3.2 Expansion switch	21
5.4 Certification	28
5.5 Methods of examination for structural defects	28
6 Testing of longitudinal forces by expansion/contraction	28
6.1 Test method	28
6.2 Test results	29
7 Acceptance testing	29
8 Limits and extent of supply	29
9 Identification marks	29
Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive (EU) 2016/797 aimed to be covered	30
Bibliography	32

European foreword

This document (EN 13232-8:2023) has been prepared by Technical Committee CEN/TC 256 “Railway applications”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2024, and conflicting national standards shall be withdrawn at the latest by April 2024.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 13232-8:2007+A1:2011.

This series of standards “*Railway applications – Track – Switches and crossings for Vignole rails*” covers the design and quality of switches and crossings in flat bottomed rail. The list of Parts is as follows:

- *Part 1: Definitions*
- *Part 2: Requirements for geometric design*
- *Part 3: Requirements for wheel/rail interaction*
- *Part 4: Actuation, locking and detection*
- *Part 5: Switches*
- *Part 6: Fixed common and obtuse crossings*
- *Part 7: Crossings with moveable parts*
- *Part 8: Expansion devices*
- *Part 9: Layouts*

Part 1 contains terminology used throughout all parts of this series. Parts 2 to 4 contain basic design guides and are applicable to all switch and crossing assemblies. Parts 5 to 8 deal with particular types of equipment including their tolerances. These use Parts 1 to 4 as a basis. Part 9 defines the geometric and non-geometrical acceptance criteria for inspection of layouts.

This document has been prepared under a standardisation request addressed to [the relevant ESO] by the European Commission. The Standing Committee of the EFTA States subsequently approves these requests for its Member States.

For the relationship with EU Legislation, see informative Annex ZA, which is an integral part of this document.

Any feedback and questions on this document should be directed to the users’ national standards body. A complete listing of these bodies can be found on the CEN website.

EN 13232-8:2023 (E)

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

Introduction

An expansion device is a device that permits longitudinal relative rail movement of two adjacent rails, while maintaining correct guidance and support.

These longitudinal movements may be required in:

- a) interrupted continuously welded rail (CWR);
- b) structure movement;
- c) or a combination of both.

EN 13232-8:2023 (E)**1 Scope**

This document

- establishes a working terminology for expansion devices, for their constituent parts and for the types
- specifies the minimum manufacturing requirements for expansion devices and their constituent parts
- formulates codes of practice for inspection and tolerances
- defines the method by which expansion devices and their parts should be identified.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 13146-1:2019, *Railway applications - Track - Test methods for fastening systems - Part 1: Determination of longitudinal rail restraint*

EN 13232-1:2023, *Railway applications - Track — Switches and crossings for Vignole rails - Part 1: Definitions*

EN 13232-2:2023, *Railway applications - Track — Switches and crossings for Vignole rails - Part 2: Requirements for geometric design*

EN 13232-3:2023, *Railway applications - Track - Switches and crossings for Vignole rails - Part 3: Requirements for wheel/rail interaction*

EN 13232-9:2023, *Railway applications - Track - Switches and crossings for Vignole rails - Part 9: Layouts*

EN 13715:2020, *Railway applications - Wheelsets and bogies - Wheels - Wheels tread*

EN 13674-1:2011+A1:2017, *Railway applications - Track - Rail - Part 1: Vignole railway rails 46 kg/m and above*

EN 13674-2:2019, *Railway applications - Track - Rail- Part 2: Switch and crossing rails used in conjunction with Vignole railway rails 46 kg/m and above*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN