

<b>STN</b>	<b>Digitálne rozšírené bezdrôtové telekomunikácie (DECT) Harmonizovaná norma pre prístup k rádiovému spektru Časť 2: DECT-2020 NR</b>	<b>STN EN 301 406-2 V3.1.1</b>  87 1406
------------	---	---

Digital Enhanced Cordless Telecommunications (DECT); Harmonised Standard for access to radio spectrum; Part 2: DECT-2020 NR

Táto norma obsahuje anglickú verziu európskej normy.  
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 03/24

Obsahuje: EN 301 406-2 V3.1.1:2023

**138146**



# ETSI EN 301 406-2 V3.1.1 (2023-08)



**Digital Enhanced Cordless Telecommunications (DECT);  
Harmonised Standard for access to radio spectrum;  
Part 2: DECT-2020 NR**

---

**Reference**

DEN/DECT-00359-2

---

**Keywords**DECT, DECT-2020, radio, radio parameters,  
regulation, testing**ETSI**650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° w061004871

---

**Important notice**The present document can be downloaded from:  
<https://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at [www.etsi.org/deliver](http://www.etsi.org/deliver).

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at <https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:  
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

If you find a security vulnerability in the present document, please report it through our Coordinated Vulnerability Disclosure Program:  
<https://www.etsi.org/standards/coordinated-vulnerability-disclosure>

---

**Notice of disclaimer & limitation of liability**

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied. In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI. The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2023.  
All rights reserved.

# Contents

Intellectual Property Rights .....	8
Foreword.....	8
Modal verbs terminology.....	9
1 Scope .....	10
2 References .....	10
2.1 Normative references .....	10
2.2 Informative references.....	10
3 Definition of terms, symbols and abbreviations.....	11
3.1 Terms.....	11
3.2 Symbols.....	12
3.3 Abbreviations .....	12
4 Technical requirements specifications .....	13
4.1 Environmental profile.....	13
4.2 General requirements .....	13
4.3 Conformance requirements for transmitter.....	14
4.3.1 Transmitter RF Output Power.....	14
4.3.1.1 Definition .....	14
4.3.1.2 Limit.....	14
4.3.1.3 Conformance.....	14
4.3.2 Nominal Centre Frequencies.....	14
4.3.2.1 General .....	14
4.3.2.2 Definitions.....	14
4.3.2.3 Limit.....	15
4.3.2.4 Conformance .....	15
4.3.3 Nominal Channel Bandwidth.....	15
4.3.3.1 Definitions.....	15
4.3.3.2 Limit.....	15
4.3.3.3 Conformance.....	16
4.3.4 Transmitter unwanted emissions.....	16
4.3.4.1 Transmitter unwanted emissions in the spurious domain.....	16
4.3.4.1.1 Definition.....	16
4.3.4.1.2 Limits .....	16
4.3.4.1.3 Conformance .....	16
4.3.4.2 Transmitter unwanted emissions in the out of band domain .....	16
4.3.4.2.1 Definition.....	16
4.3.4.2.2 Limits .....	17
4.3.4.2.3 Conformance .....	17
4.4 Conformance requirements for receiver .....	17
4.4.1 Receiver Minimum Performance Criterion.....	17
4.4.2 Receiver Sensitivity .....	18
4.4.2.1 Definition .....	18
4.4.2.2 Limit.....	18
4.4.2.3 Conformance.....	18
4.4.3 Adjacent Channel Selectivity.....	18
4.4.3.1 Definition .....	18
4.4.3.2 Limit.....	18
4.4.3.3 Conformance.....	19
4.4.4 Receiver out of band blocking .....	19
4.4.4.1 Definition .....	19
4.4.4.2 Limit.....	20
4.4.4.3 Conformance.....	20
4.4.5 Spurious response .....	20
4.4.5.1 Definition .....	20
4.4.5.2 Limit.....	20

4.4.5.3	Conformance .....	21
4.4.6	Receiver Intermodulation .....	21
4.4.6.1	Definition .....	21
4.4.6.2	Limit .....	21
4.4.6.3	Conformance .....	21
4.4.7	Receiver unwanted emissions in the spurious domain .....	21
4.4.7.1	Definition .....	21
4.4.7.2	Limit .....	21
4.4.7.3	Conformance .....	22
4.5	Conformance requirements on Channel Access .....	22
4.5.1	General .....	22
4.5.1.1	Requirements .....	22
4.5.1.2	Conformance .....	22
4.5.2	Channel Access of a Radio Device in FT mode .....	22
4.5.2.1	Definition .....	22
4.5.2.2	Requirements .....	23
4.5.2.3	Conformance .....	23
4.5.3	Channel Access of a Radio Device in PT mode and Random Access .....	23
4.5.3.1	Definition .....	23
4.5.3.2	Requirements .....	23
4.5.3.3	Conformance .....	23
4.5.4	Channel Access of Radio Device in FT mode for Scheduled Access .....	23
4.5.4.1	Definition .....	23
4.5.4.2	Requirements .....	24
4.5.4.3	Conformance .....	24
4.5.5	Channel Access of Radio Device in PT mode for Scheduled Access .....	24
4.5.5.1	Definition .....	24
4.5.5.2	Requirements .....	24
4.5.5.3	Conformance .....	24
4.5.6	Maximum Transmission Time of a Radio Device .....	25
4.5.6.1	Definition .....	25
4.5.6.2	Requirements .....	25
4.5.6.3	Conformance .....	25
5	Testing for compliance with technical requirements .....	25
5.1	Environmental conditions for testing .....	25
5.1.1	General .....	25
5.1.2	Normal test conditions .....	25
5.1.2.1	Normal temperature and humidity .....	25
5.1.2.2	Normal power source .....	25
5.1.3	Extreme test conditions .....	26
5.2	Interpretation of the measurement results .....	26
5.3	Definition of other test conditions .....	26
5.3.1	Product information for testing .....	26
5.3.2	Test signals .....	27
5.3.2.1	Overview .....	27
5.3.2.2	Interfering signal for receiver performance tests .....	28
5.3.2.3	AWGN Interference signal used for Channel Access Tests .....	28
5.3.3	Test operational modes .....	29
5.3.3.1	Device under representative test signal .....	29
5.3.4	Antennas .....	29
5.3.4.1	Integrated and dedicated antennas .....	29
5.3.5	Tests of the receiver performance criterion .....	30
5.3.5.1	General .....	30
5.3.5.2	Receiver statistical testing .....	30
5.3.5.3	Receiver no loss of the wireless transmission function testing .....	30
5.3.6	Presentation of equipment .....	30
5.3.7	Conducted measurements, radiated measurements, relative measurements .....	30
5.4	Method of measurement for transmitters .....	30
5.4.1	Transmitter RF Output Power .....	30
5.4.1.1	Test conditions .....	30
5.4.1.2	Test method .....	31

5.4.1.2.1	Conducted measurement.....	31
5.4.1.2.2	Radiated measurement.....	32
5.4.2	Nominal Centre Frequencies.....	33
5.4.2.1	Test Conditions .....	33
5.4.2.2	Test Method .....	33
5.4.2.2.1	Conducted measurement.....	33
5.4.2.2.2	Radiated measurement.....	34
5.4.3	Transmitter unwanted emissions.....	34
5.4.3.1	Transmitter unwanted emissions in the spurious domain.....	34
5.4.3.1.1	Test Conditions.....	34
5.4.3.1.2	Test Method.....	34
5.4.3.2	Transmitter unwanted emissions in the out of band domain .....	36
5.4.3.2.1	Test Conditions.....	36
5.4.3.2.2	Test Method.....	37
5.5	Method of measurement for receiver.....	38
5.5.1	Receiver Sensitivity .....	38
5.5.1.1	Test Conditions .....	38
5.5.1.2	Test Method .....	38
5.5.1.2.1	Conducted measurement.....	38
5.5.1.2.2	Radiated measurement.....	39
5.5.2	Adjacent Channel Selectivity.....	39
5.5.2.1	Test Conditions .....	39
5.5.2.2	Test Method .....	40
5.5.2.2.1	Conducted measurement.....	40
5.5.2.2.2	Radiated measurement.....	41
5.5.3	Receiver out of band blocking .....	41
5.5.3.1	Test Conditions .....	41
5.5.3.2	Test Method .....	41
5.5.3.2.1	Conducted measurement.....	41
5.5.3.2.2	Radiated measurement.....	42
5.5.4	Receiver spurious response.....	43
5.5.4.1	Test Conditions .....	43
5.5.4.2	Test Method .....	43
5.5.4.2.1	Conducted measurement.....	43
5.5.4.2.2	Radiated measurement.....	44
5.5.5	Receiver Intermodulation .....	44
5.5.5.1	Test Conditions .....	44
5.5.5.2	Test Method .....	44
5.5.5.2.1	Conducted measurement.....	44
5.5.5.2.2	Radiated measurement.....	46
5.5.6	Receiver unwanted emissions in the spurious domain.....	46
5.5.6.1	Purpose.....	46
5.5.6.2	Test Conditions .....	46
5.5.6.3	Test Method .....	46
5.5.6.3.1	Conducted measurement.....	46
5.5.6.3.2	Radiated measurement.....	48
5.6	Test methods for Channel Access .....	48
5.6.1	Generic Test procedure for measuring channel or frequency use .....	48
5.6.1.1	Purpose.....	48
5.6.1.2	Test Conditions .....	48
5.6.1.3	Test Method .....	49
5.6.1.3.1	Conducted measurement.....	49
5.6.1.3.2	Radiated measurement.....	50
5.6.2	Channel Access of a Radio Device in FT mode .....	50
5.6.2.1	Purpose.....	50
5.6.2.2	Test Conditions .....	50
5.6.2.3	Test Method .....	50
5.6.2.3.1	Conducted measurement.....	50
5.6.2.3.2	Radiated measurement.....	51
5.6.3	Channel Access of a Radio Device in PT mode and Random Access .....	51
5.6.3.1	Purpose.....	51
5.6.3.2	Test Conditions .....	51

5.6.3.3	Test Method .....	51
5.6.3.3.1	Conducted measurement.....	51
5.6.3.3.2	Radiated measurement.....	52
5.6.4	Channel Access of a Radio Device in FT mode for Scheduled Access .....	52
5.6.4.1	Purpose.....	52
5.6.4.2	Test Conditions .....	52
5.6.4.3	Test Method .....	53
5.6.4.3.1	Conducted measurement.....	53
5.6.4.3.2	Radiated measurement.....	53
5.6.5	Channel Access of a Radio Device in PT mode for Scheduled Access .....	53
5.6.5.1	Purpose.....	53
5.6.5.2	Test Conditions .....	53
5.6.5.3	Test Method .....	53
5.6.5.3.1	Conducted measurement.....	53
5.6.5.3.2	Radiated measurement.....	54
5.6.6	Maximum Transmission Time of a Radio Device .....	55
5.6.6.1	Purpose.....	55
5.6.6.2	Test Conditions .....	55
5.6.6.3	Test Method .....	55
5.6.6.3.1	Conducted measurement.....	55
5.6.6.3.2	Radiated measurement.....	56
<b>Annex A (informative):</b>	<b>Relationship between the present document and the essential requirements of Directive 2014/53/EU .....</b>	<b>57</b>
<b>Annex B (informative):</b>	<b>Maximum measurement uncertainty.....</b>	<b>59</b>
<b>Annex C (informative):</b>	<b>Physical layer measurement channel configuration .....</b>	<b>60</b>
<b>Annex D (normative):</b>	<b>Test sites and arrangements for radiated measurements.....</b>	<b>61</b>
D.1	Introduction .....	61
D.2	Radiation test sites.....	61
D.2.1	Open Area Test Site (OATS) .....	61
D.2.2	Semi Anechoic Room (SAR) .....	62
D.2.3	Fully Anechoic Room (FAR) .....	63
D.2.4	Measurement Distance .....	64
D.3	Antennas.....	65
D.3.1	Introduction .....	65
D.3.2	Measurement antenna.....	65
D.3.3	Substitution antenna .....	65
D.4	Test fixture .....	65
D.4.1	Introduction .....	65
D.4.2	Description of the test fixture.....	66
D.4.3	Using the test fixture for relative measurements .....	66
D.5	Guidance on the use of radiation test sites .....	66
D.5.1	Introduction .....	66
D.5.2	Power supplies for the battery powered EUT.....	66
D.5.3	Site preparation .....	67
D.6	Coupling of signals.....	67
D.6.1	General .....	67
D.6.2	Data Signals.....	67
<b>Annex E (normative):</b>	<b>Procedures for radiated measurements.....</b>	<b>68</b>
E.1	Introduction .....	68
E.2	Radiated measurements in an OATS or SAR.....	68
E.3	Radiated measurements in a FAR .....	69

E.4	Substitution measurement .....	69
<b>Annex F (normative):</b>	<b>Receiver Testing.....</b>	<b>70</b>
F.1	Statistical testing of receiver characteristics.....	70
F.1.1	Description .....	70
F.1.2	Mapping the throughput to error ratio .....	70
F.1.2.1	Defining throughput and bitrate.....	70
F.1.2.2	Mapping the ACK/NACK to error ratio .....	70
F.1.2.3	Mapping the received packet count to error ratio .....	71
F.1.3	Design of the test.....	71
F.1.4	Numerical definition of the pass-fail limits .....	71
F.1.5	Pass-Fail decision rules .....	72
F.2	No loss of transmission testing of receiver characteristics.....	73
F.2.1	Description .....	73
F.2.2	Pass-Fail decision rules .....	73
<b>Annex G (informative):</b>	<b>Checklist .....</b>	<b>74</b>
<b>Annex H (informative):</b>	<b>Change history .....</b>	<b>75</b>
History .....		76

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

# Foreword

This Harmonised European Standard (EN) has been produced by ETSI Technical Committee Digital Enhanced Cordless Telecommunications (DECT).

The present document has been prepared under the Commission's standardisation request C(2015) 5376 final [i.1] to provide one voluntary means of conforming to the essential requirements of Directive 2014/53/EU on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC [i.2].

Once the present document is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of the present document given in Table A.1 confers, within the limits of the scope of the present document, a presumption of conformity with the corresponding essential requirements of that Directive and associated EFTA regulations.

The present document is part 2 of a multi-part deliverable. Full details of the entire series can be found in part 1 [i.15].

The present document covers DECT-2020 NR (New Radio) as defined by the multi-part technical specification ETSI TS 103 636 (see [i.12] for an overview).

National transposition dates	
Date of adoption of this EN:	27 July 2023
Date of latest announcement of this EN (doa):	31 October 2023
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	30 April 2024
Date of withdrawal of any conflicting National Standard (dow):	30 April 2025

---

## Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

# 1 Scope

The present document specifies technical characteristics and methods of measurements for equipment employing DECT-2020 NR (New Radio) as specified in by the multi-part technical specification ETSI TS 103 636, see [i.12] for an overview.

**Table 1: Radiocommunications service frequency bands**

Radiocommunications service frequency bands	
Transmit	1 880 MHz to 1 900 MHz
Receive	1 880 MHz to 1 900 MHz

National regulation can allow additional frequency bands. The limits and test procedures included in the present document are applicable for DECT-2020 NR use in frequency ranges below 6 GHz.

NOTE: The relationship between the present document and essential requirements of article 3.2 of Directive 2014/53/EU [i.2] is given in annex A.

## 2 References

### 2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference/>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] [ETSI TS 103 636-4 \(V1.4.1\)](#): "DECT-2020 New Radio (NR); Part 4: MAC layer; Release 1".

### 2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] [M/536 Commission implementing Decision C\(2015\) 5376](#) final of 4.8.2015 on a standardisation request to the European Committee for Electrotechnical Standardisation and to the European Telecommunications Standards Institute as regards radio equipment in support of Directive 2014/53/EU of the European Parliament and of the Council.
- [i.2] [Directive 2014/53/EU of the European Parliament](#) and of the Council of 16 April 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC.
- [i.3] Void.

- [i.4] [ERC Recommendation 74-01](#): "Unwanted emissions in the spurious domain", Edition May 2019.
- [i.5] Void.
- [i.6] ETSI EG 203 367 (V1.1.1) (06-2016): "Guide to the application of harmonised standards covering articles 3.1b and 3.2 of the Directive 2014/53/EU (RED) to multi-radio and combined radio and non-radio equipment".
- [i.7] ETSI TR 100 028-1 (V1.4.1) (12-2001): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics; Part 1".
- [i.8] ETSI TR 100 028-2 (V1.4.1) (12-2001): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics; Part 2".
- [i.9] ETSI TR 102 273-2 (V1.2.1) (12-2001): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Improvement on Radiated Methods of Measurement (using test site) and evaluation of the corresponding measurement uncertainties; Part 2: Anechoic chamber".
- [i.10] ETSI TR 102 273-3 (V1.2.1) (12-2001): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Improvement on Radiated Methods of Measurement (using test site) and evaluation of the corresponding measurement uncertainties; Part 3: Anechoic chamber with a ground plane".
- [i.11] ETSI TR 102 273-4 (V1.2.1) (12-2001): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Improvement on Radiated Methods of Measurement (using test site) and evaluation of the corresponding measurement uncertainties; Part 4: Open area test site".
- [i.12] ETSI TS 103 636 (all parts): "DECT-2020 New Radio (NR)".
- [i.13] ETSI TS 103 636-2: "DECT-2020 New Radio (NR); Part 2: Radio reception and transmission requirements; Release 1".
- [i.14] ETSI TS 103 636-3: "DECT-2020 New Radio (NR); Part 3: Physical layer; Release 1".
- [i.15] ETSI EN 301 406-1: "Digital Enhanced Cordless Telecommunications (DECT); Harmonised Standard for access to radio spectrum; Part 1: DECT, DECT Evolution and DECT ULE".
- [i.16] ETSI EG 203 336: "Guide for the selection of technical parameters for the production of Harmonised Standards covering article 3.1(b) and article 3.2 of Directive 2014/53/EU".

**koniec náhľadu – text ďalej pokračuje v platenej verzii STN**