

STN P	Plynárenská infraštruktúra Kvalita plynu Vodík používaný v opätovne vyhradených plynárenských systémoch	STN P CEN/TS 17977 38 6409
------------------	--	--

Gas infrastructure - Quality of gas - Hydrogen used in rededicated gas systems

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 02/24

Táto predbežná slovenská technická norma je určená na overenie. Prípadné pripomienky pošlite do novembra 2025 Úradu pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky.

Obsahuje: CEN/TS 17977:2023

138219

Úrad pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky, 2024
Slovenská technická norma a technická normalizačná informácia je chránená zákonom č. 60/2018 Z. z. o technickej normalizácii v znení neskorších predpisov.

TECHNICAL SPECIFICATION

CEN/TS 17977

SPÉCIFICATION TECHNIQUE

TECHNISCHE SPEZIFIKATION

November 2023

ICS 75.180.01; 27.075

English Version

Gas infrastructure - Quality of gas - Hydrogen used in rededicated gas systems

Infrastructures gazières - Qualité du gaz - Hydrogène
utilisé dans des réseaux de gaz convertis

Gasinfrastruktur - Beschaffenheit von Gas -
Wasserstoff zur Nutzung in umgestellten Gassystemen

This Technical Specification (CEN/TS) was approved by CEN on 28 August 2023 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

CEN/TS 17977:2023 (E)

Contents	Page
European foreword	3
Introduction	4
1 Scope	5
2 Normative references	5
3 Terms and definitions	5
4 Reference conditions and pressure units	6
5 Requirements on constituents and contaminants	6
Annex A (informative) Reasoning for the minimum content of 98 % hydrogen	8
Annex B (informative) Development of hydrogen purity in rededicated infrastructure over time	9
Annex C (informative) Variations of Wobbe Index and Gross calorific value for hydrogen	10
Annex D (informative) Data from Table 1 given in alternative units	11
Bibliography	12

European foreword

This document (CEN/TS 17977:2023) has been prepared by Technical Committee CEN/TC 234 “Gas infrastructure”, the secretariat of which is held by DIN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users’ national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

CEN/TS 17977:2023 (E)

Introduction

This document for hydrogen in rededicated gas systems takes into account the condition of existing piping with possible presence of liquid and solid deposits influencing the hydrogen quality.

Many parameters given in this document are deduced from EN 16726.

This document is the first edition and reflects the current situation, taking into account the existing grid, see Annex B. It is expected that over time the hydrogen delivered through such pipework will improve in quality. This will be taken into account in further development of the document.

This document is supposed to balance the requirements of gaseous hydrogen for the producer, the different grid operators and the end-users, respectively in order to set- up a reliable backbone of future energy supply which is (partly) based on using rededicated gas infrastructure. As a consequence, on-site pre-treatment cannot be excluded for applications and/or processes with specific stringent requirements.

The proposed parameters are verified by German project results (HyQual) which have been consulted in combination with end-users' specifications. In the project, different sources of hydrogen have been evaluated, including pyrolysis, steam reforming, electrolysis (Chlorine-Alkaline process and water electrolysis). Furthermore, the proposal takes biological hydrogen production process into account.

Also, the results of the Work Package 9 of the EC-CEN/GERG PNR project 'Removing the technical barriers to use of hydrogen in natural gas networks and for (natural) gas end users' have been taken into account.

This document supports the whole value chain (producers, system operators, other related services, end-users) to produce, transport, store, deliver and/or use hydrogen in a possibly rededicated (or adapted) natural gas infrastructure and connected applications in a safe way in the CEN member countries and where applicable, without the risk to harm or damage the infrastructure or connected user applications.

However, it is recognized that some end-users are sensitive to some gas quality parameters and impurities. In these cases, purification measures can be needed, for upgrading the hydrogen quality.

This document supports the implementation of the hydrogen strategy on European and national level and will accordingly facilitate the trade of hydrogen across entire Europe.

In the context of this document, the following aspects require close co-operation respectively co-ordination with other TCs (CEN-CLC/JTC 6, CEN/TC 268, ISO/TC 197, TCs for equipment and application):

- taking into account both natural gas systems and new built hydrogen systems;
- hydrogen qualities for fuel cell applications EN 17124:2022 (CEN/TC 268 WG 5, legally binding in some countries, e.g. DE).

1 Scope

This document defines the quality of gaseous hydrogen, i.e. its parameters and limiting values, to be transmitted, injected into and extracted from storages, distributed and utilized in fully and/or partially rededicated gas infrastructure and connected applications in a safe way.

This document gives evidence to the end-user which minimum exit hydrogen quality can be expected and ensured from natural gas infrastructure as minimum requirement and without further purification.

NOTE 1 The rededicated gas infrastructure can include new parts of this infrastructure constructed/added after the conversion of the natural gas grid.

NOTE 2 It is expected that over time the hydrogen delivered through such pipework will improve in quality, e.g. due to the increase in share of high purity hydrogen produced by electrolysis. This will be taken into account in further development of this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN ISO 13443, *Natural gas - Standard reference conditions (ISO 13443)*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN