

<b>STN</b>	<b>Železnice Infraštruktúra Protihlukové bariéry a súvisiace zariadenia proti šíreniu zvuku Skúšobná metóda určovania akustických vlastností Časť 1: Vlastné charakteristiky Zvuková pohltivosť v podmienkach difúzneho zvukového poľa</b>	<b>STN EN 16272-1</b>  73 6381
------------	--	--

Railway applications - Infrastructure - Noise barriers and related devices acting on airborne sound propagation - Test method for determining the acoustic performance - Part 1: Intrinsic characteristics - Sound absorption under diffuse sound field conditions

Táto norma obsahuje anglickú verziu európskej normy.  
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 03/24

Obsahuje: EN 16272-1:2023

Oznámením tejto normy sa ruší  
STN EN 16272-1 (73 6381) z júna 2013

**138333**

---

Úrad pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky, 2024  
Slovenská technická norma a technická normalizačná informácia je chránená zákonom č. 60/2018 Z. z. o technickej normalizácii v znení neskorších predpisov.

EUROPEAN STANDARD

EN 16272-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

November 2023

ICS 93.100

Supersedes EN 16272-1:2012

English Version

**Railway applications - Infrastructure - Noise barriers and related devices acting on airborne sound propagation - Test method for determining the acoustic performance - Part 1: Intrinsic characteristics - Sound absorption under diffuse sound field conditions**

Applications ferroviaires - Infrastructure - Dispositifs de réduction du bruit - Méthode d'essai pour la détermination des performances acoustique - Partie 1: Caractéristique intrinsèques - Absorption acoustique dans des conditions de champ acoustique diffus

Bahnanwendungen - Infrastruktur - Lärmschutzwände und verwandte Vorrichtungen zur Beeinflussung der Luftschallausbreitung - Prüfverfahren zur Bestimmung der akustischen Eigenschaften - Teil 1: Produktspezifische Merkmale - Schallabsorption unter den Bedingungen eines diffusen Schallfeldes

This European Standard was approved by CEN on 8 October 2023.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

**EN 16272-1:2023 (E)**

<b>Contents</b>		Page
<b>European foreword</b> .....		3
<b>Introduction</b> .....		5
<b>1</b>	<b>Scope</b> .....	7
<b>2</b>	<b>Normative references</b> .....	7
<b>3</b>	<b>Terms, definitions, symbols and abbreviations</b> .....	8
<b>3.1</b>	<b>Terms and definitions</b> .....	8
<b>3.2</b>	<b>Symbols and abbreviations</b> .....	8
<b>4</b>	<b>Test arrangement</b> .....	10
<b>5</b>	<b>Test procedure and evaluation</b> .....	14
<b>5.1</b>	<b>Test method</b> .....	14
<b>5.2</b>	<b>Measurement uncertainty</b> .....	17
<b>6</b>	<b>Test report</b> .....	18
<b>6.1</b>	<b>Expression of results</b> .....	18
<b>6.2</b>	<b>Further information</b> .....	18
<b>Annex A (informative) On the realization of a diffuse sound field</b> .....		19
<b>A.1</b>	<b>General</b> .....	19
<b>A.2</b>	<b>Additional information on the diffuseness of the sound field in a reverberation room</b> ....	19
<b>Annex B (normative) Measurement uncertainty</b> .....		21
<b>B.1</b>	<b>General</b> .....	21
<b>B.2</b>	<b>Measurement uncertainty based upon reproducibility data</b> .....	21
<b>B.3</b>	<b>Standard deviation of repeatability and reproducibility of the sound absorption coefficient</b> .....	21
<b>Annex C (normative) Test report template</b> .....		23
<b>C.1</b>	<b>Overview</b> .....	23
<b>C.2</b>	<b>Test object (example)</b> .....	24
<b>C.3</b>	<b>Test situation (example)</b> .....	26
<b>C.3.1</b>	<b>Test room and test arrangement</b> .....	26
<b>C.3.2</b>	<b>Test equipment and test procedures</b> .....	27
<b>C.3.3</b>	<b>Test conditions</b> .....	27
<b>C.4</b>	<b>Test results (example)</b> .....	27
<b>C.5</b>	<b>Measurement uncertainty (example)</b> .....	28
<b>Bibliography</b> .....		29

## European foreword

This document (EN 16272-1:2023) has been prepared by Technical Committee CEN/TC 256 “Railway application”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2024 and conflicting national standards shall be withdrawn at the latest by May 2024.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 16272-1:2012.

With respect to the superseded document, the following changes have been made:

- ISO/IEC Guide 98-3 and ISO 12999-2 has been added to the references;
- a clause for terms and definitions has been added (new Clause 3);
- the description of the test arrangement has been improved;
- the method for determining sound absorption coefficients in each one-third octave band, as described in EN ISO 354, has been modified: the Sabine absorption coefficient  $\alpha_s$  has been replaced by a new absorption coefficient  $\alpha_{NRD}$  that is specific to noise barriers and related devices acting on airborne sound propagation and which takes account of the volume of the test sample (the new coefficient  $\alpha_{NRD}$  might be derived from  $\alpha_s$ );
- the content of the test report has been better defined;
- an annex has been added explaining the physical hypotheses under the assumption of a diffuse sound field (Annex A);
- an annex with the values of the standard deviation of reproducibility and repeatability has been added; this makes possible the declaration of the measurement uncertainty and the related confidence level, which is now mandatory (Annex B);
- a detailed example is presented, including the declaration of the uncertainty (Annex C);
- The Bibliography has been updated.

EN 16272-1 is part of a series and should be read in conjunction with the other parts. All parts are listed below:

EN 16272-1, *Railway applications — Infrastructure — Noise barriers and related devices acting on airborne sound propagation — Test method for determining the acoustic performance — Part 1: Intrinsic characteristics - Sound absorption under diffuse sound field conditions*

EN 16272-2, *Railway applications — Infrastructure — Noise barriers and related devices acting on airborne sound propagation — Test method for determining the acoustic performance — Part 2: Intrinsic characteristics - Airborne sound insulation under diffuse sound field conditions* (the present document)

**EN 16272-1:2023 (E)**

EN 16272-3-1, *Railway applications — Infrastructure — Noise barriers and related devices acting on airborne sound propagation — Test method for determining the acoustic performance — Part 3-1: Normalized railway noise spectrum and single number ratings for diffuse sound field applications*

EN 16272-3-2, *Railway applications — Infrastructure — Noise barriers and related devices acting on airborne sound propagation — Test method for determining the acoustic performance — Part 3-2: Normalized railway noise spectrum and single number ratings for direct sound field applications*

EN 16272-4, *Railway applications — Track — Noise barriers and related devices acting on airborne sound propagation — Test method for determining the acoustic performance — Part 4: Intrinsic characteristics - In situ values of sound diffraction under direct sound field conditions*

EN 16272-5, *Railway applications — Infrastructure — Noise barriers and related devices acting on airborne sound propagation — Test method for determining the acoustic performance — Part 5: Intrinsic characteristics - Sound absorption under direct sound field conditions*

EN 16272-6, *Railway applications — Infrastructure — Noise barriers and related devices acting on airborne sound propagation — Test method for determining the acoustic performance — Part 6: Intrinsic characteristics - Airborne sound insulation under direct sound field conditions*

CEN/TS 16272-7, *Railway applications — Track — Noise barriers and related devices acting on airborne sound propagation — Test method for determining the acoustic performance — Part 7: Extrinsic characteristics - In situ values of insertion loss*

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

## Introduction

Where a sound reflecting surface is installed along a railway, it may be effective to use sound absorbing devices on its rail side to reduce additional noise nuisance caused by reflected sound. This treatment may be needed in the presence of the following:

- noise barriers, rocks or retaining walls that can reflect sound waves toward unprotected areas;
- vertical cuttings or reflective surfaces that face each other;
- tunnels and their approaches;
- trains passing close to a barrier where reflections between the train and the barrier may reduce effectiveness.

This document specifies a test method for qualifying the sound absorption performance of noise barriers and related devices acting on airborne sound propagation designed for railways (a measure of intrinsic performance). It is not concerned with determining insertion loss (extrinsic performance) which depends on additional factors which are not related to the product itself, e.g. the dimensions of the barrier and quality of installation work and site factors such as ground impedance, site geometry etc. The test is designed to allow the intrinsic sound absorption performance of the device to be measured under diffuse sound field conditions; the resulting rating should aid the selection of devices for particular rail side applications.


More information on the realization of a diffuse sound field is given in Annex A.

The measurement results of this method for sound absorption are not directly comparable with the results of the direct sound field method (EN 16272-5), mainly because the present method uses a diffuse sound field, while the direct sound field method assumes a directional sound field. The test method described in the present document should not be used to determine the intrinsic characteristics of sound absorption for noise barriers and related devices acting on airborne sound propagation to be installed on railways under non-reverberant conditions.

For the purpose of this document, reverberant conditions are defined based on the envelope,  $e$ , across the road formed by the device under test, trench sides or buildings (the envelope does not include the railway surface) as shown by the dashed lines in Figure 1. Conditions are defined as being reverberant when the percentage of open space in the envelope is less than or equal to 25 %, i.e. reverberant conditions occur when  $w/e \leq 0,25$ , where  $e = (w + h_1 + h_2)$  or  $e = (w + h_1)$  as per Figure 1. This criterion is applied also to the open space between the train body and the noise barrier surface.

This method may be used to qualify noise barriers and related devices acting on airborne sound propagation for other applications, e.g. to be installed nearby industrial sites. In this case the single-number ratings should be calculated using an appropriate spectrum.

## EN 16272-1:2023 (E)



## Key

 $r$  railway surface $w$  width of open space $h_1$  Developed length of element, e.g. cover, trench side, barrier or building $h_2$  Developed length of element, e.g. cover, trench side, barrier or building

NOTE Figure 1 is not to scale.

Figure 1 — Sketch of the reverberant condition check in six cases

## 1 Scope

This document specifies the laboratory method for measuring the sound absorption performance of railway noise barriers and related devices acting on airborne sound propagation in reverberant conditions. It covers the assessment of the intrinsic sound absorption performance of devices that can reasonably be assembled inside the testing facility described in EN ISO 354.

This method is not intended for the determination of the intrinsic characteristics of sound absorption of noise barriers and related devices acting on airborne sound propagation to be installed on railways in non-reverberant conditions.

The test method in EN ISO 354 referred to in this document excludes devices that act as weakly damped resonators. However, some devices will depart significantly from these requirements and in these cases, the interpretation of the results may be not straightforward.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 16272-3-1, *Railway applications — Infrastructure — Noise barriers and related devices acting on airborne sound propagation — Test method for determining the acoustic performance — Part 3-1: Normalized railway noise spectrum and single number ratings for diffuse sound field applications*

EN ISO 354:2003, *Acoustics — Measurement of sound absorption in a reverberation room (ISO 354:2003)*

ISO 9613-1, *Acoustics — Attenuation of sound during propagation outdoors — Part 1: Calculation of the absorption of sound by the atmosphere*

ISO 12999-2, *Acoustics — Determination and application of measurement uncertainties in building acoustics — Part 2: Sound absorption*

ISO/IEC Guide 98-3, *Uncertainty of measurement — Part 3: Guide to the expression of uncertainty in measurement (GUM:1995)*

**koniec náhľadu – text ďalej pokračuje v platenej verzii STN**