

STN	Ropný a plynárenský priemysel vrátane nízkouhlíkovej energie Špecifické požiadavky na pobrežné a morské konštrukcie Časť 3: Konštrukcie umiestnené nad vodou (ISO 19901-3: 2024)	STN EN ISO 19901-3 45 0932
------------	---	--

Oil and gas industries including lower carbon energy - Specific requirements for offshore structures - Part 3: Topsides structure (ISO 19901-3:2024)

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 03/24

Obsahuje: EN ISO 19901-3:2024, ISO 19901-3:2024

Oznámením tejto normy sa ruší
STN EN ISO 19901-3 (45 0932) z júna 2015

138411



EUROPEAN STANDARD

EN ISO 19901-3

NORME EUROPÉENNE

EUROPÄISCHE NORM

January 2024

ICS 75.180.10

Supersedes EN ISO 19901-3:2014

English Version

**Oil and gas industries including lower carbon energy -
Specific requirements for offshore structures - Part 3:
Topsides structure (ISO 19901-3:2024)**

Industries du pétrole et du gaz, y compris les énergies
à faible teneur en carbone - Exigences spécifiques
relatives aux structures en mer - Partie 3: Structures
Top Sides (ISO 19901-3:2024)

Erdöl- und Erdgasindustrie - Spezielle Anforderungen
an Offshore-Anlagen - Teil 3: Topsides structure (ISO
19901-3:2024)

This European Standard was approved by CEN on 9 December 2023.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN ISO 19901-3:2024 (E)

Contents	Page
European foreword.....	3

European foreword

This document (EN ISO 19901-3:2024) has been prepared by Technical Committee ISO/TC 67 "Oil and gas industries including lower carbon energy" in collaboration with Technical Committee CEN/TC 12 "Oil and gas industries including lower carbon energy" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2024, and conflicting national standards shall be withdrawn at the latest by July 2024.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 19901-3:2014.

Any feedback and questions on this document should be directed to the users' national standards body/national committee. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

Endorsement notice

The text of ISO 19901-3:2024 has been approved by CEN as EN ISO 19901-3:2024 without any modification.



International Standard

ISO 19901-3

Oil and gas industries including lower carbon energy — Specific requirements for offshore structures —

Part 3: Topsides structure

Industries du pétrole et du gaz, y compris les énergies à faible teneur en carbone — Exigences spécifiques relatives aux structures en mer —

Partie 3: Structures Top Sides

**Third edition
2024-01**

ISO 19901-3:2024(en)**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2024

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

© ISO 2024 – All rights reserved

ISO 19901-3:2024(en)**Contents**

	Page
Foreword	vii
Introduction	x
1 Scope	1
2 Normative references	2
3 Terms and definitions	3
4 Symbols and abbreviated terms	5
4.1 Symbols.....	5
4.2 Abbreviated terms.....	6
5 Overall requirements	7
5.1 Conceptual design.....	7
5.2 Codes and standards.....	7
5.2.1 Limit states and allowable stress philosophies.....	7
5.2.2 Use of national building standards.....	8
5.3 Deck elevation.....	8
5.4 Exposure level.....	8
5.5 Operational requirements.....	9
5.5.1 Functional requirements.....	9
5.5.2 Spillage and containment.....	9
5.6 Design physical environmental conditions.....	9
5.7 Critical structure.....	9
5.8 Assessment of existing topsides structure.....	10
5.9 Reuse of topsides structure.....	10
5.10 Repairs, modifications and refurbishment.....	10
6 Design requirements	11
6.1 General.....	11
6.2 Design/assessment situations.....	11
6.3 Material selection.....	11
6.4 Structural interfaces.....	11
6.5 Design for serviceability.....	11
6.5.1 Serviceability limits.....	11
6.5.2 Vibrations.....	12
6.5.3 Deflections.....	13
6.6 Design for strength.....	14
6.7 Design for fatigue.....	14
6.8 Robustness.....	14
6.8.1 General.....	14
6.8.2 Ductility.....	14
6.9 Confirmation of execution of design requirements.....	15
6.10 Corrosion control.....	15
6.11 Design for fabrication and inspection.....	16
6.12 Design for loadout, transportation and installation.....	16
6.13 Design for structural integrity management.....	17
6.14 Design for decommissioning, removal and disposal.....	17
6.14.1 General.....	17
6.14.2 Structural releases.....	17
6.14.3 Lifting appurtenances.....	17
6.14.4 Heavy lift and set-down operations.....	17
7 Actions and analysis methods	18
7.1 General.....	18
7.2 In-service actions.....	19
7.3 Action factors.....	20
7.3.1 Design actions for operational design/assessment situations in still water.....	20

ISO 19901-3:2024(en)

7.3.2	Design actions for operational design/assessment situations with operating environmental actions.....	20
7.3.3	Design actions for extreme design/assessment situations.....	21
7.4	Vortex-induced vibrations.....	21
7.5	Indirect actions and resulting forces (action effects).....	21
7.6	Metoccean and ice actions.....	22
7.6.1	Wave, current and ice actions.....	22
7.6.2	Wind actions.....	23
7.6.3	Cold regions effects.....	24
7.7	Seismic actions.....	24
7.7.1	General.....	24
7.7.2	Minimum lateral acceleration.....	24
7.7.3	Equipment and appurtenances.....	24
7.8	Actions during fabrication, loadout, transportation, and installation.....	25
7.9	Actions arising from accidental events.....	25
7.9.1	General.....	25
7.9.2	Structural design for fire hazard.....	27
7.9.3	Structural design for explosion hazard.....	28
7.9.4	Explosion and fire interaction.....	32
7.9.5	Cryogenic spill.....	33
7.9.6	Actions due to vessel collision.....	33
7.9.7	Actions due to dropped and swinging objects and projectiles.....	33
7.9.8	Actions due to loss of buoyancy.....	33
7.9.9	Actions due to topsides acceleration.....	34
7.10	Other actions.....	34
7.10.1	Drilling.....	34
7.10.2	Conductors.....	35
7.10.3	Risers.....	36
7.10.4	Caissons.....	36
7.10.5	Maintenance, mechanical handling and lifting aids.....	36
7.10.6	Bridge supports.....	36
8	Strength and resistance of structural components.....	37
8.1	Correspondence factor K_c	37
8.2	Design of cylindrical tubular sections.....	37
8.3	Design of non-cylindrical sections.....	37
8.3.1	Rolled and welded non-circular prismatic members.....	37
8.3.2	Plate girder.....	38
8.3.3	Box girder.....	38
8.3.4	Stiffened plate components and stressed skin structures.....	38
8.4	Connections.....	39
8.4.1	General.....	39
8.4.2	Restraint and shrinkage.....	39
8.4.3	Bolted connections.....	39
8.5	Castings and forgings.....	43
8.6	Design for structural stability.....	43
9	Limit state verification.....	44
9.1	Limit state verification approach.....	44
9.2	Limit state verification for fire and explosion events.....	45
9.3	Approaches for limit state verification for fire and explosion events.....	45
9.4	Risk and risk targets.....	46
9.5	Limit state verification for fire and explosion events by semi-probabilistic approach.....	48
9.5.1	DL limit state verification.....	48
9.5.2	NC limit state verification.....	48
9.5.3	Representative values of accidental actions.....	49
10	Structural systems.....	49
10.1	Topsides design.....	49
10.1.1	General.....	49

ISO 19901-3:2024(en)

10.1.2	Topsides on concrete substructures.....	49
10.1.3	Topsides on floating structures.....	50
10.1.4	Equipment supports.....	50
10.2	Topsides structure design models.....	50
10.2.1	General.....	50
10.2.2	Substructure model for topsides design.....	51
10.2.3	Topsides model for topsides design.....	51
10.2.4	Modelling for design of equipment and piping supports.....	52
10.3	Substructure interface.....	52
10.3.1	Responsibility.....	52
10.3.2	Strength design.....	52
10.3.3	Fatigue design.....	52
10.4	Flare towers, booms, vents and similar structure.....	52
10.5	Helicopter landing facilities (helidecks).....	53
10.5.1	General.....	53
10.5.2	Construction.....	54
10.5.3	Helideck design verification.....	54
10.5.4	Reassessment of existing helidecks.....	58
10.6	Crane support structure and crane boom rest.....	59
10.6.1	General.....	59
10.6.2	Design requirements.....	59
10.6.3	Static design.....	60
10.6.4	Fatigue design.....	62
10.6.5	Seismic/Earthquake design.....	63
10.6.6	Dynamic design.....	63
10.6.7	Fabrication.....	64
10.6.8	Crane boom rest design.....	64
10.7	Derrick equipment set.....	64
10.8	Bridges.....	65
10.9	Bridge bearings.....	65
10.10	Anti-vibration mountings for modules and major equipment skids.....	66
10.11	System interface assumptions.....	66
10.12	Fire protection systems.....	66
10.13	Penetrations.....	67
10.14	Difficult-to-inspect areas.....	67
10.15	Drainage.....	67
10.16	Strength reduction due to heat.....	67
10.17	Walkways, laydown areas and equipment maintenance.....	67
10.18	Muster areas and lifeboat stations.....	68
11	Materials.....	68
11.1	General.....	68
11.2	Carbon steel.....	69
11.3	Stainless steel.....	74
11.3.1	General.....	74
11.3.2	Types of stainless steel.....	74
11.3.3	Material properties.....	75
11.4	Aluminium alloys.....	75
11.4.1	General.....	75
11.4.2	Types of aluminium.....	75
11.4.3	Material properties.....	75
11.4.4	Thermite sparking.....	76
11.5	Fibre-reinforced polymers (FRP).....	76
11.6	Timber.....	76
12	Fabrication, quality control, quality assurance and documentation.....	77
12.1	Assembly.....	77
12.1.1	General.....	77
12.1.2	Grating.....	77
12.1.3	Landing and stairways.....	77

ISO 19901-3:2024(en)

12.1.4	Temporary attachments.....	77
12.2	Welding.....	77
12.3	Fabrication inspection.....	78
12.4	Quality control, quality assurance and documentation.....	78
12.5	Corrosion protection.....	78
12.5.1	Coatings.....	78
12.5.2	Under deck areas.....	78
12.5.3	Dissimilar materials.....	78
12.6	In-service inspection, monitoring and maintenance of corrosion control.....	79
13	Loadout, transportation and installation.....	79
14	In-service inspection and structural integrity management.....	79
14.1	General.....	79
14.2	Requirements applying to topsides structures.....	79
14.2.1	Corrosion protection systems.....	79
14.2.2	Critical structures.....	79
14.2.3	Control of hot work (e.g. welding and cutting).....	79
14.2.4	Accidental events and incidents.....	80
14.2.5	Change control.....	80
Annex A	(informative) Additional information and guidance.....	81
Annex B	(informative) Example calculation of correspondence factor.....	141
Bibliography	147

ISO 19901-3:2024(en)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 67, *Oil and gas industries including lower carbon energy*, Subcommittee SC 7, *Offshore structures*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 12, *Oil and gas industries including lower carbon energy*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This third edition cancels and replaces the second edition (ISO 19901-3:2014), which has been technically revised.

The main changes are as follows:

- alignment of terminology with that of ISO 19900;
- a rational re-arrangement of the clauses content and numbering;
- adoption with modifications of IOGP supplementary requirements (S-631-04);
- ‘national or regional codes’ and ‘national or regional building codes’ have been replaced by ‘national building standards’ throughout the whole document;
- ‘supporting structure’ has been replaced by ‘substructure’ and definition of ‘substructure’ has been added to [Clause 3](#);
- ‘wave, wind and current’ has been replaced by ‘metocean’;
- ‘design assessment/situations’ has replaced ‘design situations’ according to ISO 19900;
- [5.2.1](#) has been updated distinguishing between ASD (Allowable strength design) associated to ANSI/AISC 360-22 and WSD (Working stress design) associated to AISC 335-89 and API RP 2A-WSD. Further guidance is provided for floating structures where the hull is typically designed using the WSD method. In [5.2.2](#) guidance on the application of K_c is given in case of WSD method.
- [subclause 5.7](#) on critical structures has been added;

ISO 19901-3:2024(en)

- in [6.5.2.4](#) the frequency range to avoid structural resonance has been changed according to NORSOK N-004:2022, F-2-9-6;
- [Table 2](#) has been updated with the introduction of ‘restricted access for inspection, maintenance and repair’ partial damage factors and reduction in case of full accessibility (with reference to ISO 19904-1, NORSOK N-004,^[32] Reference [\[30\]](#) and DNV-OS-C101^[31]). Guidance in case of dissimilar materials has been added;
- subclause [6.8.2](#) on ductility has been introduced, adapted from NORSOK N-004:2022, 7.2;
- addition of [Table A.1](#) with typical minimum values for local, primary and global design of operational actions (Q);
- subclause [7.3](#) has been re-ordered and updated;
- subclause [7.5](#) has been renamed ‘Indirect actions and resulting forces’ and updated according to the modifications and assumptions in [10.1](#) and [10.2](#);
- wind actions, [7.6.2](#) and [A.7.6.2](#), introduction of national building standards for the evaluation of the representative wind actions; alignment with ISO 19900 and ISO 19901-1 and addition of more guidance;
- alignment of minimum lateral acceleration for seismic ([7.7.2](#) and [A.7.7.2](#)) with ANSI/API RP 2TOP^[82].
- all sources of topsides accelerations collected ([7.9.9](#) and [A.7.9.9](#)) and aligned;
- technical review of the accidental events ([7.9](#) and [A.7.9](#)), with introduction of risk-informed and reliability-based approaches for fire and explosion in addition to the default semi-probabilistic approach;
- K_c correspondence factor ([8.1](#) and [A.8.1](#)) defined according to an equivalent reliability procedure for ANSI/AISC 360-22,^[12] CSA-S16:19^[14] and EN 1993-1-1^[13];
- bolted connection ([8.4.3](#) and [A.8.4.3](#)) have been modified according to IOGP supplementary specification S-631-04;
- [8.5](#) has been renamed as ‘Castings and forgings’, adding references to forgings;
- addition of [8.6](#) and [A.8.6](#) on design for structural stability in alignment with ANSI/API RP 2TOP^[82] and based on ANSI/AISC 360-22^[12] and EN 1993-1-1^[13] criteria;
- addition of [Clause 9](#) dedicated to the description of the limit state verification approaches including risk-informed and reliability-based approaches for fire and explosion ([9.2](#), [9.3](#), [A.9.2](#) and [A.9.3](#)) in addition to the default semi-probabilistic approach;
- in [10.2.1](#), an alternative method (method b) for the analysis of the topsides structures has been introduced with further guidance in [A.10.2.1](#). The associated [6.4](#), [7.5](#), [7.8](#) and [10.1](#) and [A.6.4](#), [A.7.5](#), [A.7.8](#) and [A.10.1](#) have been updated accordingly;
- helicopter landing facilities ([10.5](#)) updated according to CAP 437^[21] for emergency landing and addition of design load combinations ([Table 7](#)) adapted from NORSOK N-004:2022, Table F.5.^[32] Deletion of the previous Table A.5;
- crane support structure clauses, [10.6](#) and [A.10.6](#) have been reviewed. Crane support structure is to be designed according to API Spec 2C or EN 13852-1 and additional provisions reported. The simplified fatigue method has been aligned with ANSI/API RP 2TOP^[82];
- [Table 9](#) adapted with modifications from NORSOK N-004:2022, Table F.1^[32] and addition of some example figures for DC;
- former 12.1 to 12.3.5 have been deleted and moved to ISO 19902:2020, Clause 18.
- in [12.2](#) Welding requirements have been reviewed;
- in [12.5](#) provisions for dissimilar materials have been added, adapted from NORSOK N-004:2022, F.4.4;

ISO 19901-3:2024(en)

- the previous Clause 12 and A.12 “Corrosion control” in ISO 19901-3:2014 has been removed because it is now included in ISO 19902:2020; in [Clause 14](#), reference to ISO 19901-9 has been added and the previous Clause 14 in ISO 19901-3:2104 on “Topsides structure default inspection scope” has been removed, being now covered by ISO 19901-9; in [Clause 14](#) and [A.14](#), the subclauses [14.2.2](#) and [A.14.2.2](#) on “Critical structures” have been added;
- in [Annex B](#), updated example of K_c calculations by utilization ratio for ISO 19902 and ANSI/AISC 360-22^[12].
- removal of former Annex C. K_c is now reported as normative value in Table 4 for ANSI/AISC 360-22^[12], CSA-S16:19^[14] and EN 1993-1-1^[13].

A list of all parts in the ISO 19901 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user’s national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

ISO 19901-3:2024(en)

Introduction

The International Standards on offshore structures prepared by TC 67 (i.e. ISO 19900, the ISO 19901 series, ISO 19902, ISO 19903, ISO 19904-1, ISO 19905-1, ISO 19905-3 and ISO 19906) constitute a common basis covering those aspects that address design requirements and assessments of all offshore structures used by the petroleum and natural gas industries including lower carbon energy worldwide. Through their application, the intention is to achieve reliability levels appropriate for manned and unmanned offshore structures, whatever the type of structure and the nature or combination of the materials used.

It is important to recognize that structural integrity is an overall concept comprising models for describing actions, structural analyses, design rules, safety elements, workmanship, quality control procedures and national requirements, all of which are mutually dependent. The modification of one aspect of design in isolation can disturb the balance of reliability inherent in the overall concept or structural system. The implications involved in modifications, therefore, need to be considered in relation to the overall reliability of all offshore structural systems.

The International Standards on offshore structures prepared by TC 67 are intended to provide wide latitude in the choice of structural configurations, materials and techniques, without hindering innovation. Sound engineering judgement is therefore necessary in the use of these International Standards.

This document has been prepared for those structural components of offshore platforms which are above the wave zone and are not part of the substructure or of the hull.

Historically, the design of structural components in topsides has been performed to national building standards for onshore structures, modified in accordance with experience within the offshore industry, or to relevant parts of classification society rules. While this document permits use of national building standards, and indeed remains dependent on them for the formulation of component resistance equations, it provides modifications that result in a more consistent level of component safety between substructures and topsides structures.

In some aspects, the requirements for topsides structures are the same as, or similar to, those for fixed steel structures; in such cases, reference is made to ISO 19902, with modifications where necessary. [Annex A](#) provides background to, and guidance on, the use of this document.

[Annex B](#) provides an example of the use of national building standards for onshore structures in conjunction with this document.

Oil and gas industries including lower carbon energy — Specific requirements for offshore structures —

Part 3: Topsides structure

1 Scope

This document provides requirements, guidance and information for the design and fabrication of topsides structure for offshore structures, including in-service, pre-service and post-service conditions.

The actions on topsides structure and the action effects in structural components are derived from this document, where necessary in combination with other International Standards in the ISO 19901 series (e.g. ISO 19901-1 for wind actions - see [7.6.2](#), ISO 19901-2 for seismic actions - see [7.7](#)) and ISO 19902 for fatigue design (see [6.7](#)).

This document is applicable to the following:

- topsides of fixed offshore structures;
- discrete structural units placed on the hull structures of floating offshore structures and mobile offshore units;
- topsides of arctic offshore structures, excluding winterization (see ISO 19906).

If any part of the topsides structure forms part of the primary structure of the overall structural system which resists global platform actions, the requirements of this document are supplemented with applicable requirements in ISO 19902, ISO 19903, ISO 19904-1, ISO 19905-1, ISO 19905-3 and ISO 19906.

For those parts of floating offshore structures and mobile offshore units that are chosen to be governed by the rules of a recognized classification society, the corresponding class rules supersede the associated requirements of this document.

This document also addresses prevention, control and assessment of fire, explosions and other accidental events.

The fire and explosion provisions of this document can be applied to those parts of the hulls of floating structures and mobile offshore units that contain hydrocarbon processing, piping or storage.

NOTE Requirements for structural integrity management are presented in ISO 19901-9.

This document applies to structural components including the following:

- primary and secondary structure in decks, module support frames and modules;
- flare structures;
- crane pedestal and other crane support arrangements;
- helicopter landing decks (helidecks);
- permanent bridges between separate offshore structures;
- masts, towers and booms on offshore structures.

ISO 19901-3:2024(en)

This document provides requirements for selecting and using a national building standard with a correspondence factor for determining the resistance of rolled and welded non-circular prismatic components and their connections.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

API Spec 2C, *Offshore Pedestal-mounted Cranes*

API Spec 2SC, *Manufacture of Structural Steel Castings for Primary Offshore Applications*

API Spec 2SF, *Manufacturer of Structural Steel Forgings for Primary Offshore Applications, 1 edition, August 2013, reaffirmed 2020*

ASTM F2329/F2329M, *Standard Specification for Zinc Coating, Hot-Dip, Requirements for Application to Carbon and Alloy Steel Bolts, Screws, Washers, Nuts, and Special Threaded Fasteners*

ASTM F3125/F3125M, *Standard Specification for High Strength Structural Bolts and Assemblies, Steel and Alloy Steel, Heat Treated, Inch Dimensions 120 ksi and 150 ksi Minimum Tensile Strength, and Metric Dimensions 830 Mpa and 1 040 Mpa Minimum Tensile Strength*

EEMUA PUB NO 176, *Specification for structural castings for use offshore*

EN 13852-1, *Cranes — Offshore cranes — Part 1: General-purpose offshore cranes*

EN 1993-1-8, *Eurocode 3: Design of steel structures – Part 1-8: Design of joints*

ISO 898-1, *Mechanical properties of fasteners made of carbon steel and alloy steel — Part 1: Bolts, screws and studs with specified property classes — Coarse thread and fine pitch thread*

ISO 2631-1, *Mechanical vibration and shock — Evaluation of human exposure to whole-body vibration — Part 1: General requirements*

ISO 2631-2, *Mechanical vibration and shock — Evaluation of human exposure to whole-body vibration — Part 2: Vibration in buildings (1 Hz to 80 Hz)*

ISO 10684, *Fasteners — Hot dip galvanized coatings*

ISO 13702, *Petroleum and natural gas industries — Control and mitigation of fires and explosions on offshore production installations — Requirements and guidelines*

ISO 17776, *Petroleum and natural gas industries — Offshore production installations — Major accident hazard management during the design of new installations*

ISO 19900, *Petroleum and natural gas industries — General requirements for offshore structures*

ISO 19901-1, *Petroleum and natural gas industries — Specific requirements for offshore structures — Part 1: Metocean design and operating considerations*

ISO 19901-2, *Petroleum and natural gas industries — Specific requirements for offshore structures — Part 2: Seismic design procedures and criteria*

ISO 19901-6, *Petroleum and natural gas industries — Specific requirements for offshore structures — Part 6: Marine operations*

ISO 19901-9, *Petroleum and natural gas industries — Specific requirements for offshore structures — Part 9: Structural integrity management*

ISO 19902, *Petroleum and natural gas industries — Fixed steel offshore structures*

ISO 19901-3:2024(en)

ISO 19903, *Petroleum and natural gas industries — Concrete offshore structures*

ISO 19904-1, *Petroleum and natural gas industries — Floating offshore structures — Part 1: Ship-shaped, semi-submersible, spar and shallow-draught cylindrical structures*

ISO 19905-1, *Petroleum and natural gas industries — Site-specific assessment of mobile offshore units — Part 1: Jack-ups*

ISO 19905-3, *Petroleum and natural gas industries — Site-specific assessment of mobile offshore units — Part 3: Floating units*

ISO 19906, *Petroleum and natural gas industries — Arctic offshore structures*

ISO 20088-1, *Determination of the resistance to cryogenic spillage of insulation materials — Part 1: Liquid phase*

ISO 20088-2, *Determination of the resistance to cryogenic spill of insulation materials — Part 2: Vapour exposure*

ISO 20088-3, *Determination of the resistance to cryogenic spillage of insulation materials — Part 3: Jet release*

ISO 22899-1, *Determination of the resistance to jet fires of passive fire protection materials — Part 1: General requirements*

ISO 834-1, *Fire-resistance tests — Elements of building construction — Part 1: General requirements*

NORSOK M-122, *Cast structural steel, rev. 2, October 2012*

NORSOK M-123, *Forged structural steel, rev. 2, October 2012*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN