

STN	Letectvo a kozmonautika Elektrické kruhové konektory spojené spojkou so závitom, ohňovzdorné alebo neohňovzdorné, pre trvalú prevádzkovú teplotu od -65 °C do 175 °C, 200 °C a špičkovú teplotu 260 °C Časť 012: Poistná matica namontovaná v zásuvkách Norma na výrobok	STN EN 2997-012 31 1751
------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------

Aerospace series - Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non-fire-resistant, operating temperatures -65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak - Part 012: Jam-nut for jam-nut receptacles - Product standard

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 09/24

Obsahuje: EN 2997-012:2024

Oznámením tejto normy sa ruší
STN EN 2997-012 (31 1751) z júna 2009

139245

Úrad pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky, 2024
Slovenská technická norma a technická normalizačná informácia je chránená zákonom č. 60/2018 Z. z. o technickej normalizácii v znení neskorších predpisov.

EUROPEAN STANDARD

EN 2997-012

NORME EUROPÉENNE

EUROPÄISCHE NORM

July 2024

ICS 49.060

Supersedes EN 2997-012:2009

English Version

**Aerospace series - Connectors, electrical, circular, coupled
by threaded ring, fire-resistant or non-fire-resistant,
operating temperatures -65 °C to 175 °C continuous, 200
°C continuous, 260 °C peak - Part 012: Jam-nut for jam-nut
receptacles - Product standard**

Série aérospatiale - Connecteurs électriques circulaires
à accouplement par bague fileté, résistant au feu ou
non, températures d'utilisation -65 °C à 175 °C continu,
200 °C continu, 260 °C en pointe - Partie 012 : Écrou
pour embases à fixation par écrou - Norme de produit

Luft- und Raumfahrt - Elektrische Rundsteckverbinder
mit Schraubkupplung, feuerbeständig oder nicht
feuerbeständig, Betriebstemperaturen -65 °C bis 175
°C konstant, 200 °C konstant, 260 °C Spitze - Teil 012:
Sechskantmutter für feste Steckverbinder mit
Mutternbefestigung - Produktnorm

This European Standard was approved by CEN on 12 May 2024.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN 2997-012:2024 (E)

Contents	Page
European foreword	3
1 Scope.....	4
2 Normative references.....	4
3 Terms and definitions.....	4
4 Required characteristics	4
4.1 Dimensions.....	4
4.2 Material, surface treatment	6
4.3 Main general characteristics	7
5 Designation	7
6 Marking	7
7 Technical specification	7
Bibliography	8

European foreword

This document (EN 2997-012:2024) has been prepared by ASD-STAN.

After enquiries and votes carried out in accordance with the rules of this Association, this document has received the approval of the National Associations and the Official Services of the member countries of ASD-STAN, prior to its presentation to CEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2025, and conflicting national standards shall be withdrawn at the latest by January 2025.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 2997-012:2009.

This document includes the following significant technical changes with respect to EN 2997-012:2009:

- Figure 1: introduction of optional design and change of 3 to minimum 3 holes for jam-nuts;
- introduction of Table 2 “Slots” indicating the maximum number of slots for different housing sizes.

Any feedback and questions on this document should be directed to the users’ national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

EN 2997-012:2024 (E)**1 Scope**

This document specifies the characteristics of jam-nuts for jam-nut receptacles in the family of circular electrical connectors coupled by threaded ring.

It is applicable to classes specified in Table 3.

For receptacles using these jam-nuts, see EN 2997-004, and EN 2997-006 for class SE only.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 2997-001, *Aerospace series — Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures -65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak — Part 001: Technical specification*

EN 2997-002, *Aerospace series — Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures -65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak — Part 002: Specification of performance and contact arrangements*

ISO 263, *ISO inch screw threads — General plan and selection for screws, bolts and nuts — Diameter range 0,06 to 6 in*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN