STN	Bezpečnostné pravidlá na konštrukciu a montáž výťahov Špeciálne výťahy na prepravu osôb a nákladov Časť 44: Zdvíhacie zariadenia vo veterných turbínach	STN EN 81-44
		27 4003

Safety rules for the construction and installation of lifts - Special lifts for the transport of persons and goods - Part 44: Lifting appliances in wind turbines

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 09/24

Obsahuje: EN 81-44:2024

139328

Úrad pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky, 2024

Slovenská technická norma a technická normalizačná informácia je chránená zákonom č. 60/2018 Z. z. o technickej normalizácii v znení neskorších predpisov.

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 81-44

July 2024

ICS 27.180; 91.140.90

English Version

Safety rules for the construction and installation of lifts -Special lifts for the transport of persons and goods -Part 44: Lifting appliances in wind turbines

Règles de sécurité pour la construction et l'installation des élévateurs - Élévateurs particuliers destinés au transport des personnes et des matériaux -Partie 44 : Élévateurs pour éolienne Sicherheitsregeln für die Konstruktion und Installation von Aufzügen - Besondere Aufzüge für den Transport von Personen und Gütern - Teil 44: Aufzüge in Windenergieanlagen

This European Standard was approved by CEN on 30 June 2024.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

European foreword		5
Introd	Introduction	
1	Scope	7
2	Normative references	8
3	Terms, definitions, symbols and abbreviated terms	
3.1	Terms and definitions	
3.2	Symbols and abbreviations	13
4	List of significant hazards	14
5	Safety requirements	
5.1	General	
5.2	Loads and calculations	
5.2.1	Design loads	
5.2.2	Load combinations	
5.2.3	Calculation of static and fatigue strength	
5.2.4	Calculation for the suspension	
5.2.5	Calculation for drive and secondary wire ropes	
5.2.6	Calculation methods	
5.3	Liftway protection, base enclosure and landing access	
5.3.1	General	-
5.3.2	Liftway protection	
5.3.3	Liftway protection at landings	
5.4	Base frame	
5.5	Guiding systems and buffers	
5.5.1	General	
5.5.2	Rigid guiding for traction hoist drives	
5.5.3	Mast guiding for rack and pinion drives	
5.5.4	Rope guiding for traction hoist drives	
5.5.5	End limits of the movements	
5.6	Carrier	
5.6.1	General requirements	
5.6.2	Carrier floor	
5.6.3	Carrier walls	
5.6.4	Carrier roof	40
5.6.5	Carrier door	
5.6.6	Trapdoor and ladder access door	
5.6.7	Inspection opening	41
5.7	Drive units	
5.7.1	General	41
5.7.2	No-power descent	
5.7.3	Protection and accessibility	
5.7.4	Traction hoist drive	
5.7.5	Rack and pinion drive	
5.8	Control and limiting devices	
5.8.1	General	
5.8.2	Travel limit switches	50

5.8.3	Slack rope device	. 50
5.8.4	Overload detection device	. 50
5.8.5	Obstruction detection device	. 51
5.8.6	Emergency stopping devices	. 52
5.8.7	Interlocking devices	
5.8.8	Drive unit fault detection device for rack and pinion system with two redundant da	
	units	
5.8.9	Control modes	
5.9	Electric installations and appliances	
5.9.1	General	
5.9.2	Protection against electric faults	
5.9.3	Protection against the effects of external influences	
5.9.4	Electric wiring	
5.9.5	Contactors, relay-contactors	
5.9.6	Electric safety devices	
5.9.7	Safety contacts	
5.9.8	Lighting	
5.10	Safety devices against falling of the lifting appliance	
	Overspeed safety device against falling of the lifting appliance (traction hoist dr	
5.10.1	overspeed safety device against failing of the fitting apphance (traction hoist di	
5102	Fall arrest device against falling of the lifting appliance (traction hoist drive)	
	Safety device against falling of the carrier (rack and pinion drive)	
5.10.5		
6	Verification	
6.1	General	-
6.2	Verification tests on each lifting appliance before first use	70
7	Information for use	. 71
7.1	General	
7.2	User's manual	
7.3	Information for installation and dismantling	
7.4	Information for maintenance	
7.5	User Information available in the carrier	
7.6	User Information available at the bottom landing	
7.7	Marking	
7.7.1	General	
7.7.2	Markings on the carrier	
7.7.3	Markings at landings	
7.7.4	Mast or guide section identification label for rack and pinion drive	
7.7.5	Ladder guiding identification label	
7.7.6	Overspeed safety device and fall arrest device label	74
7.7.7	Drive unit label	
7.7.8	Marking for wire ropes for traction hoist drive	
7.7.9	Control elements	
Annex	A (normative) Lifting appliance verification tests	76
A.1	Test conditions and documentation	76
A.2	Lifting appliance verification test in as installed configuration	77
A.3	Carrier verification test	. 87
Annex	B (normative) Drive unit verification tests	89
B.1	General	. 89
B.2	Traction hoist drive	. 89

B.3	Rack and pinion drive (One drive system)	.91	
B.4	Rack and pinion system with two redundant drive units	.94	
Annex	c (normative) Overspeed safety device and fall arrest device verification tests	.97	
C.1	General	.97	
C.2	Overspeed safety devices and fall arrest devices for traction hoist drives	.97	
C.3	Overspeed safety device for rack and pinion drive1	02	
Annex	x D (normative) Other verification tests 1	04	
D.1	General1	04	
D.2	Landing gate and enclosure verification tests1	04	
Annex	x E (informative) Evacuation and rescue1	105	
E.1	Introduction1		
E.2	Evacuation scenario1	105	
Annex	x F (informative) List of significant hazards1	106	
Annex	G (informative) Guidance on calculation methods1	80	
Annex	x ZA (informative) Relationship between this European Standard and the essent requirements of Directive 2006/42/EC aimed to be covered		
Biblio	Bibliography 112		

European foreword

This document (EN 81-44:2024) has been prepared by Technical Committee CEN/TC 10 "Lifts, escalators and moving walks", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2025, and conflicting national standards shall be withdrawn at the latest by January 2025.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document is part of the EN 81 series of standards. The structure of the EN 81 series is described in CEN/TR 81-10:2008.

This document has been prepared under a standardization request addressed to CEN by the European Commission. The Standing Committee of the EFTA States subsequently approves these requests for its Member States.

For the relationship with EU Legislation, see informative Annex ZA, which is an integral part of this document.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

Introduction

This document is a type-C standard as stated in EN ISO 12100:2010.

This document is of relevance, in particular, for the following stakeholder groups representing the market players with regard to machinery safety:

- machine manufacturers (small, medium and large enterprises);
- health and safety bodies (regulators, accident prevention organizations, market surveillance etc.).

Others can be affected by the level of machinery safety achieved with the means of the document by the above-mentioned stakeholder groups:

- machine users/employers (small, medium and large enterprises);
- machine users/employees (e.g. trade unions, organizations for people with special needs);
- service providers, e.g. for maintenance (small, medium and large enterprises);
- consumers (in case of machinery intended for use by consumers).

The above-mentioned stakeholder groups have been given the possibility to participate at the drafting process of this document.

The machinery concerned and the extent to which hazards, hazardous situations or hazardous events are covered are indicated in the Scope of this document.

When requirements of this type-C standard are different from those which are stated in type-A or type-B standards, the requirements of this type-C standard take precedence over the requirements of the other standards for machines that have been designed and built according to the requirements of this type-C standard.

1 Scope

1.1 This document specifies the safety requirements for the construction and installation of power operated lifting appliances installed permanently for indoor or outdoor service in wind turbines and intended for access to workplaces on wind turbines, including rescue and evacuation procedures. A lifting appliance serves defined landing levels and can move persons to working positions where they are carrying out work (which could be from the carrier) and has a carrier which is:

- a) designed for the transportation of persons and goods;
- b) guided;
- c) travelling vertically or along a path within 15° maximum from the vertical;
- d) supported or sustained by rack and pinion or rope traction drive;
- e) travelling with a speed not more than 0,7 m/s;
- f) able to operate in a temperature range between -25 °C to +55 °C.
- **1.2** This document does not cover hazards related to:
- a) noise;
- b) the use of the lifting appliance for erection or dismantling of the wind turbine;
- c) lightning protection;
- d) use in potentially explosive atmospheres;
- e) electromagnetic compatibility (emission, immunity);
- f) transporting of goods outside the carrier;
- g) the use of combustion engines;
- h) hydraulic and pneumatic drive units;
- i) the use of lifting appliances in floating wind turbines;
- j) use during earthquakes.

1.3 This document is not applicable to lifting appliances manufactured before the date of its publication.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 81-20:2020, Safety rules for the construction and installation of lifts — Lifts for the transport of persons and goods — Part 20: Passenger and goods passenger lifts

EN 81-43:2009, Safety rules for the construction and installation of lifts — Special lifts for the transport of persons and goods — Part 43: Lifts for cranes

EN 81-50:2020, Safety rules for the construction and installation of lifts — Examinations and tests — Part 50: Design rules, calculations, examinations and tests of lift components

EN 795:2012, Personal fall protection equipment — Anchor devices

EN 894-1:1997+A1:2008, Safety of machinery — Ergonomics requirements for the design of displays and control actuators — Part 1: General principles for human interactions with displays and control actuators

EN 1808:2015, Safety requirements for suspended access equipment — Design calculations, stability criteria, construction — Examinations and tests

EN 1991-1-3:2003¹, Eurocode 1 — Actions on structures — Part 1-3: General actions — Snow loads

EN 10264-1:2012, Steel wire and wire products — Steel wire for ropes — Part 1: General requirements

EN 10264-2:2021, Steel wire and wire products — Steel wire for ropes — Part 2: Cold drawn non alloy steel wire for ropes for general applications

EN 10264-3:2023, Steel wire and wire products — Steel wire for ropes — Part 3: Round and shaped non alloyed steel wire for high duty applications

EN 10264-4:2012, Steel wire and wire products — Steel wire for ropes — Part 4: Stainless steel wire

EN 12385-1:2002+A1:2008, Steel wire ropes — Safety — Part 1: General requirements

EN 12385-2:2002+A1:2008, Steel wire ropes — Safety — Part 2: Definitions, designation and classification

EN 12385-3:2020, Steel wire ropes — Safety — Part 3: Information for use and maintenance

EN 12385-4:2002+A1:2008, Steel wire ropes — Safety — Part 4: Stranded ropes for general lifting applications

EN 13001-2:2021, Crane safety — General design — Part 2: Load actions

EN 13411-1:2002+A1:2008, Terminations for steel wire ropes — Safety — Part 1: Thimbles for steel wire rope slings

EN 13411-2:2001+A1:2008, Terminations for steel wire ropes — Safety — Part 2: Splicing of eyes for wire rope slings

¹ As impacted by EN 1991-1-3:2003/A1:2015 and EN 1991-1-3:2003/AC:2009.

EN 13411-3:2022, Terminations for steel wire ropes — Safety — Part 3: Ferrules and ferrule-securing

EN 13411-4:2021, Terminations for steel wire ropes — Safety — Part 4: Metal and resin socketing

EN 13411-5:2003+A1:2008, Terminations for steel wire ropes — Safety — Part 5: U-bolt wire rope grips

EN 13411-6:2004+A1:2008, Terminations for steel wire ropes — Safety — Part 6: Asymmetric wedge socket

EN 13411-7:2021, Terminations for steel wire ropes — Safety — Part 7: Symmetric wedge socket

EN 60204-1:2018, Safety of machinery — Electrical equipment of machines — Part 1: General requirements (IEC 60204-1:2016)

EN 60529:1991², Degrees of protection provided by enclosures (IP Code) (IEC 60529:1989)

EN IEC 60947-4-1:2019³, Low-voltage switchgear and controlgear — Part 4-1: Contactors and motorstarters — Electromechanical contactors and motor-starters (IEC 60947-4-1:2018)

EN 60947-5-1:2017⁴, Low-voltage switchgear and controlgear — Part 5-1: Control circuit devices and switching elements — Electromechanical control circuit devices (IEC 60947-5-1:2016)

EN ISO 12100:2010, Safety of machinery — General principles for design — Risk assessment and risk reduction (ISO 12100:2010)

EN ISO 13849-1:2023, Safety of machinery — Safety-related parts of control systems — Part 1: General principles for design (ISO 13849-1:2023)

EN ISO 13850:2015, Safety of machinery — Emergency stop function — Principles for design (ISO 13850:2015)

EN ISO 13851:2019, Safety of machinery — Two-hand control devices — Principles for design and selection (ISO 13851:2019)

EN ISO 13854:2019, Safety of machinery — Minimum gaps to avoid crushing of parts of the human body (ISO 13854:2017)

EN ISO 13857:2019, Safety of machinery — Safety distances to prevent hazard zones being reached by upper and lower limbs (ISO 13857:2019)

EN ISO 14119:2013, Safety of machinery — Interlocking devices associated with guards — Principles for design and selection (ISO 14119:2013)

EN ISO 14122-3:2016, Safety of machinery — Permanent means of access to machinery — Part 3: Stairs, stepladders and guard-rails (ISO 14122-3:2016)

EN ISO 14122-4:2016, Safety of machinery — Permanent means of access to machinery — Part 4: Fixed ladders (ISO 14122-4:2016)

² As impacted by EN 60529:1991/AC:2016-12, EN 60529:1991/A1:2000, EN 60529:1991/A2:2013 and EN 60529:1991/A2:2013/AC:2019-02.

³ As impacted by EN IEC 60947-4-1:2019/AC:2021-04 and EN IEC 60947-4-1:2019/AC:2020-05.

⁴ As impacted by EN 60947-5-1:2017/AC:2020-05.

ISO 6336-1:2019, Calculation of load capacity of spur and helical gears — Part 1: Basic principles, introduction and general influence factors

ISO 6336-2:2019, Calculation of load capacity of spur and helical gears — Part 2: Calculation of surface durability (pitting)

ISO 6336-3:2019, Calculation of load capacity of spur and helical gears — Part 3: Calculation of tooth bending strength

ISO 6336-5:2016, Calculation of load capacity of spur and helical gears — Part 5: Strength and quality of materials

koniec náhľadu – text ďalej pokračuje v platenej verzii STN