

STN	Elektrické príslušenstvo Ističe na nadprúdové istenie domových a podobných inštalácií Časť 1: Ističe určené na prevádzku pri striedavom prúde Zmena A11	STN EN 60898-1/A11 35 4170
------------	--	--

Electrical accessories. Circuit-breakers for overcurrent protection for household and similar installations. Part 1: Circuit-breakers for a.c. operation

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 10/24

STN EN 60898-1 z októbra 2020 sa bez tejto zmeny A11 môže používať do 22. 4. 2027.

Obsahuje: EN 60898-1:2019/A11:2024

139343

Úrad pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky, 2024
Slovenská technická norma a technická normalizačná informácia je chránená zákonom č. 60/2018 Z. z. o technickej normalizácii v znení neskorších predpisov.

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 60898-1:2019/A11

July 2024

ICS 29.120.50

English Version

**Electrical accessories - Circuit-breakers for overcurrent
protection for household and similar installations - Part 1: Circuit-
breakers for a.c. operation**

Petit appareillage électrique - Disjoncteurs pour la
protection contre les surintensités pour installations
domestiques et analogues - Partie 1: Disjoncteurs pour le
fonctionnement en courant alternatif

Elektrisches Installationsmaterial - Leitungsschutzschalter
für Hausinstallationen und ähnliche Zwecke - Teil 1:
Leitungsschutzschalter für Wechselstrom (AC)

This amendment A11 modifies the European Standard EN 60898-1:2019; it was approved by CENELEC on 2024-04-22. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this amendment the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This amendment exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN 60898-1:2019/A11:2024 (E)

Contents	Page
European foreword.....	3
1 Modifications to Clause 1, “Scope”	4
2 Modification to Clause 2, “Normative references”	4
3 Modifications to Clause 3, “Terms and definitions”	4
4 Addition of a modification to 4.5.2, “According to the type of terminals”	4
5 Modification to 5.2.4, “Rated short-circuit capacity (I_{cn})”	4
6 Modification to 5.3.1, “Preferred values of rated voltage”	4
7 Modification to 5.3.6, “Standard values of rated impulse withstand voltage (U_{imp})”	4
8 Modification to Clause 6, “Marking and other product information”	4
9 Modification to 8.1.3, Table 4, “Minimum clearances and creepage distances”	5
10 Addition of a modification to 8.1.5.2, “Circuit breakers shall be provided with”	5
11 Modification to 8.1.5.12, “Pillar terminals...”	6
12 Modification to 8.1.7.1, “General”	6
13 Modification to 8.14, “Electromagnetic immunity”	6
14 Modification to 8.15, “Electromagnetic emission”	6
15 Modifications to 9.7, “Test of dielectric properties”	6
16 Modification to 9.7.5.2, “Verification of clearances with the impulse withstand voltage”	6
17 Modification to 9.7.5.4, “Verification of resistance of the insulation of open contacts against an impulse voltage (suitability for isolation)”	6
18 Modification to 9.9, “28-day test”	7
19 Modification to 9.10.1, “General”	7
20 Modification to 9.12.9.1, “General”	7
21 Modification to 9.12.9.2, “Test in free air”	7
22 Modification to 9.13.1, “Mechanical shock”	7
23 Modification to Figure H.1.....	7
24 Modification to Annex J	7
25 Modification to Annex L	7
26 Modification to Annex ZB, “Normative references to international publications with their corresponding European publications”	7
27 Modification to Annex ZD, “List of clauses that require retesting”	8
28 Replacement of Annex ZZ, “Relationship between this European standard and the safety objectives of Directive 2014/35/EU [2014 OJ L96] aimed to be covered”	8
29 Modification to the Bibliography	10

European foreword

This document (EN 60898-1:2019/A11:2024) has been prepared by CLC/TC 23E “Circuit breakers and similar devices for household and similar applications”.

The following dates are fixed:

- latest date by which this document has to be (dop) 2025-04-22
implemented at national level by publication of
an identical national standard or by
endorsement
- latest date by which the national standards (dow) 2027-04-22
conflicting with this document have to be
withdrawn

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document is read in conjunction with EN 60898-1:2019 and EN 60898-1:2019/A1:2024.

This document has been prepared under a standardization request addressed to CENELEC by the European Commission. The Standing Committee of the EFTA States subsequently approves these requests for its Member States.

For relationship with EU Legislation, see informative Annex ZZ, which is an integral part of this document.

This amendment and EN 60898-1:2019/A1:2024 include the following significant technical changes with respect to EN 60898-1:2019:

- Clause 6, Marking and other product information: addition of two items dealing with the grid distance “a”; one for the value of “a”, the other for the installation information, when “a” is greater than 35 mm.
- Subclause 8.1.3, Clearances, creepage distances and solid insulation and 9.7, Test of dielectric properties: text is rearranged to be in line with the IEC 61008 and IEC 61009 series.
- Subclause 9.9, 28-day test: the reference temperature is measured during the first cycle (previously during the temperature-rise test).
- Subclause 9.12.9.2 (Short-circuit) Test in free air, addition of a maximum grid distance of 250 mm.
- Annex J: Upper limit of current for use of screwless terminals is increased up to 40 A.

This document has been prepared under a standardization request addressed to CENELEC by the European Commission. The Standing Committee of the EFTA States subsequently approves these requests for its Member States.

For relationship with EU Legislation, see informative Annex ZZ, which is an integral part of this document.

Any feedback and questions on this document should be directed to the users’ national committee. A complete listing of these bodies can be found on the CENELEC website.

EN 60898-1:2019/A11:2024 (E)**1 Modifications to Clause 1, “Scope”**

Delete the second and third modification:

“Add, at the end of the fourth paragraph, after “pollution degree 2”, the following text “and overvoltage category III”.

Add, after the second paragraph, the following note:

NOTE 1 Additional requirements are necessary for circuit-breakers used in locations having more severe overvoltage conditions.”

Replace in the last but one modification “paragraph 13” with “paragraph 14”.

Delete the last modification:

“Renumber the existing note in paragraph 14 to “NOTE 2”.”

2 Modification to Clause 2, “Normative references”

Delete the following standards:

IEC 60227 (all parts), *Polyvinyl chloride insulated cables of rated voltages up to and including 450/750V*

IEC 60269 (all parts), *Low-voltage fuses*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN