

<b>STN</b>	<b>Nákladné bicykle</b> <b>Časť 2: Ľahké jednostopové nákladné bicykle</b> <b>Mechanické aspekty</b>	<b>STN</b> <b>EN 17860-2</b>  30 9049
------------	--	--

Carrier Cycles - Part 2: Lightweight single track carrier cycles - Mechanical aspects

Táto norma obsahuje anglickú verziu európskej normy.  
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 11/24

Obsahuje: EN 17860-2:2024

**139486**

---

Úrad pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky, 2024  
Slovenská technická norma a technická normalizačná informácia je chránená zákonom č. 60/2018 Z. z. o technickej normalizácii  
v znení neskorších predpisov.

EUROPEAN STANDARD

EN 17860-2

NORME EUROPÉENNE

EUROPÄISCHE NORM

September 2024

ICS 43.150

English Version

## Carrier Cycles - Part 2: Lightweight single track carrier cycles - Mechanical aspects

Cycles utilitaires - Partie 2 : Cycles utilitaires légers à 2 roues - Aspects mécaniques

Lastenfahrräder - Teil 2: Leichte einspurige Lastenfahrräder - Mechanische Aspekte

This European Standard was approved by CEN on 14 July 2024.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

## EN 17860-2:2024 (E)

<b>Contents</b>	<b>Page</b>
<b>European foreword</b> .....	<b>7</b>
<b>Introduction</b> .....	<b>8</b>
<b>1 Scope</b> .....	<b>9</b>
<b>2 Normative references</b> .....	<b>9</b>
<b>3 Terms and definitions</b> .....	<b>10</b>
<b>4 Use cases: private and commercial/professional use</b> .....	<b>10</b>
<b>5 General vehicle requirements</b> .....	<b>10</b>
<b>5.1 Numbers and condition of specimens for the strength tests</b> .....	<b>10</b>
<b>5.2 Accuracy tolerances of test conditions for brake tests and strength tests</b> .....	<b>11</b>
<b>5.3 Protrusions</b> .....	<b>11</b>
<b>5.4 Sharp edges</b> .....	<b>11</b>
<b>5.5 Securing and strength of safety-relevant fasteners</b> .....	<b>11</b>
<b>5.5.1 General</b> .....	<b>11</b>
<b>5.5.2 Minimum failure torque</b> .....	<b>11</b>
<b>5.5.3 Mechanism for folding carrier cycles</b> .....	<b>11</b>
<b>5.6 Steering function</b> .....	<b>12</b>
<b>5.6.1 General</b> .....	<b>12</b>
<b>5.6.2 Steering — Rigidity and strength test for indirect steering systems</b> .....	<b>12</b>
<b>5.6.3 Dynamic steering fatigue test for indirect steering</b> .....	<b>15</b>
<b>5.7 Shimmy</b> .....	<b>15</b>
<b>5.8 Requirements for loading areas/load securing</b> .....	<b>15</b>
<b>5.9 Parking and stability</b> .....	<b>16</b>
<b>5.9.1 Requirement</b> .....	<b>16</b>
<b>5.9.2 Test method</b> .....	<b>16</b>
<b>5.10 Pedal clearance</b> .....	<b>18</b>
<b>5.10.1 Ground clearance</b> .....	<b>18</b>
<b>5.10.2 Toe clearance</b> .....	<b>18</b>
<b>5.11 Wheel and tyre assembly – clearance</b> .....	<b>19</b>
<b>5.12 Wheel retention</b> .....	<b>19</b>
<b>5.12.1 General</b> .....	<b>19</b>
<b>5.13 Luggage carriers</b> .....	<b>20</b>
<b>5.14 Vibrations, ergonomics and design</b> .....	<b>20</b>
<b>5.14.1 Vibrations</b> .....	<b>20</b>
<b>5.14.2 Ergonomics</b> .....	<b>20</b>
<b>6 Brakes</b> .....	<b>20</b>
<b>6.1 General</b> .....	<b>20</b>
<b>6.2 Hand-operated brakes</b> .....	<b>20</b>
<b>6.2.1 Brake lever position</b> .....	<b>20</b>
<b>6.2.2 Brake lever grip dimensions</b> .....	<b>21</b>
<b>6.3 Requirements of the test method on a test track</b> .....	<b>23</b>
<b>6.4 Requirements of the test method on a test bench</b> .....	<b>23</b>
<b>6.5 Tests</b> .....	<b>24</b>
<b>6.5.1 Test method on a test track</b> .....	<b>24</b>
<b>6.5.2 Test method on a test bench</b> .....	<b>26</b>

<b>7</b>	<b>Steering unit</b> .....	<b>30</b>
<b>7.1</b>	<b>Handlebar dimensions</b> .....	<b>30</b>
<b>7.1.1</b>	<b>General</b> .....	<b>30</b>
<b>7.1.2</b>	<b>Handlebar stem – Insertion-depth mark or positive stop</b> .....	<b>31</b>
<b>7.1.3</b>	<b>Handlebar stem to fork steerer – Clamping requirements</b> .....	<b>31</b>
<b>7.2</b>	<b>Handlebar grips or handlebar plugs</b> .....	<b>31</b>
<b>7.2.1</b>	<b>Requirements</b> .....	<b>31</b>
<b>7.2.2</b>	<b>Freezing test method</b> .....	<b>32</b>
<b>7.2.3</b>	<b>Hot water test method</b> .....	<b>32</b>
<b>7.3</b>	<b>Steering unit – Static strength and fastening tests</b> .....	<b>33</b>
<b>7.3.1</b>	<b>Steering unit – Lateral bending test</b> .....	<b>33</b>
<b>7.3.2</b>	<b>Handlebar stem - Forward bending test</b> .....	<b>33</b>
<b>7.3.3</b>	<b>Handlebar to handlebar stem — Torsional security test</b> .....	<b>34</b>
<b>7.3.4</b>	<b>Bar end to handlebar – Torsional security test</b> .....	<b>35</b>
<b>7.4</b>	<b>Handlebar/stem unit – Dynamic test</b> .....	<b>36</b>
<b>7.4.1</b>	<b>General</b> .....	<b>36</b>
<b>7.4.2</b>	<b>Test method for stage 1</b> .....	<b>36</b>
<b>7.4.3</b>	<b>Test method for stage 2</b> .....	<b>37</b>
<b>8</b>	<b>Frame</b> .....	<b>38</b>
<b>8.1</b>	<b>Suspension frames — Special requirements</b> .....	<b>38</b>
<b>8.2</b>	<b>Requirements for all frame types</b> .....	<b>38</b>
<b>8.3</b>	<b>Frame – Dynamic test with pedalling forces</b> .....	<b>38</b>
<b>8.3.1</b>	<b>General</b> .....	<b>38</b>
<b>8.3.2</b>	<b>Test method</b> .....	<b>38</b>
<b>8.4</b>	<b>Frame – Dynamic test with horizontal forces</b> .....	<b>40</b>
<b>8.4.1</b>	<b>General</b> .....	<b>40</b>
<b>8.4.2</b>	<b>Determination of the test loads</b> .....	<b>40</b>
<b>8.4.3</b>	<b>Test method</b> .....	<b>41</b>
<b>8.5</b>	<b>Frame — Dynamic test with a vertical force onto the seat-post</b> .....	<b>41</b>
<b>8.5.1</b>	<b>General</b> .....	<b>41</b>
<b>8.5.2</b>	<b>Test method</b> .....	<b>42</b>
<b>8.6</b>	<b>Frame – Dynamic test with vertical forces onto the loading area</b> .....	<b>43</b>
<b>8.6.1</b>	<b>General</b> .....	<b>43</b>
<b>8.6.2</b>	<b>Test method</b> .....	<b>43</b>
<b>8.7</b>	<b>Frame and front fork assembly – Impact test (falling frame)</b> .....	<b>44</b>
<b>8.7.1</b>	<b>General</b> .....	<b>44</b>
<b>8.7.2</b>	<b>Requirement</b> .....	<b>44</b>
<b>8.7.3</b>	<b>Test method</b> .....	<b>44</b>
<b>9</b>	<b>Front wheel fork</b> .....	<b>46</b>
<b>9.1</b>	<b>General</b> .....	<b>46</b>
<b>9.2</b>	<b>Installation of the axle and wheel fastening</b> .....	<b>46</b>
<b>9.3</b>	<b>Front wheel fork —Static bending test</b> .....	<b>46</b>
<b>9.3.1</b>	<b>Requirements</b> .....	<b>46</b>
<b>9.3.2</b>	<b>Test method</b> .....	<b>46</b>
<b>9.4</b>	<b>Front wheel forks — Dynamic bending test</b> .....	<b>47</b>
<b>9.4.1</b>	<b>General</b> .....	<b>47</b>
<b>9.4.2</b>	<b>Requirement</b> .....	<b>47</b>
<b>9.4.3</b>	<b>Test method</b> .....	<b>47</b>
<b>9.5</b>	<b>Front wheel fork — Rearward impact test</b> .....	<b>48</b>
<b>9.5.1</b>	<b>Requirement</b> .....	<b>48</b>
<b>9.5.2</b>	<b>Test method 1</b> .....	<b>48</b>
<b>9.5.3</b>	<b>Test method 2</b> .....	<b>49</b>

## EN 17860-2:2024 (E)

<b>9.6</b>	<b>Front forks for use with hub or disc brakes .....</b>	<b>51</b>
9.6.1	Requirement.....	51
9.6.2	Front fork for hub/disc brake — Dynamic test of the brake mounting .....	51
9.6.3	Front fork for hub/disc brake – Static braking torque test .....	51
<b>10</b>	<b>Wheels and wheel/tyre assembly .....</b>	<b>52</b>
10.1	Wheels/tyre assembly – Concentricity tolerance and lateral tolerance .....	52
10.1.1	Requirements.....	52
10.1.2	Test method .....	52
10.2	Wheel/tyre assembly – Static strength test.....	53
10.2.1	Requirement.....	53
10.2.2	Test method .....	53
10.3	Wheel and wheel/tyre unit — Dynamic test for carrier cycles .....	54
10.3.1	Requirement.....	54
10.3.2	Test method .....	54
10.4	Tyre inflation pressure .....	55
10.5	Tyre and rim compatibility .....	56
10.5.1	General.....	56
10.5.2	Wheel/ tyre assembly preparation .....	56
10.5.3	Test method .....	56
<b>11</b>	<b>Front mudguard .....</b>	<b>56</b>
11.1	Requirement.....	56
11.2	Front mudguard with stays test method .....	56
11.2.1	Stage 1: Test method – Tangential obstruction.....	56
11.2.2	Stage 2: Test method – Mudguard stays impact test .....	57
11.2.3	Stage 3: Test method – Radial force after impact.....	58
11.3	Front mudguard without stays test methods .....	58
<b>12</b>	<b>Pedals and pedal/crank drive system .....</b>	<b>58</b>
12.1	Pedal tread .....	58
12.1.1	Tread surface.....	58
12.1.2	Toe clips .....	58
12.2	Pedal – Static strength test .....	59
12.2.1	Requirement.....	59
12.2.2	Test method .....	59
12.3	Pedal – Impact test.....	59
12.3.1	Requirement.....	59
12.3.2	Test method .....	59
12.4	Pedal – Dynamic durability test.....	59
12.4.1	Requirement.....	59
12.4.2	Test method .....	59
12.5	Drive system – Static strength test .....	59
12.6	Crank assembly – Fatigue test.....	60
12.6.1	Requirement.....	60
12.6.2	Test method .....	60
<b>13</b>	<b>Drive-chain and drive belt.....</b>	<b>60</b>
13.1	Drive-chain.....	60
13.2	Drive belt .....	60
<b>14</b>	<b>Chain-wheel and belt-drive protective device .....</b>	<b>60</b>
14.1	Requirement.....	60
14.2	Chain-wheel disc and drive pulley disc diameter .....	61
14.3	Chain and drive belt protective device .....	62
14.4	Combined front gear-change guide .....	63

<b>15</b>	<b>Saddles/seats and seat-posts</b> .....	<b>64</b>
<b>15.1</b>	<b>Limiting dimensions</b> .....	<b>64</b>
<b>15.2</b>	<b>Seat-post — Insertion-depth mark or positive stop</b> .....	<b>64</b>
<b>15.3</b>	<b>Saddle/seat-post – Security test</b> .....	<b>64</b>
<b>15.3.1</b>	<b>Saddles with adjustment-clamps</b> .....	<b>64</b>
<b>15.3.2</b>	<b>Saddles without adjustment clamps</b> .....	<b>65</b>
<b>15.4</b>	<b>Saddle and saddle rail – Static strength test</b> .....	<b>65</b>
<b>15.4.1</b>	<b>Saddle – static strength test</b> .....	<b>65</b>
<b>15.4.2</b>	<b>Saddle rail (composite) – Static strength test</b> .....	<b>65</b>
<b>15.4.3</b>	<b>Saddle and seat-post assembly – Fatigue test</b> .....	<b>65</b>
<b>15.5</b>	<b>Seat-post - Strength tests</b> .....	<b>65</b>
<b>15.5.1</b>	<b>General</b> .....	<b>65</b>
<b>15.5.2</b>	<b>Test method for step 1 (dynamic test)</b> .....	<b>65</b>
<b>15.5.3</b>	<b>Test method for step 2 (static strength test)</b> .....	<b>66</b>
<b>16</b>	<b>Lighting systems and reflectors</b> .....	<b>67</b>
<b>16.1</b>	<b>General</b> .....	<b>67</b>
<b>16.2</b>	<b>Lighting systems</b> .....	<b>67</b>
<b>16.3</b>	<b>Reflectors</b> .....	<b>67</b>
<b>16.4</b>	<b>Rear reflectors</b> .....	<b>67</b>
<b>16.4.1</b>	<b>General</b> .....	<b>67</b>
<b>16.4.2</b>	<b>Side reflectors</b> .....	<b>67</b>
<b>16.4.3</b>	<b>Front reflectors</b> .....	<b>67</b>
<b>16.4.4</b>	<b>Pedal reflectors</b> .....	<b>67</b>
<b>17</b>	<b>Warning device</b> .....	<b>68</b>
<b>18</b>	<b>Rear-view mirror</b> .....	<b>68</b>
<b>19</b>	<b>Structural integrity test</b> .....	<b>68</b>
<b>19.1</b>	<b>General</b> .....	<b>68</b>
<b>19.2</b>	<b>Requirements</b> .....	<b>68</b>
<b>19.3</b>	<b>Verification methods</b> .....	<b>68</b>
<b>20</b>	<b>Marking</b> .....	<b>69</b>
<b>20.1</b>	<b>Requirements</b> .....	<b>69</b>
<b>20.1.1</b>	<b>All markings</b> .....	<b>69</b>
<b>20.1.2</b>	<b>Frame markings</b> .....	<b>69</b>
<b>20.1.3</b>	<b>Trailer coupling markings</b> .....	<b>69</b>
<b>20.1.4</b>	<b>Component markings</b> .....	<b>70</b>
<b>20.2</b>	<b>Durability test</b> .....	<b>70</b>
<b>20.2.1</b>	<b>Requirement</b> .....	<b>70</b>
<b>20.2.2</b>	<b>Test method</b> .....	<b>70</b>
<b>21</b>	<b>Manufacturer’s instructions</b> .....	<b>70</b>
	<b>Annex A (informative) Vehicle configurations</b> .....	<b>74</b>
	<b>Annex B (informative) Reading Guide</b> .....	<b>75</b>
	<b>Annex C (normative) Test cycles for professional/commercial use</b> .....	<b>77</b>
	<b>Annex D (informative) Label</b> .....	<b>79</b>
	<b>Annex E (informative) Shimmy</b> .....	<b>80</b>
	<b>Annex F (normative) Front fork mounting device</b> .....	<b>82</b>
	<b>Annex G (informative) Properties of the dummy forks</b> .....	<b>83</b>

**EN 17860-2:2024 (E)**

<b>Annex H (informative) Calculation of the centre of gravity of cycles or carrier cycles .....</b>	<b>85</b>
<b>Annex I (informative) Rationale for the necessity of a “Complete vehicle test” .....</b>	<b>91</b>
<b>Annex J (informative) Rationale for the distinction between private and commercial use .....</b>	<b>93</b>
<b>Bibliography.....</b>	<b>95</b>

## European foreword

This document (EN 17860-2:2024) has been prepared by Technical Committee CEN/TC 333 “Cycles”, the secretariat of which is held by UNI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2025, and conflicting national standards shall be withdrawn at the latest by March 2025.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document is part of standard series consisting of the following parts, users are invited to check which parts are applicable to their situation

- EN 17860-1:2023, Cycles — Carrier Cycles — Part 1: Vocabulary
- FprEN 17860-2:2023, Cycles — Carrier Cycles — Part 2: Lightweight single track carrier cycles – mechanical and functional aspects
- FprEN 17860-3:2023, Cycles — Carrier Cycles — Part 3: Lightweight multi track carrier cycles – mechanical and functional aspects
- prEN 17860-4, Cycles — Carrier Cycles — Heavyweight multi track carrier cycles – mechanical and functional aspects
- prEN 17860-5:2023, Cycles — Carrier Cycles — Electrical aspects
- prEN 17860-6, Cycles — Carrier Cycles — Passenger transport
- prEN 17860-7:2023, Cycles — Carrier Cycles — Trailers

Examples of carrier cycle configurations can be found in Annex A. Annex B provides a reading guide for parts 2,3 and 4 of this standard series.

Any feedback and questions on this document should be directed to the users’ national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

## EN 17860-2:2024 (E)

### Introduction

This document gives requirements and test methods for mechanical and functional aspects for single track carrier cycles.

This document has been developed in response to demand throughout Europe. Its aim is to provide a standard for the assessment of mechanical aspects for single track carrier cycles of a type which are excluded from type approval by Regulation (EU) No. 168/2013.

Because of the diversity of geometries and solutions of carrier cycles not all requirements and test methods in this document may apply to every carrier cycle.

- Annex A gives an overview of vehicle configurations.
- Annex B provides a reading guide for the parts of this standard series.
- Annex J contains a rationale explaining the choices made when developing the standard series

This document is based on a risk analysis, the focus is on mechanical aspects for single track carrier cycles. This document is a type C standard as specified in EN ISO 12100. The machinery concerned and the extent to which hazards, hazardous situations and hazardous events are covered are indicated in the scope of this document.

## 1 Scope

This document is applicable to single track carrier cycles with or without electric assistance and a maximum gross vehicle weight of:

- 300 kg in case the manufacturer defines the carrier cycle to be intended for both private and commercial use; or
- 250 kg in case the manufacturer defines the carrier cycle to be intended for solely private use.

NOTE Requirements for electrical power assisted carrier cycles are covered in part 5 of this standard series.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 17860-1, *Cycles — Carrier Cycles — Part 1: Terms and definitions*

EN ISO 4210-2:2023, *Cycles - Safety requirements for bicycles - Part 2: Requirements for city and trekking, young adult, mountain and racing bicycles (ISO 4210-2:2023)*

EN ISO 4210-3:2023, *Cycles - Safety requirements for bicycles - Part 3: Common test methods (ISO 4210-3:2023)*

EN ISO 4210-4:2023, *Cycles - Safety requirements for bicycles - Part 4: Braking test methods (ISO 4210-4:2023, Corrected version 2023-08)*

EN ISO 4210-6:2023, *Cycles - Safety requirements for bicycles - Part 6: Frame and fork test methods (ISO 4210-6:2023, Corrected version 2023-08)*

EN ISO 4210-7:2023, *Cycles - Safety requirements for bicycles - Part 7: Wheel and rim test methods (ISO 4210-7:2023)*

EN ISO 4210-8:2023, *Cycles - Safety requirements for bicycles - Part 8: Pedal and drive system test methods (ISO 4210-8:2023)*

EN ISO 4210-9:2023, *Cycles - Safety requirements for bicycles - Part 9: Saddles and seat-post test methods (ISO 4210-9:2023)*

ISO 5775-1:2023, *Bicycle tyres and rims — Part 1: Tyre designations and dimensions*

ISO 5775-2:2023, *Bicycle tyres and rims — Part 2: Rims*

EN ISO 11243:2023, *Cycles - Luggage carriers for bicycles - Requirements and test methods (ISO 11243:2023)*

EN ISO 12100:2010, *Safety of machinery - General principles for design - Risk assessment and risk reduction (ISO 12100:2010)*

ISO 9633:2001, *Cycle chains — Characteristics and test methods*

ISO 6742-1:2015, *Cycles — Lighting and retro-reflective devices — Part 1: Lighting and light signalling devices*

**EN 17860-2:2024 (E)**

ISO 6742-2:2015, *Cycles — Lighting and retro-reflective devices — Part 2: Retro-reflective devices*

ISO 6742-3:2015, *Cycles — Lighting and retro-reflective devices — Part 3: Installation and use of lighting and retro-reflective devices*

ISO 14878:2015, *Cycles — Audible warning devices — Technical specification and test methods*

**koniec náhľadu – text ďalej pokračuje v platenej verzii STN**