

STN	Injekčné systémy na báze ihl na zdravotnícke použitie Požiadavky a skúšobné metódy Časť 4: Injekčné systémy na báze ihl obsahujúce elektroniku (ISO 11608-4: 2022, opravená verzia 2024-12)	STN EN ISO 11608-4 85 5930
------------	--	--

Needle-based injection systems for medical use - Requirements and test methods - Part 4: Needle-based injection systems containing electronics (ISO 11608-4:2022, Corrected version 2024-12)

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 03/25

Obsahuje: EN ISO 11608-4:2022, ISO 11608-4 Corrected version 2024-12:2022

Oznámením tejto normy sa ruší
STN EN ISO 11608-4 (85 5930) z augusta 2022

140148

Úrad pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky, 2025
Slovenská technická norma a technická normalizačná informácia je chránená zákonom č. 60/2018 Z. z. o technickej normalizácii v znení neskorších predpisov.

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN ISO 11608-4

May 2022

ICS 11.040.25

Supersedes EN ISO 11608-4:2007

English Version

**Needle-based injection systems for medical use -
Requirements and test methods - Part 4: Needle-based
injection systems containing electronics (ISO 11608-
4:2022, Corrected version 2024-12)**

Systèmes d'injection à aiguille pour usage médical -
Exigences et méthodes d'essai - Partie 4: Systèmes
d'injection à aiguille contenant de l'électronique (ISO
11608-4:2022, Version corrigée 2024-12)

Kanülenbasierte Injektionssysteme zur medizinischen
Verwendung - Anforderungen und Prüfverfahren - Teil
4: Kanülenbasierte Injektionssysteme, die
elektronische Bauteile enthalten (ISO 11608-4:2022,
korrigierte Fassung 2024-12)

This European Standard was approved by CEN on 2 January 2022.

This European Standard was corrected and reissued by the CEN-CENELEC Management Centre on 11 December 2024.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN ISO 11608-4:2022 (E)

Contents	Page
European foreword.....	3

European foreword

This document (EN ISO 11608-4:2022) has been prepared by Technical Committee ISO/TC 84 "Devices for administration of medicinal products and catheters" in collaboration with Technical Committee CEN/TC 205 "Non-active medical devices" the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2022, and conflicting national standards shall be withdrawn at the latest by November 2022.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 11608-4:2007.

Any feedback and questions on this document should be directed to the users' national standards body/national committee. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 11608-4:2022, Corrected version 2024-12 has been approved by CEN as EN ISO 11608-4:2022 without any modification.



International Standard

ISO 11608-4

Needle-based injection systems for medical use — Requirements and test methods —

Part 4: Needle-based injection systems containing electronics

*Systèmes d'injection à aiguille pour usage médical — Exigences
et méthodes d'essai —*

*Partie 4: Systèmes d'injection à aiguille contenant de
l'électronique*

**Second edition
2022-04**

**Corrected version
2024-12**

ISO 11608-4:2022(en)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

ISO 11608-4:2022(en)**Contents**

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	3
4 Abbreviated terms	11
5 General requirements	11
5.1 Conditions for application of NIS-E	11
5.2 General design requirements	11
5.3 Risk approach and usability engineering	12
6 General requirements for testing	12
6.1 Type tests	12
6.2 Number of samples	12
6.3 Ambient temperature, humidity, atmospheric pressure	16
7 Identification and marking of NIS-E	16
8 Protection against electrical hazards	16
8.1 General	16
8.2 Humidity preconditioning treatment	16
8.3 Requirements and test methods	17
8.3.1 General	17
8.3.2 Applied parts	17
8.3.3 Requirements related to power sources	19
8.3.4 Limitation of current for accessible parts and applied parts	20
8.4 Separation of parts (Type X and Type Y)	20
8.4.1 Means of protection (MOP)	20
8.4.2 Separation of patient connection	21
8.4.3 Maximum mains voltage	22
8.4.4 Working voltage	22
8.5 Patient leakage current and touch current (Type X and Type Y NIS-E)	23
8.5.1 General	23
8.5.2 Measurement of patient leakage current	27
8.5.3 Measurement of touch current	30
8.6 Insulation (Type X and Type Y)	31
8.6.1 General	31
8.6.2 Distance through solid insulation or use of thin sheet material	31
8.6.3 Dielectric strength	32
8.7 Insulation other than wire insulation	32
8.7.1 Mechanical strength and resistance to heat	32
8.8 Creepage distances and air clearances (Type X and Type Y NIS-E)	33
8.8.1 General	33
8.9 Specific hazardous situations	34
8.9.1 General	34
8.9.2 Emissions, deformation of enclosure or exceeding maximum temperature	34
8.9.3 Exceeding leakage current or voltage limits	36
8.9.4 Specific mechanical hazards	36
8.10 Single fault conditions (Type X and Type Y)	36
8.10.1 General	36
8.10.2 Failure of thermostats and temperature limiting devices	36
8.10.3 Leakage of liquid from batteries	36
8.10.4 Locking of moving parts	36
8.10.5 Additional test criteria for motor-operated NIS-E	37
8.10.6 NIS-E intended for used in conjunction with oxygen rich environments	37

ISO 11608-4:2022(en)

8.10.7	Power supply (Type Y).....	37
8.11	Pre-conditioning for the influence of fluid leakage.....	38
9	Electromagnetic compatibility (EMC).....	39
9.1	General requirements.....	39
9.1.1	Risk approach process for NIS-E.....	39
9.1.2	Non-medical electrical equipment used with NIS-E.....	39
9.1.3	General test conditions.....	39
9.2	NIS-E identification, marking and documents.....	44
9.2.1	Instruction for use in relation to EMC.....	44
9.2.2	Documentation of the tests.....	44
9.3	Electromagnetic emissions requirements for NIS-E.....	45
9.3.1	Protection of radio services and other equipment.....	45
9.3.2	Protection of the public mains network.....	45
9.3.3	Emissions requirements summary (Type X and Type Y).....	46
9.4	Electromagnetic immunity requirements for NIS-E.....	46
9.4.1	General.....	46
9.4.2	Operating modes.....	48
9.4.3	Non-medical electrical equipment.....	48
9.4.4	Immunity test levels.....	48
9.4.5	Immunity to proximity fields from RF wireless communications equipment.....	53
9.4.6	Immunity to proximity magnetic fields in the frequency range 9 kHz to 13,56 MHz.....	54
10	Protection against mechanical hazards.....	55
10.1	General.....	55
10.2	Shock.....	55
10.3	Vibration.....	55
10.3.1	Sinusoidal vibration.....	55
10.3.2	Random vibration.....	55
10.4	Impact of OBDS enclosures.....	55
10.5	Push.....	56
11	Programmable NIS-E.....	56
Annex A (informative)	Identification of immunity pass/fail criteria.....	57
Annex B (informative)	Rationale for using 240 V for testing some requirements.....	59
Bibliography		60

ISO 11608-4:2022(en)**Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 84, *Devices for administration of medicinal products and catheters*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 205, *Non-active medical devices*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 11608-4:2006), which has been technically revised.

The main changes are as follows:

- this document has been revised in its entirety to include requirements from the IEC 60601 series that pertain to hand-held medical injectors.

A list of all parts in the ISO 11608 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

This corrected version of ISO 11608-4:2022 incorporates the following corrections:

- the value of the capacitance in [Figure 4](#) has been corrected;
- the reference to [Table 19](#) in [9.2.1](#) has been corrected to [Table 21](#).

ISO 11608-4:2022(en)**Introduction**

Needle-based injection systems, including on-body delivery systems (OBDSs), containing electronics with or without software, are primarily intended to administer medicinal products to humans. Performance requirements regarding essential electrotechnical aspects have been selected with the intention not to restrict the Electronic Needle-based Injection System (NIS-E) design unnecessarily when applying the document.

The first edition of this document was limited to pen-injectors with electromechanical drive. Pen-injectors only equipped with electronics were covered in ISO 11608-1.

Materials used for construction are not specified in this document, as their selection will depend on the design, the intended use and the process of manufacture used by individual manufacturers.

There are other international and national standards and guidance publications and, in some countries, national regulations that are applicable to medical devices and pharmaceuticals. This document is applicable to NIS-E and specifies relevant aspects of IEC 60601-1:2005+AMD1:2012+AMD2:2020, IEC 60601-1-2:2014+AMD1:2020 and IEC 60601-1-11:2015+AMD1:2020 for this particular device type.

This document does not specify non-electrotechnical requirements and test methods for NISs when specified by ISO 11608-1.

Developers and manufacturers of NIS-Es are encouraged to investigate and determine whether there are any other requirements relevant to the safety or marketability of their NIS-Es. For example, this document should be used in conjunction with IEC 60601-1, IEC 60601-1-2 and IEC 60601-1-11. A risk-based approach is expected to be applied during the design, development, and manufacture of the product. Given the specific medicinal product intended use and environment, this might result in product-specific requirements and test methods that differ from what is outlined in this document.

This document is intended to be used for type testing (testing of the development result) of NIS-E. It is not intended to be used for batch release testing.

This document introduces the notion of Type X NIS-E and Type Y NIS-E. Type X NIS-E is a device type without any physical cabled connection to other devices. Type Y NIS-E has such connections. The electrical requirements in this document for Type X NIS-E is a subset of the requirements for Type Y NIS-E.

Needle-based injection systems for medical use — Requirements and test methods —

Part 4: Needle-based injection systems containing electronics

1 Scope

This document specifies requirements and test methods for needle-based injection systems (NISs) containing electronics with or without software (NIS-Es).

The needle-based injection system containing electronics can be single use or reusable and can be operated with or without electrical/conductive connections to other devices. The system is intended to deliver medication to a patient by self-administration or by administration by one other operator (e.g. caregiver or health care provider).

This document applies to electronic accessories that are intended to be physically connected to a NIS or NIS-E according to the NIS/NIS-E intended use.

This document also applies to electronic accessories that are intended to have electrical/conductive connections to a NIS or NIS-E according to the NIS/NIS-E intended use.

This document does not specify requirements for software in programmable NIS-E.

NOTE IEC 60601-1:2005+AMD1:2012+AMD2:2020, Clause 14 addresses software life cycle processes.

This document does not specify requirements for cybersecurity.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

CISPR 11, *Industrial, scientific and medical equipment – Radio-frequency disturbance characteristics – Limits and methods of measurement*

CISPR 32, *Electromagnetic compatibility of multimedia equipment — Emission requirements*

ISO 11608-1:2022, *Needle-based injection systems for medical use — Requirements and test methods — Part 1: Needle-based injection systems*

ISO 7137, *Aircraft — Environmental conditions and test procedures for airborne equipment*

ISO 14971:2019, *Medical devices — Application of risk management to medical devices*

IEC 60086-4, *Primary batteries — Part 4: Safety of lithium batteries*

IEC 60068-2-64, *Environmental testing — Part 2-64: Tests — Test Fh: Vibration, broadband random and guidance*

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*

ISO 11608-4:2022(en)

IEC 60601-1:2005+AMD1:2012+AMD2:2020, *Medical electrical equipment — Part 1: General requirements for basic safety and essential performance*

IEC 60601-1-2:2014+AMD1:2020, *Medical electrical equipment — Part 1-2: General requirements for basic safety and essential performance — Collateral Standard: Electromagnetic disturbances — Requirements and tests*

IEC 60601-1-11:2015+AMD1:2020, *Medical electrical equipment — Part 1-11: General requirements for basic safety and essential performance — Collateral standard: Requirements for medical electrical equipment and medical electrical systems used in the home healthcare environment*

IEC 60721-3-7:1995+AMD1:1996, *Classification of environmental conditions — Part 3-7: Classification of groups of environmental parameters and their severities — Portable and non-stationary use*

IEC 62133-2, *Secondary cells and batteries containing alkaline or other non-acid electrolytes — Safety requirements for portable sealed secondary lithium cells, and for batteries made from them, for use in portable applications — Part 2: Lithium systems*

IEC 62304, *Medical device software — Software life cycle processes*

IEC 62366-1, *Medical devices — Part 1: Application of usability engineering to medical devices*

IEC 60695-11-10:2013, *Fire hazard testing — Part 11-10: Test flames — 50 W horizontal and vertical flame test methods*

IEC 60950-1:2005+AMD1:2009+AMD2:2013, *Information technology equipment — Safety — Part 1: General requirements*

IEC 60747-5-5, *Semiconductor devices — Part 5-5: Optoelectronic devices — Photocouplers*

IEC 61000-3-2, *Electromagnetic compatibility (EMC) — Part 3-2: Limits — Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)*

IEC 61000-3-3, *Electromagnetic compatibility (EMC) - Part 3-3: Limits — Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection*

IEC 61000-4-2:2008, *Electromagnetic compatibility (EMC) — Part 4-2: Testing and measurement techniques - Electrostatic discharge immunity test*

IEC 61000-4-3, *Electromagnetic compatibility (EMC) — Part 4-3: Testing and measurement techniques — Radiated, radio-frequency, electromagnetic field immunity test*

IEC 61000-4-4, *Electromagnetic compatibility (EMC) — Part 4-4: Testing and measurement techniques - Electrical fast transient/burst immunity test*

IEC 61000-4-5, *Electromagnetic compatibility (EMC) — Part 4-5: Testing and measurement techniques — Surge immunity test*

IEC 61000-4-6, *Electromagnetic compatibility (EMC) — Part 4-6: Testing and measurement techniques — Immunity to conducted disturbances, induced by radio-frequency fields*

IEC 61000-4-8, *Electromagnetic compatibility (EMC) — Part 4-8: Testing and measurement techniques — Power frequency magnetic field immunity test*

IEC 61000-4-11, *Electromagnetic compatibility (EMC) — Part 4-11: Testing and measurement techniques — Voltage dips, short interruptions and voltage variations immunity tests for equipment with input current up to 16 A per phase*

IEC 61000-4-39, *Electromagnetic compatibility (EMC) — Part 4-39: Testing and measurement techniques — Radiated fields in close proximity— Immunity test*

IEC 60085, *Electrical insulation — Thermal evaluation and designation*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN