STN

Fľaše na plyny Jednorazové kovové fľaše na plyny Špecifikácia a skúšobné metódy (ISO 11118: 2025)

STN EN ISO 11118

69 8400

Gas cylinders - Non-refillable metallic gas cylinders - Specification and test methods (ISO 11118:2025)

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 04/25

Obsahuje: EN ISO 11118:2025, ISO 11118:2025

Oznámením tejto normy sa ruší STN EN ISO 11118 (69 8400) z marca 2016



EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN ISO 11118

January 2025

ICS 23.020.35

Supersedes EN ISO 11118:2015, EN ISO 11118:2015/A1:2020

English Version

Gas cylinders - Non-refillable metallic gas cylinders - Specification and test methods (ISO 11118:2025)

Bouteilles à gaz - Bouteilles à gaz métalliques non rechargeables -Spécifications et méthodes d'essai (ISO 11118:2025)

Gasflaschen - Metallische Einwegflaschen -Spezifikationen und Prüfverfahren (ISO 11118:2025)

This European Standard was approved by CEN on 17 January 2025.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN ISO 11118:2025 (E)

Contents	Page
European foreword	2
European ioreworu	

European foreword

This document (EN ISO 11118:2025) has been prepared by Technical Committee ISO/TC 58 "Gas cylinders" in collaboration with Technical Committee CEN/TC 23 "Transportable gas cylinders" the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2025, and conflicting national standards shall be withdrawn at the latest by July 2025.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 11118:2015, EN ISO 11118:2015/A1:2020.

This document has been prepared under a standardization request addressed to CEN by the European Commission. The Standing Committee of the EFTA States subsequently approves these requests for its Member States.

Any feedback and questions on this document should be directed to the users' national standards body/national committee. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

Endorsement notice

The text of ISO 11118:2025 has been approved by CEN as EN ISO 11118:2025 without any modification.



International Standard

ISO 11118

Gas cylinders — Non-refillable metallic gas cylinders — Specification and test methods

Bouteilles à gaz — Bouteilles à gaz métalliques non rechargeables — Spécifications et méthodes d'essai

Third edition 2025-01



COPYRIGHT PROTECTED DOCUMENT

© ISO 2025

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Introduction	Co	ntents	S	Page
1 Scope 2 Normative references 3 Terms and definitions 4 Symbols. 5 Materials. 5.1 General requirements 5.2 Material types. 5.2.1 Carbon and low-alloy steels. 5.2.2 Aluminium and aluminium alloy. 5.2.3 Austentite stainless steels. 5.3.1 Carbon and low-alloy steels. 5.3.2 Aluminium and aluminium alloys. 6 Inspection and testing 7 Design 7.1 General requirements 7.2 Calculation of pressure containing parts. 7.3 Design drawings 8 Construction and workmanship 8.1 Construction and workmanship 8.1.1 Types of construction of cylinder shell 8.1.2 Cylinder non-refillability 8.1.3 Pressure relief devices 8.2 Workmanship 9 Type approval procedure 9.1 General requirements. 9.2 Prototype tests 9.2.1 General 9.2.2 Material tests. 9.2.3 Tensile tests 9.2.4 Burst tests 9.2.5 Drop tests 9.2.6 Dimension checks 9.2.7 Valve to cylinder interface test 10.2 Feilure to meet test requirements 11 Tests on every cylinder 11.1 Inspection 11.2 Proof pressure test 11.3 Leak testing 11.4 Rejection criteria 11.5 Repairs 12 Markings 12.1 General	Fore	eword		v
2	Intr	oductio	n	vi
3 Terms and definitions	1	Scope	e	1
3 Terms and definitions	2	Norm	native references	1
Materials	3			
Material S				
5.1 General requirements		•		
5.2 Material types 5.2.1 Carbon and low-alloy steels 5.2.2 Aluminium and aluminium alloy 5.2.3 Austenitic stainless steels Chemical compositions 5.3.1 Carbon and low-alloy steels 5.3.2 Aluminium and aluminium alloys Chemical compositions 5.3.1 Carbon and low-alloy steels 5.3.2 Aluminium and aluminium alloys Chemical compositions Chemical compositio	J			
5.2.2 Aluminium and aluminium alloy		5.2	Material types	4
5.2.3 Austenitic stainless steels				
5.3 Carbon and low-alloy steels 5.3 Carbon and low-alloy steels 5.3 Carbon and low-alloy steels 5.3 Carbon and testing				
5.3.1 Carbon and low-alloy steels 5.3.2 Aluminium and aluminium alloys		ĽЭ		
5.3.2 Aluminium and aluminium alloys		5.3		
7		Inana	•	
7.1 General requirements 7.2 Calculation of pressure containing parts 7.3 Design drawings 8 Construction and workmanship 8.1 Construction 8.1.1 Types of construction of cylinder shell 8.1.2 Cylinder non-refillability 8.1.3 Pressure relief devices 8.2 Workmanship 9 Type approval procedure 9.1 General requirements 9.2 Prototype tests 9.2.1 General 9.2.2 Material tests 9.2.3 Tensile tests 9.2.4 Burst tests 9.2.5 Drop tests 9.2.6 Dimension checks 9.2.7 Valve to cylinder interface test 9.3 Design type approval 10 Batch tests 10.1 General requirements 10.2 Failure to meet test requirements 10.2 Failure to meet test requirements 11.1 Inspection 11.2 Proof pressure test 11.3 Leak testing 11.		•		
7.2 Calculation of pressure containing parts 7.3 Design drawings	7	_		
7.3 Design drawings 8 Construction and workmanship 8.1 Construction 8.1.1 Types of construction of cylinder shell 8.1.2 Cylinder non-refillability 8.1.3 Pressure relief devices 8.2 Workmanship 9 Type approval procedure 1 9.1 General requirements 1 9.2 Prototype tests 1 9.2.1 General 1 9.2.2 Material tests 1 9.2.3 Tensile tests 1 9.2.4 Burst tests 2 9.2.5 Drop tests 2 9.2.6 Dimension checks 2 9.2.7 Valve to cylinder interface test 3 9.3 Design type approval 1 10 Batch tests 1 10.1 General requirements 1 10.2 Failure to meet test requirements 1 11.1 Inspection 1 11.2 Proof pressure test 1 11.3 Leak testing 1				
8				
8.1. Construction 8.1.1 Types of construction of cylinder shell 8.1.2 Cylinder non-refillability 1.3 Pressure relief devices 8.2 Workmanship 2 9 Type approval procedure 1 9.1 General requirements 1 9.2 Prototype tests. 1 9.2.1 General 1 9.2.2 Material tests 1 9.2.3 Tensile tests 1 9.2.4 Burst tests 1 9.2.5 Drop tests 2 9.2.6 Dimension checks 1 9.2.7 Valve to cylinder interface test 2 9.3 Design type approval 1 10 Batch tests 1 10.1 General requirements 1 10.2 Failure to meet test requirements 1 11.1 Inspection 1 11.2 Proof pressure test 1 11.3 Leak testing 1 11.4 Rejection criteria 1 11.5 Repairs 1 12 Markings 1 12.1 General 1	•			
81.1 Types of construction of cylinder shell 81.2 Cylinder non-refillability 81.3 Pressure relief devices 8.2 Workmanship	8		Construction	7
8.1.2 Cylinder non-refillability 8.1.3 Pressure relief devices 8.2 Workmanship 9 Type approval procedure 9.1 General requirements 9.2 Prototype tests 9.2.1 General 9.2.2 Material tests 9.2.3 Tensile tests 9.2.3 Tensile tests 9.2.4 Burst tests 9.2.5 Drop tests 9.2.6 Dimension checks 9.2.7 Valve to cylinder interface test 9.3 Design type approval 9.3 Design type approval 10 Batch tests 10.1 General requirements 10.2 Failure to meet test requirements 11 Tests on every cylinder 11.1 Inspection 11.2 Proof pressure test 11.3 Leak testing 11.4 Rejection criteria 11.5 Repairs 12.1 General 12.1 General 12.1 General 12.1 General 12.1 General 13.1 General 14.1 General 14.1 General 15.1 General 15.		0.1	8.1.1 Types of construction of cylinder shell	7
8.1.3 Pressure relief devices 8.2 Workmanship				
9 Type approval procedure 1 9.1 General requirements 1 9.2 Prototype tests 1 9.2.1 General 1 9.2.2 Material tests 1 9.2.3 Tensile tests 1 9.2.4 Burst tests 9.2.5 9.2.5 Drop tests 9.2.6 9.2.7 Valve to cylinder interface test 1 9.3 Design type approval 1 10 Batch tests 1 10.1 General requirements 1 10.2 Failure to meet test requirements 1 11 Tests on every cylinder 1 11.1 Inspection 1 11.2 Proof pressure test 1 11.3 Leak testing 1 11.4 Rejection criteria 1 11.5 Repairs 1 12 Markings 1 12.1 General 1				
9.1 General requirements 9.2 Prototype tests 9.2.1 General 9.2.2 Material tests 9.2.3 Tensile tests 9.2.4 Burst tests 9.2.5 Drop tests 9.2.6 Dimension checks 9.2.7 Valve to cylinder interface test 9.3 Design type approval 10 Batch tests 10.1 General requirements 10.2 Failure to meet test requirements 11 Tests on every cylinder 11.1 Inspection 11.2 Proof pressure test 11.3 Leak testing 11.4 Rejection criteria 11.5 Repairs 12 Markings 12.1 General		8.2	Workmanship	11
9.1 General requirements 9.2 Prototype tests 9.2.1 General 9.2.2 Material tests 9.2.3 Tensile tests 9.2.4 Burst tests 9.2.5 Drop tests 9.2.6 Dimension checks 9.2.7 Valve to cylinder interface test 9.3 Design type approval 10 Batch tests 10.1 General requirements 10.2 Failure to meet test requirements 11 Tests on every cylinder 11.1 Inspection 11.2 Proof pressure test 11.3 Leak testing 11.4 Rejection criteria 11.5 Repairs 12 Markings 12.1 General	9	Type	approval procedure	12
9.2.1 General 9.2.2 Material tests 9.2.3 Tensile tests 9.2.4 Burst tests 9.2.5 Drop tests 9.2.6 Dimension checks 9.2.7 Valve to cylinder interface test 9.3 Design type approval 10 Batch tests 10.1 General requirements 10.2 Failure to meet test requirements 11.1 Inspection 11.2 Proof pressure test 11.3 Leak testing 11.4 Rejection criteria 11.5 Repairs 12 Markings 12.1 General				
9.2.2 Material tests. 9.2.3 Tensile tests. 9.2.4 Burst tests. 9.2.5 Drop tests. 9.2.6 Dimension checks. 9.2.7 Valve to cylinder interface test. 9.3 Design type approval. 10 Batch tests. 10.1 General requirements. 10.2 Failure to meet test requirements. 11.1 Inspection. 11.2 Proof pressure test. 11.3 Leak testing. 11.4 Rejection criteria. 11.5 Repairs. 12 Markings. 12.1 General.		9.2	Prototype tests	12
9.2.3 Tensile tests 9.2.4 Burst tests 9.2.5 Drop tests 9.2.6 Dimension checks 9.2.7 Valve to cylinder interface test 9.3 Design type approval 10 Batch tests 10.1 General requirements 10.2 Failure to meet test requirements 11.1 Inspection 11.2 Proof pressure test 11.3 Leak testing 11.4 Rejection criteria 11.5 Repairs 12 Markings 12.1 General				
9.2.4 Burst tests 9.2.5 Drop tests 9.2.6 Dimension checks 9.2.7 Valve to cylinder interface test 9.3 Design type approval 10 Batch tests 10.1 General requirements 10.2 Failure to meet test requirements 11.1 Inspection 11.2 Proof pressure test 11.3 Leak testing 11.4 Rejection criteria 11.5 Repairs 12 Markings 12.1 General				
9.2.5 Drop tests 9.2.6 Dimension checks 9.2.7 Valve to cylinder interface test 9.3 Design type approval 10 Batch tests 10.1 General requirements 10.2 Failure to meet test requirements 11 Tests on every cylinder 11.1 Inspection 11.2 Proof pressure test 11.3 Leak testing 11.4 Rejection criteria 11.5 Repairs 12 Markings 12.1 General				
9.2.6 Dimension checks 9.2.7 Valve to cylinder interface test 9.3 Design type approval 10 Batch tests 10.1 General requirements 10.2 Failure to meet test requirements 11.1 Inspection 11.2 Proof pressure test 11.3 Leak testing 11.4 Rejection criteria 11.5 Repairs 12 Markings 12.1 General				
9.2.7 Valve to cylinder interface test 9.3 Design type approval 10 Batch tests 1 10.1 General requirements 1 10.2 Failure to meet test requirements 1 11 Tests on every cylinder 1 11.1 Inspection 1 11.2 Proof pressure test 1 11.3 Leak testing 1 11.4 Rejection criteria 1 11.5 Repairs 1 12 Markings 1 12.1 General 1			1	
10 Batch tests 1 10.1 General requirements 2 10.2 Failure to meet test requirements 3 11 Tests on every cylinder 1 11.1 Inspection 3 11.2 Proof pressure test 3 11.3 Leak testing 3 11.4 Rejection criteria 3 11.5 Repairs 3 12 Markings 3 12.1 General 3				
10.1 General requirements 10.2 Failure to meet test requirements 11 Tests on every cylinder 11.1 Inspection 11.2 Proof pressure test 11.3 Leak testing 11.4 Rejection criteria 11.5 Repairs 12 Markings 12.1 General		9.3	Design type approval	18
10.1 General requirements 10.2 Failure to meet test requirements 11 Tests on every cylinder 11.1 Inspection 11.2 Proof pressure test 11.3 Leak testing 11.4 Rejection criteria 11.5 Repairs 12 Markings 12.1 General	10	Batch	1 tests	18
11 Tests on every cylinder 1 11.1 Inspection 1 11.2 Proof pressure test 1 11.3 Leak testing 1 11.4 Rejection criteria 1 11.5 Repairs 1 12 Markings 1 12.1 General 1				
11.1 Inspection 11.2 Proof pressure test 11.3 Leak testing 11.4 Rejection criteria 11.5 Repairs 12 Markings 12.1 General		10.2	Failure to meet test requirements	18
11.1 Inspection 11.2 Proof pressure test 11.3 Leak testing 11.4 Rejection criteria 11.5 Repairs 12 Markings 12.1 General	11	Tests	on every cylinder	19
11.3 Leak testing 11.4 Rejection criteria 11.5 Repairs 12 Markings 12.1 General				
11.4 Rejection criteria 11.5 Repairs 12 Markings 12.1 General		11.2		
11.5 Repairs				
12 Markings 12.1 General 2.1				
12.1 General			•	
	12			
12.2 Manufacturing and apprecianal markings				
12.2 Manufacturing and operational markings				

13	Test reports and certificate of conformance	20
Annex	A (normative) Non-refillable sealing devices — Specifications and prototype testing	21
Annex	B (informative) Type approval certificate	27
Annex	C (informative) Certificate of conformance	29
Annex	D (informative) Yield point elongation (YPE)	31
Biblios	pranhy	34

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 58, *Gas cylinders*, Subcommittee SC 3, *Cylinder design*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 23, *Transportable gas cylinders*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This third edition cancels and replaces the second edition (ISO 11118:2015), which has been technically revised. It also incorporates the Amendment ISO 11118:2015/Amd 1:2019.

The main changes are as follows:

- the normative references have been updated;
- verification of minimum cylinder shell wall thickness has been added;
- the calculation of determination of minimum wall thickness has been simplified by fixing the "F" factor;
- welding qualification, including defining process and operator, has been modified;
- testing of nonrefillable valve sampling has been clarified;
- marking requirements based on UN Model Regulation requirements have been clarified.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

The purpose of this document is to facilitate agreement on the design and manufacture of non-refillable metallic gas cylinders and their sealing devices in all countries. The requirements are based on knowledge of, and experience with, materials, design requirements, manufacturing processes and controls in common use for the manufacture of gas cylinders.

This document has been written so that it is suitable to be referenced in the UN Model Regulations[10].

In this document, the unit bar is used, due to its universal use in the field of technical gases. It should, however, be noted that bar is not an SI unit, and that the corresponding SI unit for pressure is Pa (1 bar = $10^5 \text{ Pa} = 10^5 \text{ N/m}^2$).

Pressure values given in this document are given as gauge pressure (pressure exceeding atmospheric pressure) unless noted otherwise.

Any tolerances given in this document include measurement uncertainties.

Gas cylinders — Non-refillable metallic gas cylinders — Specification and test methods

1 Scope

This document specifies requirements for the material, design, inspections, construction and workmanship, manufacturing processes, and tests at manufacture of non-refillable metallic gas cylinders of welded, brazed, or seamless construction. This document also specifies the requirements for the non-refillable sealing devices and their methods of testing. It is applicable to non-refillable metallic gas cylinders for compressed and liquefied gases.

NOTE The specific gases permitted in cylinders constructed to this document can be limited by national or international requirements.

This document is applicable to cylinders where:

- a) the test pressure does not exceed 250 bar¹⁾ (i.e. $p_h \le 250$ bar) for liquefied gases and 450 bar for compressed gases; or
- b) the product of the test pressure and the water capacity does not exceed 1 000 bar·litres (i.e. $p_h V \le 1\,000$ bar l); or
- c) the test pressure exceeds 45 bar and the water capacity does not exceed 5 l (i.e. for $p_h > 45$ bar, then $V \le 5$ l).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3651-2, Determination of resistance to intergranular corrosion of stainless steels — Part 2: Ferritic, austenitic and ferritic-austenitic (duplex) stainless steels — Corrosion test in media containing sulfuric acid

ISO 4706:2023, Gas cylinders — Refillable welded steel cylinders — Test pressure 60 bar and below

ISO 6892-1, Metallic materials — Tensile testing — Part 1: Method of test at room temperature

ISO 7866:2012, Gas cylinders — Refillable seamless aluminium alloy gas cylinders — Design, construction and testing

ISO 9329-1, Seamless steel tubes for pressure purposes — Technical delivery conditions — Part 1: Unalloyed steels with specified room temperature properties

ISO 9809-1:2019, Gas cylinders — Design, construction and testing of refillable seamless steel gas cylinders and tubes — Part 1: Quenched and tempered steel cylinders and tubes with tensile strength less than 1 100 MPa

ISO 9809-4:2021, Gas cylinders — Design, construction and testing of refillable seamless steel gas cylinders and tubes — Part 4: Stainless steel cylinders with an R_m value of less than 1 100 MPa

ISO 10156, Gas cylinders — Gases and gas mixtures — Determination of fire potential and oxidizing ability for the selection of cylinder valve outlets

ISO 10286, Gas cylinders — Vocabulary

1) $1 \text{ bar} = 0.1 \text{ MPa} = 10^5 \text{ Pa}; 1 \text{ MPa} = 1 \text{ N/mm}^2$

ISO 10297, Gas cylinders — Cylinder valves — Specification and type testing

ISO 11114-1, Gas cylinders — Compatibility of cylinder and valve materials with gas contents — Part 1: Metallic materials

ISO 11114-2, Gas cylinders — Compatibility of cylinder and valve materials with gas contents — Part 2: Non-metallic materials

ISO 13769, Gas cylinders — Stamp marking

ISO 15614-1, Specification and qualification of welding procedures for metallic materials — Welding procedure test — Part 1: Arc and gas welding of steels and arc welding of nickel and nickel alloys

ISO 15614-12, Specification and qualification of welding procedures for metallic materials — Welding procedure test — Part 12: Spot, seam and projection welding

ISO 20703:2006, Gas cylinders — Refillable welded aluminium-alloy cylinders — Design, construction and testing

koniec náhľadu – text ďalej pokračuje v platenej verzii STN