

STN	Robotika Bezpečnostné požiadavky Časť 2: Aplikácie priemyselných robotov a robotické bunky (ISO 10218-2: 2025)	STN EN ISO 10218-2 18 6515
------------	---	--

Robotics - Safety requirements - Part 2: Industrial robot applications and robot cells (ISO 10218-2:2025)

Táto norma obsahuje anglickú verziu európskej normy.

This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 05/25

Obsahuje: EN ISO 10218-2:2025, ISO 10218-2:2025

Oznámením tejto normy sa od 31.03.2027 ruší
STN EN ISO 10218-2 (18 6515) z januára 2012

140462



EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN ISO 10218-2

March 2025

ICS 25.040.30

Supersedes EN ISO 10218-2:2011

English Version

**Robotics - Safety requirements - Part 2: Industrial robot
applications and robot cells (ISO 10218-2:2025)**

Robotique - Exigences de sécurité - Partie 2:
Applications robotisées industrielles et cellules
robotisées (ISO 10218-2:2025)

Robotik - Sicherheitsanforderungen für
Robotersysteme in industrieller Umgebung - Teil 2:
Robotersysteme, Roboteranwendungen und
Integration von Roboterzellen (ISO 10218-2:2025)

This European Standard was approved by CEN on 3 January 2025.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN ISO 10218-2:2025 (E)

Contents	Page
European foreword.....	3
Annex ZA (informative) Relationship between this European Standard and the essential requirements of Directive 2006/42/EC aimed to be covered	4

European foreword

This document (EN ISO 10218-2:2025) has been prepared by Technical Committee ISO/TC 299 "Robotics" in collaboration with Technical Committee CEN/TC 310 "Advanced automation technologies and their applications" the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2025, and conflicting national standards shall be withdrawn at the latest by March 2027.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 10218-2:2011.

This document has been prepared under a standardization request addressed to CEN by the European Commission. The Standing Committee of the EFTA States subsequently approves these requests for its Member States.

For the relationship with EU Legislation, see informative Annex ZA, which is an integral part of this document.

Any feedback and questions on this document should be directed to the users' national standards body/national committee. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

Endorsement notice

The text of ISO 10218-2:2025 has been approved by CEN as EN ISO 10218-2:2025 without any modification.

EN ISO 10218-2:2025 (E)**Annex ZA**
(informative)**Relationship between this European Standard and the essential requirements of Directive 2006/42/EC aimed to be covered**

This European Standard has been prepared under a Commission's standardization request "M/396 Mandate to CEN and CENELEC for Standardisation in the field of machinery" to provide one voluntary means of conforming to essential requirements of Directive 2006/42/EC of the European Parliament and of the Council of 17 May 2006 on machinery, and amending Directive 95/16/EC (recast).

Once this standard is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of this standard given in Table ZA.1 confers, within the limits of the scope of this standard, a presumption of conformity with the corresponding essential requirements of that Directive, and associated EFTA regulations.

Table ZA.1 — Correspondence between this European Standard and Annex I of Directive 2006/42/EC

The relevant Essential Requirements of Directive 2006/42/EC	Clause(s)/sub-clause(s) of this EN
1.1.2 (a)	5, 6, 7
1.1.2 (c)	5, 6, 7
1.1.2 (d)	5.2.2
1.1.2 (e)	5.2.7
1.1.3. Materials and products	5.2.2.2
1.1.4. Lighting	5.15.2, 5.15.4
1.1.5. Design of machinery to facilitate its handling	5.2.2, 5.2.3
1.1.6. Ergonomics	5.4.1, 5.4.3, 5.4.4, 5.8.6.1, 5.12.2.1, 5.14.4.2
1.2.1. Safety and reliability of control systems	5.2.8, 5.3, 5.4.7, 5.5, 5.6.1, 5.7, 5.9
1.2.2. Control devices	5.2.13, 5.7, 5.12.2.3, 5.14.4.1
1.2.3. Starting	5.5.7, 5.7.5
1.2.4.1. Normal stop	5.6.1, 5.6.4
1.2.4.2. Operational stop	5.5.8, 5.6.3
1.2.4.3. Emergency stop	5.6.2
1.2.4.4. Assembly of machinery	5.3
1.2.5. Selection of control or operating modes	5.7.2, 5.7.6.2
1.2.6. Failure of the power supply	5.2.10, 5.5.2, 5.6.1, 5.5.7.1, 5.9.1
1.3.1. Risk of loss of stability	5.2.5, 7.5.5

The relevant Essential Requirements of Directive 2006/42/EC	Clause(s)/sub-clause(s) of this EN
1.3.2. Risk of break-up during operation	5.2.2, 5.2.11, 5.2.13, 5.3.6, 7.5.9
1.3.3. Risks due to falling or ejected objects	5.9.1
1.3.4. Risks due to surfaces, edges or angles	5.2.2.4, 5.4.4, 5.9, 5.14.1
1.3.6. Risks related to variations in operating conditions	5.7.2
1.3.7. Risks related to moving parts	5.2.7, 5.8, 5.9, 5.10, 5.12, 5.14, 7.5.7
1.3.8. Choice of protection against risks arising from moving parts	5.2.2.4, 5.8, 5.9, 5.10.3, 5.12, 5.14
1.3.8.1. Moving transmission parts	5.2.2.4
1.3.8.2. Moving parts involved in the process	5.2.2.4, 5.8, 5.9, 5.10, 5.12, 5.14
1.3.9. Risks of uncontrolled movements	5.2.8, 5.2.12.1
1.4.1. General requirements	5.2.2, 5.8.5, 5.8.6, 5.8.9
1.4.2.1. Fixed guards	5.8.5.1
1.4.2.2. Interlocking movable guards	5.8.5
1.4.2.3. Adjustable guards restricting access	5.8.5.1
1.4.3. Special requirements for protective devices	5.8.6, 5.8.9
1.5.1. Electricity supply	5.2.13
1.5.2 Static electricity	5.2.13
1.5.3. Energy supply other than electricity	5.2.13
1.5.4. Errors of fitting	5.2.2.4, 5.2.13, 7.5.9
1.5.5. Extreme temperature	5.2.6
1.5.6. Fire	5.2.6
1.5.8 Noise	Not covered
1.5.9 Vibrations	5.14.4.1 7.5.19
1.5.12. Laser radiation	5.11
1.5.13. Emissions of hazardous materials and substances	5.2.4
1.5.14. Risk of being trapped in a machine	5.4.5, 5.8, 5.12.2.2, 5.14.1
1.5.15. Risk of slipping, tripping or falling	5.4.1, 5.7.8.3, 5.10.1,
1.6.1. Machinery maintenance	5.4.1, 5.7.8.1, 5.8.9.1, 5.16, 7.5.9
1.6.2. Access to operating positions and servicing points	5.4.1
1.6.3. Isolation of energy sources	5.2.13, 5.2.12
1.6.4. Operator intervention	5.4.1, 5.4.3
1.7.1. Information and warnings on the machinery	7.1, 7.2, 7.3, 7.4
1.7.1.1. Information and information devices	7.1, 7.2, 7.3, 7.4
1.7.1.2. Warning devices	5.7.2.5, 5.7.4, 7.2

EN ISO 10218-2:2025 (E)

The relevant Essential Requirements of Directive 2006/42/EC	Clause(s)/sub-clause(s) of this EN
1.7.2. Warning of residual risks	7.5.3, 7.5.17, 7.5.21
1.7.3. Marking of machinery	7.3
1.7.4. Instructions	7
1.7.4.1. General principles for the drafting of instructions	7.1, 7.5.3
1.7.4.2. Contents of the instructions	7.5
2.2.1. General	5.14.4
2.2.1.1. Instructions	7.5.19
2.3. Machinery for working wood and material with similar physical characteristics	5.8.1, 5.9.1, 5.9.4, 5.12.2.1
4.1.2.2. Machinery running on guide rails and rail tracks	5.2.5
4.1.2.3. Mechanical strength	5.2.2
4.1.2.4. Pulleys, drums, wheels, ropes and chains	5.2.2.3
4.1.2.6. Control of movements	5.2.8, 5.4.7, 5.9.1
4.1.2.7. Movements of loads during handling	5.2.8, 5.7.8.2, 5.8, 5.14.4.2
4.1.2.8.1. Movements of the carrier	5.8, 5.10
4.1.3. Fitness for purpose	5.2.2.3
4.2.1 Control of movements	5.10.4
4.2.3 Installations guided by ropes	5.10.1

WARNING 1 — Presumption of conformity stays valid only as long as a reference to this European Standard is maintained in the list published in the Official Journal of the European Union. Users of this standard should consult frequently the latest list published in the Official Journal of the European Union.

WARNING 2 — Other Union legislation may be applicable to the product(s) falling within the scope of this standard.



International Standard

ISO 10218-2

Robotics — Safety requirements — Part 2: Industrial robot applications and robot cells

Robotique — Exigences de sécurité —

*Partie 2: Applications robotisées industrielles et cellules
robotisées*

Second edition 2025-02

ISO 10218-2:2025(en)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2025

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

ISO 10218-2:2025(en)**Contents**

Page

Foreword	vii
Introduction	viii
1 Scope	1
2 Normative references	2
3 Terms, definitions, symbols and abbreviated terms	4
3.1 Terms and definitions	4
3.1.1 Robot, robot system, robot application, robot cell - related	4
3.1.2 Sub-assemblies and components	5
3.1.3 Controls-related	6
3.1.4 Program-related	8
3.1.5 Power-, energy-related	8
3.1.6 Hazard-related	8
3.1.7 Role-related	9
3.1.8 Functional safety-related	9
3.1.9 Spaces, zones and distances	10
3.1.10 Risk reduction measures	12
3.1.11 Verification and validation	13
3.1.12 Contact-related	14
3.2 Abbreviated terms and symbols	14
4 Risk assessment	19
4.1 General	19
4.2 Characteristics of robot applications and robot cells	19
4.3 Characteristics of collaborative applications	20
4.3.1 General	20
4.3.2 Risk assessment for contacts between moving parts of the robot application and operator(s)	21
5 Safety requirements and risk reduction measures	22
5.1 General	22
5.2 Design	22
5.2.1 General	22
5.2.2 Materials, mechanical strength and mechanical design	23
5.2.3 Provisions for lifting or moving	24
5.2.4 Hazardous substances	24
5.2.5 Stability	24
5.2.6 Temperature and fire risks	25
5.2.7 Special equipment	25
5.2.8 Position holding	25
5.2.9 Additional axis (axes)	25
5.2.10 Power loss or change	26
5.2.11 Component malfunction	26
5.2.12 Hazardous energy	26
5.2.13 Electrical, pneumatic and hydraulic parts	27
5.2.14 Tool centre point (TCP) setting	28
5.2.15 Payload setting	28
5.2.16 Cybersecurity	28
5.3 Robot cell integration	28
5.3.1 General	28
5.3.2 Span-of-control	29
5.3.3 Span-of-control of emergency stop function	29
5.3.4 Operational modes with multi-robot applications or robot cells	29
5.3.5 Local control, remote control and single-point-of-control	29
5.3.6 Automatic workpiece feeding	30
5.4 Layout	30

ISO 10218-2:2025(en)

5.4.1	General	30
5.4.2	Use and limits	31
5.4.3	Design	31
5.4.4	Design for collaborative applications	32
5.4.5	Prevention of trapping within the safeguarded space	32
5.4.6	Establishing restricted spaces	33
5.4.7	Limiting motion	33
5.5	Safety functions	34
5.5.1	General	34
5.5.2	Functional safety standards	35
5.5.3	Performance	35
5.5.4	Failure or fault detection	36
5.5.5	Parameterization of safety functions	36
5.5.6	Speed limit(s) monitoring	36
5.5.7	Start / restart interlock and reset	37
5.5.8	Monitored-standstill	38
5.5.9	Communications	38
5.5.10	Electromagnetic requirements	39
5.6	Stopping	39
5.6.1	General	39
5.6.2	Emergency stop	39
5.6.3	Protective stop	40
5.6.4	Normal stop	40
5.6.5	Associated equipment stopping	41
5.7	Control functions	41
5.7.1	General	41
5.7.2	Modes	41
5.7.3	Protection from unexpected start-up	44
5.7.4	Status indication and warning devices	44
5.7.5	Single-point-of-control	44
5.7.6	Local and remote control	45
5.7.7	Enabling devices	46
5.7.8	Control stations	47
5.7.9	Simultaneous motion	49
5.8	Safeguards and their use	49
5.8.1	General	49
5.8.2	Establishing a safeguarded space	50
5.8.3	Perimeter safeguarding	50
5.8.4	Overriding of protective devices	50
5.8.5	Guards	50
5.8.6	Sensitive protective equipment	51
5.8.7	Muting	53
5.8.8	Overriding of SPE	53
5.8.9	Minimum distances	53
5.8.10	Safeguarding to protect from unexpected restart	54
5.9	End-effectors	54
5.9.1	General	54
5.9.2	Risk reduction measures	55
5.9.3	Shape and surfaces	56
5.9.4	Protective devices and/or safety functions	56
5.9.5	End-effectors and robot application design	57
5.9.6	End-effectors exchange systems	57
5.10	Vertical transfer components	58
5.10.1	Mechanical design	58
5.10.2	Prevention of falling hazards	58
5.10.3	Prevention of crushing hazards	58
5.10.4	Control of movements	59
5.11	Lasers and laser equipment	59
5.12	Material handling, manual load/unload stations and material flow	59

ISO 10218-2:2025(en)

5.12.1	Material handling.....	59
5.12.2	Manual load/unload stations and other manual stations.....	59
5.12.3	Material flow.....	60
5.13	Adjacent robot cells.....	61
5.14	Collaborative applications.....	61
5.14.1	General.....	61
5.14.2	Safeguarded spaces.....	62
5.14.3	Transitions.....	63
5.14.4	Hand-guided control (HGC).....	63
5.14.5	Speed and separation monitoring (SSM).....	64
5.14.6	Power and force limiting (PFL).....	66
5.15	Assembly, installation and commissioning.....	69
5.15.1	Commissioning of robot applications.....	69
5.15.2	Environmental conditions.....	70
5.15.3	Power.....	70
5.15.4	Lighting.....	70
5.15.5	Labelling.....	70
5.16	Maintenance.....	71
5.16.1	General.....	71
5.16.2	Movement without drive power.....	71
6	Verification and validation.....	71
6.1	General.....	71
6.2	Verification and validation methods.....	71
6.3	Verification and validation of guards, protective devices, safety function parameter settings and biomechanical threshold limits.....	72
6.3.1	Guards and protective devices.....	72
6.3.2	Safety function parameter settings.....	72
6.3.3	Biomechanical limits.....	72
6.4	Complementary protective measures.....	72
7	Information for use.....	73
7.1	General.....	73
7.2	Signals and warning devices.....	73
7.3	Marking.....	73
7.4	Signs (pictograms) and written warnings.....	74
7.5	Instruction handbook.....	74
7.5.1	General.....	74
7.5.2	Identification.....	74
7.5.3	Intended use.....	74
7.5.4	Transport, handling and lifting.....	75
7.5.5	Installation.....	75
7.5.6	Commissioning and programming.....	75
7.5.7	Abnormal and emergency situations.....	76
7.5.8	Settings and operation.....	77
7.5.9	Maintenance.....	77
7.5.10	Decommissioning.....	78
7.5.11	Remote interventions.....	78
7.5.12	Hazardous energy.....	78
7.5.13	Limiting devices and restricted space.....	78
7.5.14	Movement without drive power.....	79
7.5.15	Control station(s).....	79
7.5.16	Functional safety.....	79
7.5.17	Operating modes.....	80
7.5.18	Enabling devices.....	80
7.5.19	Vibration.....	81
7.5.20	End-effector(s).....	81
7.5.21	Manual load/ unload stations.....	81
7.5.22	Collaborative applications.....	81
7.5.23	Cybersecurity.....	82

ISO 10218-2:2025(en)

Annex A (informative) List of significant hazards	83
Annex B (informative) Illustrations of spaces	91
Annex C (normative) Safety function performance requirements	97
Annex D (Informative) Required safety function information	119
Annex E (informative) Example of determination of the PL_r or required SIL	121
Annex F (informative) Comparison of stop functions	124
Annex G (informative) Graphical symbols	126
Annex H (informative) Means of verification and validation of the design and protective measures	128
Annex I (informative) End-effectors	163
Annex J (informative) Safeguarding manual load and unload stations	167
Annex K (informative) Safeguarding material entry and exit point	179
Annex L (normative) Speed and separation monitoring (SSM) – separation distance	184
Annex M (informative) Limits for quasi-static and transient contact	188
Annex N (informative) Validation of PFL collaborative applications	199
Annex O (informative) Optional features	216
Annex P (informative) Implementation of start/restart interlock and reset functions	218
Annex Q (informative) Relationship of standards related to safeguards	220
Bibliography	221

ISO 10218-2:2025(en)**Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 299, *Robotics*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 310, *Advanced automation technologies and their applications*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 10218-2:2011), which has been technically revised.

The main changes are as follows:

- emphasising robot application and not robot system, as the robot application includes the workpieces, task program, and the machinery and equipment to support the application and intended tasks;
- incorporating safety requirements for collaborative applications (formerly, the content of ISO/TS 15066);
- clarifying requirements for functional safety;
- adding requirements for cybersecurity to the extent that it applies.

A list of all parts in the ISO 10218 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

ISO 10218-2:2025(en)

Introduction

This document has been created in recognition of the hazards that are presented by robots when they are integrated and installed with end-effectors into robot applications and robot cells. ISO 10218-1 addresses robots as partly completed machinery, while this document addresses robots integrated into completed machinery for specific robot applications.

This document is a type-C standard according to ISO 12100.

This document is of relevance for the following stakeholder groups representing the market players regarding safety of robot applications and robot cells:

- robot manufacturers (small, medium and large enterprises);
- robot application integrators (small, medium and large enterprises);
- health and safety bodies (regulators, accident prevention organisations, market surveillance, etc).

Others can be affected by the level of safety achieved with the means of the document by the above-mentioned stakeholder groups:

- robot application users/employers (small, medium and large enterprises);
- robot application users/employees (e.g. trade unions);
- service providers, e.g. for maintenance (small, medium and large enterprises);

The above-mentioned stakeholder groups have been given the possibility to participate at the drafting process of this document.

Robot applications, and the extent to which hazards, hazardous situations and events, are covered and indicated in the Scope of this document.

When provisions of a type-C standard are different from those which are stated in type-A or type-B standards, the provisions of the type-C standard take precedence over the provisions of the other standards for machines that have been designed and built in accordance with the provisions of the type-C standard.

Hazards associated with robot applications are well recognized, but the sources of the hazards are frequently unique to each robot application. The number and type(s) of hazard(s) are directly related to the nature of the automation process and the complexity of the application. The risks associated with these hazards vary with the robot used, its safety functions, and the integration, installed, programs, use, and maintenance. This document provides requirements for safety in the integration of robots into robot applications and robot cells. The requirements include safeguarding of operators during integration, commissioning, functional testing, programming, operation, maintenance and repair. Requirements for the robot can be found in ISO 10218-1.

The ISO 10218 series deals with robotics in an industrial environment, which is comprised of workplaces where the public is excluded or restricted from access and the allowed people (operators) are working adults. Other standards cover such topics as general characteristics, coordinate systems and axis motions, mechanical interfaces, performance criteria and related testing methods, and end-effectors.

There are a broad range of robot applications and robot cell(s). Therefore, it is not possible to provide a list of all significant hazards, hazardous situations or events into which a robot application can be integrated. Moreover, the same kind of applications can have different levels of risk, resulting from different designs which correspond to the intended application (e.g. paint spraying on large or small parts, handling of a small harmful payload like a hot metal bolt or a large harmless payload like a box of paper tissues).

Other standards can be applicable to associated machinery and equipment in robot applications and robot cells.

For ease of reading this document, the words “robot”, “robot system” and “robot application” refer to “industrial robot”, “industrial robot system” and “industrial robot application” as defined in ISO 10218-1 and this document.

ISO 10218-2:2025(en)

This document has been updated based on experience gained since the release of the first edition of ISO 10218-2 in 2011. This document remains aligned with minimum requirements of a harmonized type-C standard for robot applications and robot cells in an industrial environment. Providing for a safe robot application and a safe robot cell depends on the cooperation of a variety of “stakeholders”. Stakeholders can include designers, manufacturers, suppliers and integrators. Users are the entity responsible for using robot applications and robot cells. Users can also be any of the other stakeholder roles.

Where appropriate, ISO/TS 15066:2016 on the safety of collaborative robot applications was added to the ISO 10218 series. Because human-robot collaboration relates to the application and not to the robot alone, most of the requirements of ISO/TS 15066 have been incorporated into this document. Safety functions that enable a collaborative application can be part of the robot (e.g. PFL), or can be provided by a protective device, or a combination.

It is important to emphasize that the term “collaborative robot” is not used in this document. Only the application can be developed, verified, and validated as a collaborative application. In addition, the term “collaborative operation” is not used in this document.

Robotics — Safety requirements —

Part 2:

Industrial robot applications and robot cells

IMPORTANT — The electronic file of this document contains colours which are considered to be useful for the correct understanding of the document. Users should therefore consider printing this document using a colour printer.

1 Scope

This document specifies requirements for the integration of industrial robot applications and industrial robot cells. The following are addressed:

- the design, integration, commissioning, operation, maintenance, decommissioning and disposal;
- integration of machines and components;
- information for use for the design, integration, commissioning, operation, maintenance, decommissioning and disposal.

This document is not applicable to the following uses and applications of industrial robots:

- underwater;
- law enforcement;
- military (defence);
- airborne and space, including outer space;
- medical;
- healthcare of a person;
- prosthetics and other aids for the physically impaired;
- service robots, which provide a service to a person and as such the public can have access;
- consumer products, as this is household use to which the public can have access;
- lifting or transporting people;
- multi-purpose lifting devices or machinery, e.g. cranes, forklift trucks.

NOTE Applications for the automation of laboratories are not considered as medical or healthcare of a person.

This document deals with the significant hazards, hazardous situations or hazardous events when used as intended and under specified conditions of misuse which are reasonably foreseeable by the integrator.

This document provides basic requirements for industrial robot applications, but does not cover the hazards related to the following:

- emission of airborne noise;
- severe conditions (e.g. extreme climates, freezer use, strong magnetic fields) outside of manufacturer's specifications;

ISO 10218-2:2025(en)

- underground use;
- use that has hygienic requirements;
- processing of any material (e.g. food, cosmetics, pharmaceutical, metal);
- use in nuclear environments;
- use in potentially explosive environments;
- mobility when robots or manipulators are integrated with driverless industrial trucks;
- mobility when robots or manipulators are integrated with mobile platforms;
- use in environments with hazardous ionizing and non-ionizing radiation levels;
- hazardous ionizing and non-ionizing radiation;
- handling loads the nature of which could lead to dangerous situations (e.g. molten metals, acids/bases, radiating materials);
- when the public or non-working adults have access.

Emission of acoustic noise could be identified to be a significant hazard, but emission of noise is not covered in this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3864-1:2011, *Graphical symbols — Safety colours and safety signs — Part 1: Design principles for safety signs and safety markings*

ISO 3864-2:2016, *Graphical symbols — Safety colours and safety signs — Part 2: Design principles for product safety labels*

ISO 3864-3:2024, *Graphical symbols — Safety colours and safety signs — Part 3: Design principles for graphical symbols for use in safety signs*

ISO 3864-4:2011, *Graphical symbols — Safety colours and safety signs — Part 4: Colorimetric and photometric properties of safety sign materials*

ISO 4413:2010, *Hydraulic fluid power — General rules and safety requirements for systems and their components*

ISO 4414:2010, *Pneumatic fluid power — General rules and safety requirements for systems and their components*

ISO 7010:2019, *Graphical symbols — Safety colours and safety signs — Registered safety signs*

ISO 8995-1:2002, *Lighting of work places — Part 1: Indoor*

ISO/CIE 8995-3:2018, *Lighting of work places — Part 3: Lighting requirements for safety and security of outdoor work places*

ISO 10218-1:2025, *Robotics – Safety requirements – Part 1: Industrial robots*

ISO 12100:2010, *Safety of machinery — General principles for design — Risk assessment and risk reduction*

ISO 13732-1:2006, *Ergonomics of the thermal environment — Methods for the assessment of human responses to contact with surfaces — Part 1: Hot surfaces*

ISO 10218-2:2025(en)

ISO 13732-3:2005, *Ergonomics of the thermal environment — Methods for the assessment of human responses to contact with surfaces — Part 3: Cold surfaces*

ISO 13849-1:2023, *Safety of machinery — Safety-related parts of control systems — Part 1: General principles for design*

ISO 13850:2015, *Safety of machinery — Emergency stop function — Principles for design*

ISO 13854:2017, *Safety of machinery — Minimum gaps to avoid crushing of parts of the human body*

ISO 13855:2010, *Safety of machinery — Positioning of safeguards with respect to the approach speeds of parts of the human body*

ISO 13856:2013, *Safety of machinery — Pressure-sensitive protective devices*

ISO 13857:2019, *Safety of machinery — Safety distances to prevent hazard zones being reached by upper and lower limbs*

ISO 14118:2017, *Safety of machinery — Prevention of unexpected start-up*

ISO 14119:2024, *Safety of machinery — Interlocking devices associated with guards — Principles for design and selection*

ISO 14120:2015, *Safety of machinery — Guards — General requirements for the design and construction of fixed and movable guards*

ISO 14122:2016, *Safety of machinery — Permanent means of access to machinery*

ISO 14738:2002, *Safety of machinery — Anthropometric requirements for the design of workstations at machinery*

ISO 15534-1:2000, *Ergonomic design for the safety of machinery — Part 1: Principles for determining the dimensions required for openings for whole-body access into machinery*

ISO 15534-2:2000, *Ergonomic design for the safety of machinery — Part 2: Principles for determining the dimensions required for access openings*

ISO 19353:2019, *Safety of machinery — Fire prevention and fire protection*

ISO 20607:2019, *Safety of machinery — Instruction handbook — General drafting principles*

ISO 20643:2005, + AMD1:2021, *Mechanical vibration — Hand-held and hand-guided machinery — Principles for evaluation of vibration emission*

IEC 60073:2002, *Basic and safety principles for man-machine interface, marking and identification — Coding principles for indication devices and actuators*

IEC 60204-1:2016, + AMD1:2021, *Safety of machinery — Electrical equipment of machines — Part 1: General requirements*

IEC 60825-1:2014, *Safety of laser products — Part 1: Equipment classification and requirements*

IEC 60947-5-8:2020, *Low-voltage switchgear and controlgear — Part 5-8: Control circuit devices and switching elements — Three-position enabling switches*

IEC 61000-6-7:2014, *Electromagnetic compatibility (EMC) — Part 6-7: Generic standards — Immunity requirements for equipment intended to perform functions in a safety-related system (functional safety) in industrial locations*

IEC 61310:2007, *Safety of machinery — Indication, marking and actuation*

IEC 61496-1:2020, *Safety of machinery — Electro-sensitive protective equipment — Part 1: General requirements and tests*

ISO 10218-2:2025(en)

IEC 61508-2:2010, *Functional safety of electrical/electronic/programmable electronic safety-related systems — Part 2: Requirements for electrical/electronic/programmable electronic safety-related systems*

IEC 62046:2018, *Safety of machinery — Application of protective equipment to detect the presence of persons*

IEC 62061:2021, *Safety of machinery — Functional safety of safety-related control systems*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN