

STN	<p>Zariadenia s krátkym dosahom (SRD) používajúce technológiu ultraširokého pásma (UWB) na komunikačné účely Harmonizovaná norma pre prístup k rádiovému spektru Časť 3: Zariadenia UWB inštalované v motorových a železničných vozidlách Oddiel 1: Požiadavky na zariadenia UWB pre systémy prístupu do vozidiel v rozsahu od 3,8 GHz do 4,2 GHz alebo od 6 GHz do 8,5 GHz</p>	<p>STN EN 302 065-3-1 V3.2.1</p>
		87 2065

Short Range Devices (SRD) using Ultra Wide Band technology (UWB); Harmonised standard for access to radio spectrum; Part 3: UWB devices installed in motor and railway vehicles; Sub-part 1: Requirements for UWB devices for vehicular access systems within 3,8 GHz to 4,2 GHz or 6 GHz to 8,5 GHz

Táto norma obsahuje anglickú verziu európskej normy.

This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 06/25

Obsahuje: EN 302 065-3-1 V3.2.1:2025

140564

ETSI EN 302 065-3-1 v3.2.1 (2025-02)



**Short Range Devices (SRD)
using Ultra Wide Band technology (UWB);
Harmonised standard for access to radio spectrum;
Part 3: UWB devices installed in motor and railway vehicles;
Sub-part 1: Requirements for UWB devices for vehicular
access systems within 3,8 GHz to 4,2 GHz or 6 GHz to 8,5 GHz**

ReferenceREN/ERM-TGUWB-150-3-1

Keywordsharmonised standard, SRD, UWB

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed,
this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to
the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.
In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.
All rights reserved.

Contents

Intellectual Property Rights	6
Foreword.....	6
Modal verbs terminology.....	8
Introduction	8
1 Scope	9
2 References	9
2.1 Normative references	9
2.2 Informative references.....	9
3 Definition of terms, symbols and abbreviations.....	11
3.1 Terms.....	11
3.2 Symbols	11
3.3 Abbreviations	12
4 Technical requirements specifications	13
4.1 Environmental profile.....	13
4.2 Type of equipment and EUT categories	13
4.2.1 Type of equipment.....	13
4.2.2 EUT categories for Type 1 equipment (vehicle transceivers).....	14
4.2.3 Summary of EUT categories.....	14
4.3 Transmitter requirements	15
4.3.1 General.....	15
4.3.2 Operating Frequency Range (OFR)	15
4.3.2.1 Applicability.....	15
4.3.2.2 Description and general requirements.....	15
4.3.2.3 Limits	15
4.3.2.4 Conformance	16
4.3.3 Mean e.i.r.p. spectral density	16
4.3.3.1 Applicability.....	16
4.3.3.2 Description	16
4.3.3.3 Limits	16
4.3.3.4 Conformance	16
4.3.4 Peak e.i.r.p. spectral density.....	16
4.3.4.1 Applicability.....	16
4.3.4.2 Description	16
4.3.4.3 Limits	16
4.3.4.4 Conformance	17
4.3.5 TX unwanted emissions.....	17
4.3.5.1 Applicability.....	17
4.3.5.2 Description	17
4.3.5.3 Limits	17
4.3.5.4 Conformance	18
4.3.6 Duty Cycle	18
4.3.6.1 Applicability.....	18
4.3.6.2 Description	18
4.3.6.3 Limits	18
4.3.6.4 Conformance	18
4.3.7 Trigger-before-transmit	18
4.3.7.1 Applicability.....	18
4.3.7.2 Description	18
4.3.7.2.1 General	18
4.3.7.2.2 Trigger event from use case perspective	19
4.3.7.2.3 Trigger scenarios on EUT level.....	19
4.3.7.2.4 Trigger Scenario 1: EUT Category 1A	19
4.3.7.2.5 Trigger Scenario 2: EUT Category 1B	20
4.3.7.2.6 General requirements.....	20

4.3.7.3	Limits	20
4.3.7.4	Conformance	21
4.3.8	TX behaviour under the complete environmental profile	21
4.3.8.1	Applicability.....	21
4.3.8.2	Description	21
4.3.8.3	Limits	21
4.3.8.4	Conformance	21
4.4	Receiver requirements	21
4.4.1	General.....	21
4.4.2	Wanted Technical Performance Criteria.....	22
4.4.2.1	Wanted Technical Performance Criterion 1	22
4.4.2.2	Wanted Technical Performance Criterion 2	22
4.4.3	Receiver spurious emissions	23
4.4.3.1	Applicability.....	23
4.4.3.2	Description	23
4.4.3.3	Limits	23
4.4.3.4	Conformance	24
4.4.4	Receiver Baseline Sensitivity (RBS)	24
4.4.4.1	Applicability.....	24
4.4.4.2	Description	24
4.4.4.3	Limits	24
4.4.4.4	Conformance	24
4.4.5	Receiver Baseline Resilience (RBR)	25
4.4.5.1	Applicability.....	25
4.4.5.2	Description	25
4.4.5.3	Limits	25
4.4.5.4	Conformance	25
5	Testing for compliance with technical requirements.....	26
5.1	Environmental conditions for testing	26
5.1.1	General.....	26
5.1.2	Normal test conditions	26
5.1.3	Complete environmental profile test conditions	26
5.2	General conditions for testing and conformance test suites	26
5.2.1	General conditions for testing.....	26
5.2.2	Conformance test suites	26
5.2.3	Test scenarios.....	27
5.3	Conformance methods of measurement for transmitter	27
5.3.1	General.....	27
5.3.2	Operating Frequency Range (OFR)	27
5.3.3	Mean e.i.r.p. spectral density	27
5.3.4	Peak e.i.r.p. spectral density.....	28
5.3.5	TX unwanted emissions	28
5.3.6	Duty Cycle	28
5.3.6.1	Short-Term Duty Cycle	28
5.3.6.2	Long-Term Duty Cycle	29
5.3.7	Trigger-before-transmit	30
5.3.7.1	General	30
5.3.7.2	Setup for Trigger Scenario 1	30
5.3.7.3	Setup for Trigger Scenario 2	31
5.3.8	TX behaviour under the complete environmental profile	32
5.3.8.1	General	32
5.3.8.2	Conformance test procedure.....	32
5.4	Conformance methods of measurement for receiver.....	33
5.4.1	Receiver spurious emissions	33
5.4.2	Receiver Baseline Sensitivity (RBS)	33
5.4.3	Receiver Baseline Resilience (RBR)	33
Annex A (informative):	Relationship between the present document and the essential requirements of Directive 2014/53/EU	34
Annex B (informative):	Selection of technical parameters	36

Annex C (informative):	Trigger-before-transmit	38
C.1	Trigger behaviour	38
C.2	Justification for trigger-before-transmit limits	38
Annex D (informative):	RBR Limits Derivation.....	40
D.1	General	40
D.2	Relevant interferers - Frequency Band 3,8 GHz to 4,2 GHz.....	40
D.2.1	Relevant interferers	40
D.2.2	Limits for Equipment Type 1	40
D.2.3	Limits for Equipment Type 2	40
D.3	Relevant interferers - Frequency Band 6,0 GHz to 8,5 GHz.....	40
D.3.1	Relevant interferers	40
D.3.2	Limits for Equipment Type 1	41
D.3.3	Limits for Equipment Type 2	41
D.4	Strong interferers.....	42
D.4.1	WAS/RLAN in 5 925 MHz to 6 425 MHz.....	42
D.4.2	Limits for Equipment Type 1 and Equipment Type 2.....	42
Annex E (informative):	Bibliography	43
Annex F (informative):	Change history	44
History		45

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™, LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

BLUETOOTH® is a trademark registered and owned by Bluetooth SIG, Inc.

Foreword

This Harmonised European Standard (EN) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM).

The present document has been prepared under the Commission's standardisation request C(2015) 5376 final [i.2] to provide one voluntary means of conforming to the essential requirements of Directive 2014/53/EU on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC [i.1].

Once the present document is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of the present document given in Table A.1 confers, within the limits of the scope of the present document, a presumption of conformity with the corresponding essential requirements of that Directive and associated EFTA regulations.

The present document is part 3, sub-part 1 of a multi-part deliverable covering Short Range Devices (SRD) using Ultra Wide Band technology (UWB); Harmonised standard for access to radio spectrum, as identified below:

Part 1: "Generic UWB devices":

Sub-part 1: "Communication devices within 3,1 GHz to 4,8 GHz using LDC mitigation or within the 6 GHz to 8,5 GHz".

Part 2: "Ultra Wide Band location tracking devices":

Sub-part 1: "Requirements for devices within 6 GHz to 8,5 GHz";

Sub-part 2: "Requirements for devices in the frequency band between 3,1 GHz to 4,8 GHz utilizing LDC mitigation technique";

Sub-part 3: "Requirements for fixed infrastructure UWB based localization systems in the frequency band between 3,1 GHz to 4,8 GHz deploying Detect-And-Avoid (DAA) mitigation technique";

Sub-part 4: "Requirements for fixed outdoor devices within 6,0 GHz to 8,5 GHz";

Sub-part 5: "Requirements for enhanced indoor devices within 6,0 GHz to 8,5 GHz".

Part 3: "UWB devices installed in motor and railway vehicles":

Sub-part 1: "Requirements for UWB devices for vehicular access systems within 3,8 GHz to 4,2 GHz or 6 GHz to 8,5 GHz";

Sub-part 2: "Requirements for location tracking devices installed in rail and road vehicles operating in the frequency range of 3,1 GHz to 4,8 GHz or 6,0 GHz to 8,5 GHz";

Sub-part 3: "Requirements for UWB radiodetermination applications operating within 6,0 GHz to 8,5 GHz".

Part 4: "Material Sensing devices":

Sub-part 1: "Building material analysis operating within 30 MHz to 10,6 GHz";

Sub-part 2: "UWB Material Sensing devices for Security Scanning";

Sub-part 3: "Ground humidity and condition sensor";

Sub-part 4: "Exterior material sensing applications for ground based vehicles below 10,6 GHz";

Sub-part 5: "UWB surveillance devices for parking lot sensors below 10,6 GHz".

Part 5: "Devices using UWB technology onboard aircraft";

Part 6: "Ultra Wide Band radio-determination for radar sensing devices":

Sub-part 1: "Requirements for presence detection applications within 6,0 GHz to 8,5 GHz";

Sub-part 2: "Requirements for generic UWB through-air non-contact vital signs applications within 6,0 GHz to 8,5 GHz";

Sub-part 3: "Requirements for fixed outdoor presence detection devices within 6,0 GHz to 8,5 GHz";

Sub-part 4: "Requirements for fixed outdoor through-air non-contact vital signs applications within 6,0 GHz to 8,5 GHz";

Sub-part 5: "Requirements for enhanced indoor presence detection devices within 6,0 GHz to 8,5 GHz";

Sub-part 6: "Requirements for enhanced indoor through-air non-contact vital signs applications within 6,0 GHz to 8,5 GHz".

NOTE 1: The list above shows the planned multi-part deliverable, at the time, when the present document was finalized.

NOTE 2: Part 4, sub-parts 2 (UWB Material Sensing devices for Security Scanning), 3 (Ground humidity and condition sensor below 10,6 GHz) and 5 (UWB surveillance devices for parking lot sensors below 10,6 GHz) of this multi-part deliverable are under discussion (change WI) or will be stopped.

National transposition dates	
Date of adoption of this EN:	18 February 2025
Date of latest announcement of this EN (doa):	31 May 2025
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	30 November 2025
Date of withdrawal of any conflicting National Standard (dow):	30 November 2026

Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

Introduction

For the present document, the applicable harmonised standard has been ETSI EN 302 065-3 [i.12], for UWB devices for ground based vehicular applications, which was published in the OJEU without restriction at 10 March 2017 [i.9] and then published at 5 February 2020 [i.10] with the following restriction:

- *"This harmonised standard does not set out technical specifications for 'trigger before-transmit techniques'. Implementing Decision (EU) 2019/785, however, imposes, as of 16 November 2019, technical requirements to be used within the bands 3,8-4,2 GHz and 6-8,5 GHz for vehicular access systems using trigger-before transmit. Therefore, compliance with this harmonised standard does not ensure compliance with Decision (EU) 2019/785 and accordingly does not confer a presumption of conformity with those essential requirements set out in Article 3 (2) of Directive 2014/53/EU which relate to 'trigger-before-transmit techniques'".*

In order to consider the above points, ETSI ERM TGUWB decided to develop more specific standards; for the present document this means instead of a generic ETSI EN 302 065-3 [i.12] standard for all road and rail vehicles applications, an ETSI EN 302 065-3-1 for UWB devices for vehicular access systems. Other sub-parts for UWB devices installed in motor and railway vehicles may follow (ETSI EN 302 065-3-x).

More details on the changes of the present document to previous versions are provided in annex F.

1 Scope

The present document specifies technical requirements, limits and test methods for equipment employing UWB for vehicular access devices installed in motor and railway vehicles in the frequency ranges 3,8 GHz to 4,2 GHz and 6,0 GHz to 8,5 GHz.

These equipment types are intended to be utilized for vehicle access, vehicle immobilization and extended vehicle access control functionalities (like closing windows or remotely starting the car).

Further details of the covered EUT can be found in clause 4.2.

NOTE: The relationship between the present document and essential requirements of article 3.2 of Directive 2014/53/EU [i.1] is given in annex A.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found in the [ETSI docbox](#).

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] [ETSI EN 303 883-1 \(V2.1.1\) \(08-2024\)](#): "Short Range Devices (SRD) and Ultra Wide Band (UWB); Part 1: Measurement techniques for transmitter requirements".
- [2] [ETSI EN 303 883-2 \(V2.1.1\) \(08-2024\)](#): "Short Range Devices (SRD) and Ultra Wide Band (UWB); Part 2: Measurement techniques for receiver requirements".
- [3] [ETSI TS 103 941 \(V1.1.1\) \(01-2024\)](#): "Short Range Devices (SRD) and Ultra Wide Band (UWB); Measurement setups and specifications for testing under full environmental profile (normal and extreme environmental conditions)".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document, but they assist the user with regard to a particular subject area.

- [i.1] [Directive 2014/53/EU](#) of the European Parliament and of the Council of 16 April 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC (RE-Directive).
- [i.2] [Commission implementing Decision C\(2015\) 5376 final of 4.8.2015](#) on a standardisation request to the European Committee for Electrotechnical Standardisation and to the European Telecommunications Standards Institute as regards radio equipment in support of Directive 2014/53/EU of the European Parliament and of the Council.

- [i.3] ETSI TR 103 416 (V1.1.1) (07-2016): "System Reference document (SRdoc); Short Range Devices (SRD) using Ultra Wide Band (UWB); Technical characteristics and spectrum requirements for UWB based vehicular access systems for operation in the 3,4 GHz to 4,8 GHz and 6 GHz to 8,5 GHz frequency ranges".
- [i.4] [ECC/DEC/\(06\)04](#): "ECC Decision of 24 March 2006 on the harmonised use, exemption from individual licensing and free circulation of devices using Ultra-Wideband (UWB) technology in bands below 10.6 GHz (ECC Decision (06)04), amended on 6 July 2007, amended 9 December 2011, amended on 8 March 2019 and amended 18 November 2022".
- [i.5] ETSI TS 103 361 (V1.1.1) (03-2016): "Short Range Devices (SRD) using Ultra Wide Band technology (UWB); Receiver technical requirements, parameters and measurement procedures to fulfil the requirements of the Directive 2014/53/EU".
- [i.6] [ECC Report 278 \(27 April 2018\)](#): "Specific UWB applications in the band 3.4-4.8 GHz and 6.0-8.5 GHz: Location tracking and sensor applications (LTA) for vehicular access systems".
- [i.7] [Commission Implementing Decision \(EU\) 2024/1467 of 27 May 2024](#) amending Implementing Decision (EU) 2019/785 on the harmonisation of radio spectrum for equipment using ultra-wideband technology in the Union.
- [i.8] [Directive 1999/5/EC](#) of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity.
- [i.9] [Official Journal of the European Union, 13.7.2018](#): "Commission communication in the framework of the implementation of Directive 1999/5/EC of the European Parliament and of the Council on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity and Directive 2014/53/EU of the European Parliament and of the Council on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC".
- [i.10] [Commission Implementing Decision \(EU\) 2020/167 of 5 February 2020](#) on the harmonised standards for radio equipment drafted in support of Directive 2014/53/EU of the European Parliament and of the Council.
- [i.11] [ECC/DEC/\(20\)/01](#): "ECC Decision of 20 November 2020 on the harmonised use of the frequency band 5945-6425 MHz for Wireless Access Systems including Radio Local Area Networks (WAS/RLAN)".
- [i.12] ETSI EN 302 065-3 (V2.1.1): "Short Range Devices (SRD) using Ultra Wide Band technology (UWB); Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU; Part 3: Requirements for UWB devices for ground based vehicular applications".
- [i.13] ETSI EG 203 336 (V1.2.1): "Guide for the selection of technical parameters for the production of Harmonised Standards covering article 3.1(b) and article 3.2 of Directive 2014/53/EU".
- [i.14] ETSI TS 103 567 (V1.1.1): "Requirements on signal interferer handling".
- [i.15] [ERC Recommendation 74-01](#): "Unwanted emissions in the spurious domain", Approved 1998, Corrected 23 May 2022.

koniec náhľadu – text d'alej pokračuje v platenej verzii STN